

HYSTER COMPANY
PRICE LIST

C60Z
CENTER RIDER TYPE
LOW LIFT PALLET TRUCK
SERIES CODE A478

COMPLETE TRUCK

	Price	Weight (Lbs.)
C60Z	\$ 8,500.	1,616

STANDARD FEATURES

-24 Volt	-Spring-loaded Polyurethane Caster Wheels (4"x2.5")
-SEM Traction Controller	-Single Polyurethane Load Wheels w/ 2 Bearings per Wheel (3.25" x 6.5")
-Transistor Hoist Control	-Polyurethane Drive Tire (10" x 5")
-Low Battery Lift Interrupt without Display	-Knock-out Load Wheel Axles
-Lift Motor Cut-out at Full Height	-Operator's Compartment (32.0" W x 20.8" D) with 1" Thick Cushioned Floormat and Cushioned Knee and Back Pads
-Battery Compartment (31.3" x 13.4")	-4.6" Operator's Compartment Step Height with Forks Lowered
-Battery Connector – 175 Amp, Red	-48" High Load Backrest / Load Support
-Flush Pallet Stop	-Lubrication Fittings on Undercarriage
-Key Switch	-Control Handle (25" Over All Width)
-Toggle Switch Activated, Electro-mechanical Park Brake	-Full Rotary Grip Travel Control
-Electronic Horn	-Standard Construction
-Floor Mounted High Speed Switch	-Operator Manual
-Regenerative Braking	-UL Classification E
-48" Forks	
-9" Individual Fork Width, 27" Width Across Forks	
-3.25" Lowered Fork Height with 6" Lift Height	
-Heavy-duty Pull Rods w/ Replaceable Threaded Ends	

BASIC MODEL

	Option No.	Price	Weight (Lbs.)
C60Z.....	051-01	\$ 8,500.	1,616

REQUIRED OPTIONS

		Option No.	Price	Weight (Lbs.)
Fork Weldments -	36" Long x 27" Wide	030-36	N/C	xx
	42" Long x 27" Wide	030-42	N/C	xx
	48" Long x 27" Wide	030-48	Std.	xx
	60" Long x 27" Wide.....	030-60	\$ 210.	xx

OPTIONS FOR BASIC MODEL (Add-On)


		Option No.	Price	Weight (Lbs.)
Construction -	Standard.....	020-01	Std.	-
	Cold Storage/Freezer (Continuous use in freezer to -15° F. Recommend Rubber Drive Tire 061-01 and 4 Bearing Polyurethane Load Wheels 023-05.).....	020-04	\$ 315.	-

Subject to Change Without Notice

PRICES F.O.B. FACTORY
GREENVILLE, NC U.S.A.

Replaces
12/01/02

PAGE E-8.9
Effective
07/02/03



HYSTER COMPANY PRICE LIST

C60Z CENTER RIDER TYPE LOW LIFT PALLET TRUCK SERIES CODE A478

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

		Option No.	Price	Weight (Lbs.)
Load Wheels -	Single Polyurethane w/ 2 Bearings Per Wheel (3.25" x 6.5")	023-04	Std.	
	Single Polyurethane w/ 4 Bearings Per Wheel (3.25" x 6.5")	023-05	\$ 110.	-
	Recommended for high carrying capacities, heavy-duty cycles, freezer applications, and/or less than clean and dry applications.			
	Dual (3.25" x 3.25")	023-06	35.	-
Battery Rollers -	6.8" from floor to top of rollers	031-01	285.	-
Stabilizers -	Spring Loaded Polyurethane Caster Wheels (4" x 2.5")	049-02	Std.	-
	Heavy Duty Spring Loaded Casters (4" x 2.5") (Fully Serviceable)	049-03	135.	-
Control Handle -	Control Handle (25" Over All Width)	057-01	Std.	-
	Control Handle (17" Over All Width)	057-02	N/C.	-
Drive Tire -	Polyurethane (10" x 5")	061-02	Std.	-
	Rubber (10" x 5") (Recommended for Cold Storage 020-04)	061-01	40.	-
Instrumentation -	No Display	080-05	Std.	-
	Display with BDI, Hour Meter and Status Code Readout ...	080-04	250.	-
Operator's Convenience Tray -	Mounted on Covered Battery	114-01	95.	-
Side Glide -	Side Glide Control Handle			
	Recommended for Orderpicking Applications	133-01	200.	-
Load Backrest -	48" High	162-01	Std.	-
	60" High	162-04	285.	-
	72" High	162-05	310.	-
	NOTE: Back Wall of Operator's Compartment Serves as 48" LBR. Premium Package 300-01 recommended with 72" LBR.			
Premium Package -	Includes 3" Thick Backpad with Auxiliary Controls, Integral Armrest and Storage Bin	300-01	320.	-
Truck Publications -	Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House)	301-20	90. Net	-
	Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House)	301-30	90. Net	-


NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in **Bold Type** those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.

Export Processing -	005-01	65. Net	-
---------------------	-------------	---------	---

SOLD ALONE – From the Parts Depot

Convenience Tray	Battery Mounted..... (Fits 13.4" Battery Box)	1500896
------------------	--	---------

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 12/01/02	PAGE E-8.10 Effective 07/02/03
----------------------------------	--	----------------------	--------------------------------------



HYSTER COMPANY
PRICE LIST

C80Z
CENTER RIDER TYPE
LOW LIFT PALLET TRUCK
SERIES CODE A479

COMPLETE TRUCK

	Price	Weight (Lbs.)
C80Z -	\$8,760.	1,842

STANDARD FEATURES

-24 Volt	-Spring-loaded Polyurethane Caster Wheels (4"x2.5")
-SEM Traction Controller	-Single Polyurethane Load Wheels w/ 4 Bearings per Wheel (3.25" x 6.5")
-Transistor Hoist Control	-Polyurethane Drive Tire (12" x 4.5")
-Low Battery Lift Interrupt without Display	-Knock-out Load Wheel Axles
-Lift Motor Cut-out at Full Height	-Operator's Compartment (32.0" W x 20.8" D) with 1" Thick Cushioned Floormat and Cushioned Knee and Back Pads
-Battery Compartment (31.3" x 13.4")	-4.6" Operator's Compartment Step Height with Forks Lowered
-Battery Connector – 175 Amp, Red	-48" High Load Backrest / Load Support
-Flush Pallet Stop	-Lubrication Fittings on Undercarriage
-Key Switch	-Control Handle (25" Over All Width)
-Toggle Switch Activated, Electro-mechanical Park Brake	-Full Rotary Grip Travel Control
-Electronic Horn	-Standard Construction
-Floor Mounted High Speed Switch	-Operator Manual
-Regenerative Braking	-UL Classification E
-48" Forks	
-9" Individual Fork Width, 27" Width Across Forks	
-3.25" Lowered Fork Height with 6" Lift Height	
-Heavy-duty Pull Rods w/ Replaceable Threaded Ends	

BASIC MODEL

	Option No.	Price
C80Z	051-01	\$8,760

REQUIRED OPTIONS

	Option No.	Price
Fork Weldments -		
36" Long x 27" Wide	030-36	N/C
42" Long x 27" Wide	030-42	N/C
48" Long x 27" Wide	030-48	Std
60" Long x 27" Wide	030-60	210.
84" Long x 28" Wide Double Pallet Forks	030-84	345.
93" Long x 28" Wide Double Pallet Forks	030-93	400.
96" Long x 28" Wide Double Pallet Forks	030-96	400.

NOTE: 84", 93" and 96" long fork weldments for use with two 48" pallets. The load wheels will be placed through the first opening of the second pallet. 10" Fork Width and 28" Width Across Forks are standard on 84", 93" or 96" long forks.

OPTIONS FOR BASIC MODEL (Add-On)


	Option No.	Price
Construction -		
Standard	020-01	Std.
Cold Storage/Freezer (Continuous Use to -15° F), Siped Poly Drive Tire Option 061-02 Recommended, N/A w/ 056-02	020-02	\$405.

Subject to Change Without Notice

PRICES F.O.B. FACTORY
GREENVILLE, NC U.S.A.

Replaces
12/01/02

PAGE E-8.11
Effective
07/02/03




HYSTER COMPANY PRICE LIST	C80Z CENTER RIDER TYPE LOW LIFT PALLET TRUCK SERIES CODE A479
--	--

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

		Option No.	Price
	Corrosion/Food Processing/Severe Freezer Continuous Use to -40°F. N/A w/ 056-02, Siped Poly Drive Tire Option 061-02 Recommended Recommended for High Moisture/Freezer Environments .	020-03	1375.
Load Wheels -	Single Polyurethane w/4 Bearings Per Wheel (3.25" x 6.5") Note: Load wheel configuration recommended for: high carrying capacities, heavy-duty cycles, and/or less than clean and dry applications.	023-05	Std .
	Single Polyurethane w/2 Bearings Per Wheel (3.25" x 6.5")	023-04	N/C
	Dual (3.25" x3.25")	023-06	35.
Stabilizers -	Spring Loaded Polyurethane Casters (4" x 2.5")	049-02	Std.
	Spring Loaded Heavy Duty Casters (4" x 2.5") Fully Serviceable.....	049-03	105.
Approval -	UL Classification E.....	056-01	Std.
	UL Classification EE (N/A with 020-02 or 020-03. EE rated battery required or an optional EE rated battery cover is available through SPED.....	056-02	905.
Drive Tire -	Polyurethane (12" x 4.5").....	061-01	Std.
	Siped Polyurethane (12" x 4.5". Recommended for Construction 020-02 or 020-03).....	061-02	35.
Instrumentation -	No Display	080-05	Std.
	Display with BDI, Hour Meter and Status Code Readout...	080-04	250.
Side Glide -	Side Glide Control Handle Recommended for Orderpicking Applications	133-01	200.
Control Handle -	Control Handle (25" Over All Width).....	057-01	Std.
	Control Handle (17" Over All Width).....	057-02	N/C
Load Backrest -	48" High.....	162-01	Std
	60" High	162-04	285.
	72" High	162-05	310.
	Note: Back Wall of Operator Compartment Serves as 48" LBR Premium Package 300-01 recommended with 72" LBR		
Battery Rollers -	6.8" From Floor to Top of Rollers	031-01	290.
Premium Package -	Includes 3" Thick Backpad with Auxiliary Controls, Integral Armrest and Storage Bin	300-01	320.
Operator's Convenience Tray	(Mounted on Covered Battery)	114-01	95.

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 12/01/02	PAGE E-8.12 Effective 07/02/03
----------------------------------	--	----------------------	--------------------------------------



HYSTER COMPANY
PRICE LIST

C80Z
CENTER RIDER TYPE
LOW LIFT PALLET TRUCK
SERIES CODE A479

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

Truck Publications -

Parts Manual – Printed (Serial Number Specific, Distributed by Literature Distribution House).....	301-20	90. Net
Parts Manual – CD (Serial Number Specific, Distributed by Literature Distribution House).....	301-30	90. Net

NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in **Bold Type** those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.

Export Processing -	005-01	65. Net
----------------------------------	--------	----------------

SOLD ALONE – From the Parts Depot

Convenience Tray (Fits 13.4" Battery Box)	Battery Mounted	1500896
--	-----------------------	---------

Subject to Change Without Notice

**PRICES F.O.B. FACTORY
GREENVILLE, NC U.S.A.**

**Replaces
12/01/02**

**PAGE E-8.13
Effective
07/02/03**