

HYSTER COMPANY
PRICE LIST

R30XMS2
COUNTERBALANCED TYPE
ORDERPICKER TRUCK
Series Code D174

COMPLETE TRUCK

	Price	Weight Lbs.
R30XMS2 - 213" 3-Stage VISTA Mast and 42" Forks.....	\$19,320	4,610

Mast and Forks Included Above Are Underlined in the Price List.

STANDARD FEATURES

-24 Volt	-Electronic Power Disconnect with Key Reset
-Curtis SEPEX™ (Separately Excited Motor)	-Backlit Hour Meter Display includes Alphanumeric
Transistor Controller w/ Regenerative Braking	Messaging, Battery Discharge Indicator, and
and Automatic Field Control	Lift Interrupt
-Controller Area Network (CAN) Communications	-Slack Chain Indicator
-HySense™ Continuous Height Sensing	-Dome Lights and 2-Speed Fans
-Return-to-Center Electric Power Steering	-Cantilever Operator's Overhead Guard
-Single Speed Lift/Lower	-Spacious Operator's Platform (27.5"D x 40"W)
-Battery Compartment Rollers	-Anti-Fatigue Floormat
-Pallet Clamp	-Operator Amenities: Storage Pockets, Removable
-Polyurethane Drive Tire (12" x 5.5")	Trash Bin, and Cupholder
(80 Durometer)	-Wire Mesh Screen
-Articulating Tandem Polyurethane Load Wheels	-Operator Tether Line with Full Body Harness
-Adjustable Fork Widths	Universal size fits Small through Large build
-Fixed Hoop Side Rails	-Battery Connector - 175 Amp, Red
-Amber Strobe Light	-Static Discharge Strap
-RF Data Terminal Connection	-UL Classification E

BASIC MODEL

	Option No.	Price	Weight Lbs.
R30XMS2.....	051-01	\$ 14,625.	2,610

REQUIRED OPTIONS


				Option No.	Price	Weight Lbs.
Masts - 2-Stage VISTA	MFH [±] :	Lowered:	Free Lift			
Installed	135"	89".....	0".....	150-01	\$ 2,920.	1,270
Only	147"	95".....	0".....	150-02	3,000.	1,335
	165"	105".....	0".....	150-03	3,210.	1,425
3-Stage VISTA	MFH [±] :	Lowered:	Free Lift			
	195"	89".....	0".....	153-01	4,070.	1,655
	213"	95".....	0".....	153-02	<u>4,165.</u>	1,750
	240"	105".....	0".....	153-03	4,750.	1,834

If Free Lift is required, see G118 R30XM2 Price List.

NOTICE: Before final mast selection, consult High Lift Sheets, any tire restrictions will be shown there. Contact Applications Engineering if special lift heights are critical. Units shipped from Greenville or Berea into the North American market having a lowered mast height in excess of 109 or 125 inches, respectively, will be shipped with the mast removed from the truck. Units shipping into the Latin American / Caribbean market will have the mast removed for lowered mast heights in excess of 89 inches. Should mast removal be desired for masts with lowered heights less than those outlined, please use the option code as noted for the appropriate series.

Mast Removal and Preparation for Shipment (if required).....	140-99	285.	-
--	--------	-------------	---

Subject to Change Without Notice	Prices F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 12/01/02	PAGE E-7.1 Effective 8/19/2003
----------------------------------	--	----------------------	--------------------------------------



HYSTER COMPANY PRICE LIST	R30XMS2 COUNTERBALANCED TYPE ORDERPICKER TRUCK Series Code D174
--	--

REQUIRED OPTIONS (Cont'd.)


Forks - Pin Type Installed Only	Length	Section	Part No.	Option No.	Price	Weight Lbs.
	36".....	1.75" x 4".....	2013011.....	163-01	\$ 495. Pair	225
	42".....	".....	2013012.....	163-02	530.	250
	48".....	".....	2013013.....	163-03	550.	270
	Less Forks (Includes Mounting Hardware).....			163-99	65.	-
Base Width - ¹	41".....			180-01	N/C	-
	48".....			180-02	110.	-

¹NOTE: Capacities are subject to derating depending on maximum fork height, base width, battery weight, and other options. Contact SPED for information concerning capacities.

OPTIONS FOR BASIC MODEL (Add-On)

		Option No.	Price	Weight Lbs.
Construction-	Standard.....	020-01	Std.	-
	Freezer (Continuous -20° F. Includes Heater on Traction Control. Includes Poly Siped Drive Tire).....	020-02	\$ 700.	-
Upper Body Ventilation-	2-Speed Fan in Operator Control Panel.....	026-01	240.	-
Adjustable Operator Controls-	6" Vertical Adjustment of Operator Control Panel.....	028-01	215.	-
Steering-	Return-to-Center (Recommend w/ option 028-01 for fork first travel).....	033-02	Std.	-
	Multi-Turn w/ L.E.D. Direction Indicator.....	033-01	N/C	-
Base Arm Guide Rollers-	48.25" Width Across for 41" Base Width,			
	55" Width Across for 48" Base Width.....	042-06	575.	50
Pallet Clamp-	With.....	045-01	Std.	-
	Without.....	045-99	N/C	-
Lights and Fan-	Dome Lights and 2-Speed Fans.....	086-01	Std.	
	2 - Work Area Spot Lights (mounted under overhead guard).....	086-02	220	5
Side Rails-	Fixed Hoop Side Rails.....	098-01	Std.	-
	Retractable Side Gates with Traction Cutout Interlocks.....	098-02	425.	-
Hyster Wire Guidance-	6.25 kHz Line Frequency @ 78 mA Line Current.....	103-01	7,110.	-
	5.2kHz Line Frequency @ 35 mA Line Current (RAYGUIDE compatible).....	103-02	7,110.	-
	Consult SPED for other frequencis and / or line currents.			

Subject to Change Without Notice	Prices F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 08/19/03	PAGE E-7.2 Effective 09/11/03
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	R30XMS2 COUNTERBALANCED TYPE ORDERPICKER TRUCK Series Code D174
--	--

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd)

		Option No.	Price	Weight Lbs.
High-Level Traction-	Traction Above 150"..... (Capacity reduction required. Contact SPED for capacity ratings.)	105-01	\$ 65.	-
Mast Lift Limit- (Specify Fork Height)	Lift Limit.....	111-01	175.	-
	Lift Limit With Override.....	111-02	340.	-
	Lowering Limit With Override.....	111-03	340.	-
Tether-	Operator Tether with Full Body Harness.....	257-03	Std.	-
	Retractable Operator Tether with Full Body Harness.....	257-04	260.	-
	Operator Tether with Medium Body Belt*.....	257-01	N/C.	-
	Retractable Operator Tether with Medium Body Belt*.....	257-02	260.	-
	*Medium Body Belt fits waist sizes 36" to 44".			
Truck Publications-	Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House.....	301-20	90. Net	-
	Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House.....	301-30	90. Net	-
NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in Bold Type those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.				
Export Processing-		005-01	90. Net	-

ACCESSORIES - Not Installed

		Part No.	Price	Weight Lbs.
Battery Stand-	(Option 122-01).....	387979	\$ 330.	210
Battery Puller-	(Option 123-01).....	387984	310.	45
Fire Extinguisher-	2.6 lb. Dry Chemical.....	146540	Parts Depot	5
Wire Driver for Wire Guidance System -		360634	Parts Depot	-

Subject to Change Without Notice	Prices F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 12/01/02	PAGE E-7.2.1 Effective 8/19/2003
----------------------------------	--	----------------------	--