**HYSTER COMPANY****PRICE LIST****H170, 190, 210, 230, 250, 280HD****Series Code F007****COMPLETE TRUCK**

	Price	Weight Lbs.
H170HD - 212.5" 2-Stage No FL Vista Mast, 92.5" Carriage, 48" Forks.....	\$109,615	25,890
H190HD - 212.5" 2-Stage No FL Vista Mast, 92.5" Carriage, 48" Forks.....	112,365	26,315
H210HD - 212.5" 2-Stage No FL Vista Mast, 92.5" Carriage, 48" Forks.....	115,695	27,595
H230HD - 212.5" 2-Stage No FL Vista Mast, 92.5" Carriage, 48" Forks.....	121,150	31,345
H250HD - 212.5" 2-Stage No FL Vista Mast, 92.5" Carriage, 48" Forks.....	123,245	31,795
H280HD - 212.5" 2-Stage No FL Vista Mast, 92.5" Carriage, 48" Forks.....	124,800	34,975

Masts, Carriages and Forks included above are underlined in the price list.

STANDARD FEATURES

Perkins Diesel Turbocharged Intercooled Engine
Power Train Protection
24 Volt Electrical System
3 Speed Powershift Transmission
MONOTROL Pedal
3-Function Hydraulic Control Valve: Lever
Side View Mirrors
Operator Compartment w/ Overhead Guard
Includes:
 Seatside Hydraulic Control
 Independently Adjustable Armrest
 Multifunction Display Panel
 Wide Angle Mirrors
 Side Tilting for Service Access (Manual)
 Isolated Mounting
 Handrails for Operator Entry and Exit
 Mechanical Full Suspension Vinyl Seat
 Floormat

Telescopic, Tilt Steering Wheel
Overhead Exhaust
Load Sensing Steering
70 Amp Alternator
10.00x20-16 PR Premium SuperLug Off Road Tires
15° Forward, 12° Back Tilt
Puller Fan
Planetary Drive Axle
Air Brakes
12-24V DC Converter
Horn
Operator Restraint System
Integral Precleaner
2 Brake w/ Backup Lights
Parts Manual
Operating Manual
U.L. Classification D

BASIC MODEL

	Option No.	Price	Weight Lbs.
H170HD	051-07	\$ 92,570.	19,395
H190HD	051-08	95,320.	19,820
H210HD	051-09	98,650.	21,100
H230HD	051-10	101,365.	22,850
H250HD	051-11	103,460.	23,300
H280HD	051-12	105,015.	26,480

OPTIONS FOR BASIC MODEL (Add-On)

	Option No.	Price	Weight Lbs.
Engine - A \$600 Net Surcharge will apply to ALL trucks ordered for CALIFORNIA END USERS.			
Diesel - Perkins Turbocharged Intercooled 1106-60TA 142 HP (Muffler incorporated into exhaust stack. N/A w/ Pusher Fan 026-02.).....	052-08	Std.	-
Diesel - Cummins 6BT 5.9L Turbocharged 152 HP.....	052-07	\$ 2,870.	-
Engine Block Heater -	352-01	830.	-
Accumulator - 2.5 Liter Piston Type.....	015-02	1,280.	-
Brakes	Air.....	Std.	-
	Air with Air System Drier.....	1,230.	-
	Wet Disc.....	6,370.	-
Engine Fan -	Puller.....	Std.	-
	Pusher (N/A on Perkins Engine 052-08.).....	105.	-

Subject to Change Without Notice

PRICES POINT OF ENTRY
(CONTACT FDX LOGISTICS, GREENVILLE, NC, USA)**Replaces**
04/15/03**Page C-5.1**
Effective
07/15/03




HYSTER COMPANY PRICE LIST	H170, 190, 210, 230, 250, 280HD Series Code F007
--	---

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

		Option No.	Price	Weight Lbs.
Directional Control -	MONOTROL Pedal.....	032-01	Std.	-
	Control Lever.....	032-02	N/C	-
Transmission -	Powershift, 3 Speed.....	054-03	Std.	-
	Autoshift, 3 Speed.....	054-02	\$ 1,190.	-
Spinner Knob -	(Installed).....	057-01	60.	-
Severe Duty Axle Ends-	(H230-280HD) Requires Wet Disc Brakes 021-02 only. Suggested for Clamp Attachments and/or shuttle operations.....	059-01	3,630.	-
Tires -	(Price Set of 6)			
	10.00 x 20 - 16PR Premium SuperLug - Off Road.....	063-08	Std.	-
	10.00 x 20 - Soft Ride Solid.....	063-07	6,325.	-
	10.00 x R20 Michelin XZM Radial (Tubeless).....	063-09	3,680.	-
Seat - Full Suspension	Mechanical Suspension Seat: Vinyl.....	065-04	Std.	-
	Mechanical Suspension Seat: Cloth (Cab only).....	065-05	105.	-
	Air Suspension Seat: Vinyl.....	065-06	335.	-
	Air Suspension Seat: Cloth (Cab only).....	065-07	385.	-
ComforCab II -	Includes: Tinted, Curved Glass; Circulation Fan; Heater & Defroster; Electric Wiper and Windshield Washer Front, Rear, Top; Intermittent Front Wiper; Steel Framed Glass Doors; Door Retainer; 3 Speed Fan; 12 Volt Auxiliary Power Source; Dome Light. (Raises truck height by 2.5") Installed.....	072-03	4,940.	-
	Less Cab (Includes Overhead Guard).....	072-99	Std.	-
Optional Equipment: Cab Only -	Air Conditioning (Includes Sunshade.)	256-01	5,595.	-
	Reading Light.....	256-02	95.	-
	Rear Locking Console.....	256-05	410.	-
	Sunshade.....	256-06	160.	-
	(All Cab-Only Equipment Options Above Require 072-03 on order.)			
Air Cleaner -	Integral Precleaner.....	078-01	Std.	-
	Exhaust Aspirated Precleaner.....	078-02	390.	-
Lifting Eyes -		082-01	1,795.	-
Lights -	2 Brake & Backup Lights.....	086-05	Std.	-
	2 Brake & Backup, 2 Mast Mounted Work & 2 Rear Drive Lights.....	086-03	610.	-
	2 Brake & Backup, 2 Rear Drive, 4 Operator Compartment Drive and 2 Front Fender Lights (N/A with 086-03.).....	086-07	1,610.	-
	Turn Signals.....	086-08	615.	-
Amber Strobe Light -	Continuous Operated, Top Mounted (Compatible with Cab 072-03).....	087-02	430.	-
Back-Up Alarm -	Reverse Operated, Self Adjusting (See Dealer For Additional Options).....	119-01	285.	-
Service Access -	Manual Operator Compartment Tilt.....	170-01	Std.	-
	Powered Operator Compartment Tilt.....	170-02	460.	-
Tilt Mast -	15° Forward, 12° Back (2 Stage Mast).....	171-01	Std.	-
	20.5° Forward, 7° Back (2 & 3 Stage Mast).....	171-02	355.	-
	15° Forward, 10° Back (3 Stage Mast).....	171-03	300.	-
Accessories -	Raintop (For non-cab trucks only).....	255-02	220.	-
Fire Extinguisher -	5 lb. Dry Chemical.....	From	Parts Depot	-

Subject to Change Without Notice	PRICES POINT OF ENTRY (CONTACT FDX LOGISTICS, GREENVILLE, NC, USA)	Replaces 04/15/03	Page C-5.2 Effective 07/15/03
----------------------------------	---	----------------------	-------------------------------------



HYSTER COMPANY

PRICE LIST

H170, 190, 210, 230, 250, 280HD

Series Code F007

MASTS

				Option No.	Price	Weight Lbs.
H170-210 (See H230-280 Masts for additional options.)						
2-Stage No Free-Lift VISTA						
MFH - 147.5"	Lowered - 131.0"			150-01	\$ 9,665.	3,325
183.0"	149.0"			150-02	10,120.	3,660
212.5"	163.5"			150-03	10,945.	4,055
Special Lift Heights in Approximately 6" Increments From 153.5" to 207.0".....				Contact SPED		
3-Stage Full Free-Lift VISTA (Requires 15° Forward, 10° Back Tilt)						
MFH - 220.5"	Lowered - 119.9"	Free-Lift - 53.5"		153-01	\$ 25,870.	
236.2"	125.1"	58.8"		153-02	27,700.	
255.9"	131.7"	65.4"		153-03	29,800.	
275.6"	138.2"	71.9"		153-04	31,980.	
H230-280 (Optional on H170-210) Requires H230-280 Carriage (Reduces Capacity Rating)						
2-Stage No Free-Lift VISTA						
MFH - 147.5"	Lowered - 143.0"			150-04	11,815.	4,530
183.0"	160.5"			150-05	12,445.	5,005
212.5"	175.5"			150-06	13,150.	5,505
244.0"	191.0"			150-07	13,750.	5,880
Special Lift Heights in Approximately 6" Increments From 153.5" to 238.0".....				Contact SPED		
3-Stage Full Free-Lift VISTA (Requires 15° Forward, 10° Back Tilt)						
MFH - 220.5"	Lowered - 119.9"	Free-Lift - 53.5"		153-01	\$ 25,870.	
236.2"	125.1"	58.8"		153-02	27,700.	
255.9"	131.7"	65.4"		153-03	29,800.	
275.6"	138.2"	71.9"		153-04	31,980.	

NOTICE: Before final mast selection, consult High Lift Sheets, any tire restrictions will be shown there. Contact SPED if special lift heights are critical.

CARRIAGES - Pin Type - 92.5" Wide.

	Option No.	Price	Weight Lbs.
H170-210 - 2 Stage.....	156-01	\$ 4,400.	1,680
- 3 Stage.....	156-03	4,400.	
H230-280 - 2 Stage.....	156-02	4,635.	2,010
- 3 Stage.....	156-04	4,635.	

FORK POSITIONER - Pin Type - 92.5" Wide Hyster Integral Carriage.


	Option No.	Price	Weight Lbs.
Simultaneous Fork Control: (Requires minimum 3 Function Hydraulics)			
H170-210 - 2 Stage.....	158-07	\$ 6,350.	1,880
- 3 Stage.....	158-15	6,350.	
H230-280 - 2 Stage.....	158-08	6,580.	2,210
- 3 Stage.....	158-16	6,580.	
Individual Fork Control: (Requires minimum 4 Function Hydraulics.)			
H170-210 - 2 Stage.....	158-09	6,350.	1,880
- 3 Stage.....	158-17	6,350.	
H230-280 - 2 Stage.....	158-10	6,580.	2,210
- 3 Stage.....	158-18	6,580.	

Subject to Change Without Notice

PRICES POINT OF ENTRY
(CONTACT FDX LOGISTICS, GREENVILLE, NC, USA)

Replaces
04/15/03

Page C-5.3
Effective
07/15/03

**HYSTER COMPANY****PRICE LIST****H170, 190, 210, 230, 250, 280HD****Series Code F007****SIDEShift - Pin Type - 92.5" Wide Hyster Integral Carriage (Requires minimum 3 Function Hydraulics.)**

	Option No.	Price	Weight Lbs.
H170-210 - 2 Stage.....	158-01	\$ 6,995.	2,790
- 3 Stage.....	158-05	6,995.	
H230-280 - 2 Stage.....	158-02	7,225.	2,890
- 3 Stage.....	158-06	7,225.	

DUAL FUNCTION SIDESHIFT FORK POSITIONER (DFSSFP) - Pin Type - 92.5" Wide Hyster Integral Carriage.

Forks are positioned independently. (Requires minimum 5 Function Hydraulics, Fork Positioning Forks and 7° Back Tilt.) The relative position of the forks determines the amount of side-shift available. With forks all the way out or all the way in, there is NO SIDESHIFT capability. Side-shifting capability is maximized with the forks positioned in the middle of the fork pin. Not available on 3 Stage Mast.

	Option No.	Price	Weight Lbs.
H170-210 - 2 Stage.....	158-03	\$ 10,440.	2,630
H230-280 - 2 Stage.....	158-04	10,670.	2,920

(Contact SPED for capacity ratings with 12° Back Tilt)

SIDEShift FORK POSITIONER (SSFP) - Apron Style - 92.5" Wide Hyster Integral Carriage (Req. Pin Type Forks.)

	Option No.	Price	Weight Lbs.
Simultaneous Fork Control: (Requires minimum 4 Function Hydraulics.)			
H170-210 - 2 Stage.....	158-11	\$ 9,455.	1,880
- 3 Stage.....	158-19	9,455.	
H230-280 - 2 Stage.....	158-12	9,685.	2,210
- 3 Stage.....	158-20	9,685.	
Individual Fork Control: (Requires minimum 5 Function Hydraulics.)			
H170-210 - 2 Stage.....	158-13	9,455.	1,880
- 3 Stage.....	158-21	9,455.	
H230-280 - 2 Stage.....	158-14	9,685.	2,210
- 3 Stage.....	158-22	9,685.	


LOAD BACKREST EXTENSION - For handling of Empty Containers with forks, contact SPED.**FORKS - PIN TYPE (Sold Alones from Parts Depot.)**

Section	Length	H170	H190	H210	H230-H280	Option No.	Price	Weight Lbs.
Pallet								
2.5 x 8 x	48"	X	X	X	-	163-01	\$ 1,700.	760
	54"	X	X	X	-	163-02	1,820.	825
	60"	X	X	X	-	163-03	1,935.	885
	72"	X	X	-	-	163-05	2,195.	985
	96"	X	-	-	-	163-06	2,585.	1,165
3.0 x 8 x	48"	X	X	X	X	163-07	2,000.	980
	54"	X	X	X	X	163-08	2,100.	1,050
	60"	X	X	X	X	163-09	2,195.	1,125
	72"	X	X	X	X	163-10	2,325.	1,255
	84"	X	X	X	X	163-11	2,565.	1,390
	96"	X	X	X	X	163-12	2,845.	1,535
Polished & Tapered								
3.0 x 8 x	48"	X	X	X	X	168-01	2,235.	860
	54"	X	X	X	X	168-02	2,385.	910
	60"	X	X	X	X	168-03	2,515.	955
	72"	X	X	X	X	168-04	2,800.	1,045

NOTE: For the H190HD, with load centers greater than 60 inches, the optional 3.0 x 8 section forks are recommended to obtain maximum capacity. For the H210HD, with load centers greater than 48 inches, the optional 3.0 x 8 section forks are recommended to obtain maximum capacity. These larger cross section forks are not required with shorter forks or shorter load center, and could actually reduce the truck capacity due to the additional weight of the forks. Contact Applications Engineering for additional assistance in fork selection.

Subject to Change Without Notice

PRICES POINT OF ENTRY
(CONTACT FDX LOGISTICS, GREENVILLE, NC, USA)Replaces
04/15/03Page C-5.4
Effective
07/15/03



HYSTER COMPANY

PRICE LIST

H170, 190, 210, 230, 250, 280HD

Series Code F007

**FORK POSITIONING FORKS - Pin Type - (Only for use with Dual Function Sideshift Fork Positioner - Pin Type - 92.5" Wide Hyster Integral Carriage 158-03 or 158-04.)
(Sold Alones from Parts Depot.)**

H170-280HD	Section	Length	Option No.	Price	Weight Lbs.
	2.75 x 8 x	48"	163-13	\$ 3,185.	970
		54"	163-14	3,250.	1,030
		60"	163-15	3,385.	1,100
		72"	163-16	3,510.	1,220
		84"	163-17	3,745.	1,340
		96"	163-18	4,025.	1,475

HYDRAULIC CONTROL VALVES (Sold Alones from Parts Depot.)

Installed	Option No.	Price	Weight Lbs.
Hydraulic Control: Levers -			
3-Function (3 levers) - Not for use with Clamp.....	066-02	Std.	-
3-Function (2 levers, 1 rocker switch) - Not for use with Clamp.....	066-11	N/C	-
4-Function (4 levers) - Not for use with Clamp.....	066-03	\$ 550.	-
4-Function (2 levers, 2 rocker switches) - Not for use with Clamp.....	066-12	550.	-
4-Function (3 levers, 1 rocker switch) - Not for use with Clamp.....	066-13	550.	-
4-Function (4 Levers (1 for Clamp)) - For use with Clamp.....	066-04	550.	-
5-Function - (4 levers, 1 rocker switch) - Not for use with Clamp.....	066-05	895.	-
5-Function - (4 levers (1 for Clamp), 1 rocker switch) - For use with Clamp.....	066-06	895.	-
5-Function - (3 Levers, 2 rocker switches) - Not for use with Clamp.			
-- For SSFP or DFSSFP.....	066-07	895.	-
6-Function - (4 levers, 2 rocker switches) - Not for use with clamp.....	066-16	1,220.	-
Hydraulic Control: Joysticks - (Requires Cab 072-03.)			
3-Function (3rd function on joystick).....	066-08	560.	-
3-Function (3rd function on rocker switch).....	066-14	560.	-
4-Function (3rd function on joystick, 4th on rocker switch).....	066-09	1,105.	-
4-Function (3rd & 4th function on rocker switches).....	066-15	1,105.	-
5-Function (3rd function on joystick, 4th & 5th on rocker switches).....	066-10	1,445.	-
**All joystick options NOT for use with a Clamping Attachment.			

NOTE: Contact Application Engineering for the proper control valves if the truck is ordered without a factory attachment, specifically for 5th and 6th function applications.

HOSE GROUPS - INSTALLED ONLY - Installation of Hose Groups increases the lowered mast height. Contact SPED for critical dimensions. (Sold Alones from Parts Depot.)

	Option No.	Price	Weight Lbs.
2 Stage			
3-Function - External Mounted. No Hose Reel (2 hoses, no wire cable).....	070-06	\$ 835.	-
4-Function - Includes selector valve. External Mounted. No Hose Reel (3 hoses, 1 wire cable).....	070-08	1,100.	-
5-Function - Includes selector valve. External Mounted. No Hose Reel (3 hoses, 1 wire cable).....	070-09	1,265.	-
6-Function - Includes selector valve. Internal Mounted. No Hose Reel (3 hoses, 1 wire cable).....	070-15	1,265.	-
3 Stage			
3-Function - Includes selector valve. Internal Mounted. No Hose Reel (2 hoses, no wire cable).....	070-10	1,315.	-
4-Function - Includes selector valve. Internal Mounted. No Hose Reel (3 hoses, 1 wire cable).....	070-11	1,735.	-
5-Function - Includes selector valve. Internal Mounted. No Hose Reel (3 hoses, 1 wire cable).....	070-12	1,735.	-
6-Function - Includes selector valve. Internal Mounted. No Hose Reel (3 hoses, 1 wire cable).....	070-13	1,735.	-

Subject to Change Without Notice

PRICES POINT OF ENTRY
(CONTACT FDX LOGISTICS, GREENVILLE, NC, USA)

Replaces
04/15/03

Page C-5.5
Effective
07/15/03