



HYSTER COMPANY

PRICE LIST

H440, H550, H620, H650, H700F/FS FORK LIFT TRUCK SERIES CODE E008

COMPLETE TRUCK

	Price	Weight Lbs.
H440FS - 36" LC 124" Vista Mast, 114" Carriage with SSFP, 96" Forks	\$ 304,080.	69,645
H550FS - 36" LC 124" Vista Mast, 114" Carriage with SSFP, 96" Forks	310,105.	75,845
H620FS - 36" LC 124" Vista Mast, 124" Carriage with SSFP, 96" Forks	323,575.	90,915
H700FS - 36" LC 124" Vista Mast, 124" Carriage with SSFP, 96" Forks	350,705.	91,525
H550F - 48" LC 124" Vista Mast, 114" Carriage with SSFP, 96" Forks	310,105.	76,005
H620F - 48" LC 124" Vista Mast, 124" Carriage with SSFP, 96" Forks	323,575.	90,350
H650F - 48" LC 124" Vista Mast, 124" Carriage with SSFP, 96" Forks	337,145.	89,065
H700F - 48" LC 124" Vista Mast, 124" Carriage with SSFP, 96" Forks	350,705.	92,205

Mast, Carriage, and Forks included above are underlined in the price list.

STANDARD FEATURES

- Cummins QSC8.3-216 Electronic Turbo Charged Diesel Engine and 3 Speed Powershift Transmission with Autoshift (H550F, H620F, H650F, and H700F).
- Cummins C8.3-215 Turbo Charged Diesel Engine and 3 Speed Powershift Transmission with Autoshift (H440FS, H550FS, H620FS, and H700FS).
- Directional Shift Lever
- Hydraulic Control Valve for Main and Auxiliary Functions
- Hose Group
- 6 Degree Forward, 10 Degree Back Tilt
- Overhead Exhaust
- 14.00 x 24 - 28 Ply Pneumatic Drive and Steer Tires (H440-550F/FS)
- 16.00 x 25 - 28 Ply Pneumatic Drive and Steer Tires (H620-700F/FS)
- Center Mount Operator Position
- Cab - Includes, Tinted Glass, Front, Top and Rear Wipers, Heater with 3 Speed Fan, Interior Fan and Light, Front and Rear Window Defrosters
- Tilt Steer Wheel
- 2 Rearview Mirrors
- Full Suspension Cloth Seat with Armrest and Seat Belt
- Back-up Alarm
- Hydraulic Wet Disc Brakes
- 24 Volt Electrical System w/50 AMP Alternator
- Light Package - Includes, 4 Floodlights, 2 Headlights and 2 Front Marker Lights on Fenders, 2 Rear Drive Lights, 2 Brake and Backup Lights, Turn Signals with Hazard Switch
- Amber Strobe Light
- Operators Manual

BASIC MODEL

	Option No.	Price	Weight Lbs.
H440FS - 36" LC 136" WB	051-01	\$ 229,355.	51,490
H550FS - 36" LC 144" WB	051-02	235,380.	57,690
H620FS - 36" LC 144" WB	051-03	238,355.	67,905
H700FS - 36" LC 155" WB	051-04	265,485.	68,515
H550F - 48" LC 170" WB	051-05	235,380.	57,850
H620F - 48" LC 170" WB	051-06	238,355.	67,340
H650F - 48" LC 190" WB	051-07	251,925.	66,055
H700F - 48" LC 190" WB	051-08	265,485.	69,195

NOTE: WB = WHEELBASE, LC = LOAD CENTER

OPTIONS FOR BASIC MODEL - Add-On or (Deduct)

A \$600 Net Surcharge will apply to ALL trucks ordered for CALIFORNIA END USERS.

	Option No.	Price
Cab Position - Center Mount	097-02	Std
Left Mount	097-01	\$ 915.
Cab - With Cab	072-01	Std
Less Cab	072-99	(5,660.)
Seats - Full Suspension Cloth Seat w/Armrest, Seat Belt	065-01	Std
Full Suspension Vinyl Seat w/Armrest, Seat Belt.....	065-02	N/C

Subject to Change Without Notice

PRICES F.O.B.
AMERICAS Port of Entry

Replaces
03/05/03

PAGE C-8.1
Effective
04/25/03



HYSTER COMPANY

PRICE LIST

**H440, H550, H620, H650, H700F/FS
FORK LIFT TRUCK
SERIES CODE E008**

OPTIONS FOR BASIC MODEL - (Add-On or Deduct) (Cont'd)

		Option No.	Price
Brakes -	Wet Disc	921-01	Std
	Drive and Steer		
Tires -	14.00 x 24 - 28 Ply Pneumatic (H440-550F/FS)	275-01	Std
	16.00 x 25 - 28 Ply Pneumatic (H620-700F/FS)	275-02	Std
	14.00 x 24 - Radial Michelin XZM (H440-550F/FS)	275-03	3,945.
	16.00 x 25 - Radial Michelin XZM (H620-700F/FS)	275-04	8,335.
	Solids	Contact Hyster Big Trucks	
Lights -	Light Package - Includes 4 Floodlights, 2 Headlights and 2 Front Marker Lights on Fenders, 2 Rear Drive Lights, 2 Brake and Backup Lights, Turn Signals with Hazard Switch.....	086-01	Std
Air Conditioning -		Contact Hyster Big Trucks	

MASTS

H440-550F/FS 2 Stage VISTA

		Option No.	Price	Weight Lbs.
MFH -124"	Lowered - 155"	150-01	\$ 35,895.	7,810
148"	167"	150-13	36,970.	8,300
172"	179"	150-02	37,800.	9,155
196"	191"	150-03	38,785.	9,410
220"	203"	150-04	39,575.	10,320
244"	215"	150-05	40,435.	10,820
364"	275"	150-06	44,610.	13,580

H620-700F/FS 2 Stage VISTA

MFH -124"	Lowered - 168"	150-07	39,700.	11,175
148"	180"	150-14	40,795.	11,770
172"	192"	150-08	41,890.	12,535
220"	216"	150-09	42,845.	14,095
244"	228"	150-15	43,930.	14,690
268"	240"	150-10	46,965.	15,380
292"	252"	150-16	49,815.	16,420
364"	288"	150-11	55,155.	18,105
388"	300"	150-12	58,230.	18,700

CARRIAGE - With Fork Positioner

		Option No.	Price	Weight Lbs.
H440-550F/FS	114" Wide	156-01	\$ 17,765.	3,800
H620-700F/FS	124" Wide	156-02	20,275.	4,970

SIDESHIFT - With Fork Positioner


		Option No.	Price	Weight Lbs.
H440-550F/FS	114" Wide	158-01	\$ 28,660.	6,850
H620-700F/FS	124" Wide	158-02	30,320.	8,110

Subject to Change Without Notice

PRICES F.O.B.
AMERICAS Port of Entry

Replaces
12/01/02

PAGE C-8.2
Effective
03/05/03



HYSTER COMPANY PRICE LIST

H440, H550, H620, H650, H700F/FS
FORK LIFT TRUCK
SERIES CODE E008

OPTIONS FOR BASIC MODEL - (Add-On or Deduct) (Cont'd)

FORKS - Pin Type

	Length	Section	Option No.	Price	Weight Lbs.
H440-550F/FS	96"	4" x 11"	163-09	\$ <u>10,170.</u>	3,500
H620-700F/FS	96"	4.1" x 12"	163-10	<u>15,200.</u>	3,725

TOP PICK CONTAINER ATTACHMENT Contact Hyster Big Trucks

LO RO-RO TRUCK Contact Hyster Big Trucks

AVAILABILITY ESTIMATES - Contact Hyster Company Big Truck Sales Department Before Quoting

Availability for Hyster Company H440-700F/FS FLT trucks will be provided upon request. Do not attempt to quote availability without prior consultation from Hyster Company. Quoted availability will always be subject to prior sales, and will depend upon the number of units being quoted or sold. Do not assume that multiple unit orders of identically equipped trucks will have the same weeks of availability. When submitting an order to Hyster Company for H440-700F/FS FLT trucks, always request a new confirmation of the latest estimate for weeks of availability at that time, so accurate availability information can be communicated to the customer. Hyster Company's receipt of prior orders may have changed the weeks of availability since the quote was created.

TRANSPORTATION CHARGES - Contact Hyster Company Big Truck Sales Department for Pricing

Hyster Company H440-700F/FS FLT trucks are priced FOB Continental Americas Port of Entry, which means that all Ocean Freight expenses to Continental destinations are already included in the price of the truck. These trucks are shipped via RO-RO vessels (roll on, roll off ships) to Continental RO-RO ports in North, Central, and South America. Contact Hyster Big Truck Sales to determine the closest RO-RO port to the customer location. All Overland Freight expenses to deliver the truck from the Continental Americas Port of Entry to the customer location are in addition to the prices in this Price List. Special Ocean Freight expenses to NON-Continental Americas Ports are also in addition to the prices in this Price List. Hyster Company can provide a firm quote at net price for Overland or Special Ocean Freight charges to the final destination, and can coordinate all Overland or Special Ocean Freight activities for the delivering truck. If arrangements are not made through Hyster Company, the Dealership is responsible for all Overland or Special Ocean Freight concerns, including the scheduling of and the cost of freight carrier(s), and all arrival communication with the end customer.

INSTALLATION

	Option No.	Price
Installation Charge	304-01	\$ 2,050. Net


The Installation Assistance option provides the Dealership with a Hyster Company Field Service/Installation Engineer or other Authorized Installation Assistance Provider endorsed by Hyster Company to properly direct and aid in the set-up of the ordered truck. Installation Assistance may be required on the first order at each Dealership branch location for H440-700F/FS FLT trucks, and may also be required on subsequent orders. Hyster Company will determine this requirement based on the experience level of the Dealership, the proficiency level of the Technicians which are assembling the unit, and the complexity of the truck that is being installed. Hyster Company has the final authority for the decision to require this Installation Assistance option on the order. For installation of multiple units, contact Hyster Big Trucks to determine Installation Assistance pricing.

Subject to Change Without Notice

PRICES F.O.B.
AMERICAS Port of Entry

Replaces
12/01/02

PAGE C-8.3
Effective
03/05/03



HYSTER COMPANY PRICE LIST	H440, H550, H620, H650, H700F/FS FORK LIFT TRUCK SERIES CODE E008
--	--

INSTALLATION INFORMATION

Hyster Company H440-700F/FS FLT trucks are delivered directly to the customer site and need to be set-up at the customer site. A typical installation for this series of truck will require an average of two days, with the use of two technicians to perform the installation. A Dealership without proficient Technicians who lack prior installation experience for this series of truck may take substantially longer to complete the installation; however, experienced and prepared technicians may require less than the two day average. Hyster Company's Installation Assistance will help to ensure a cost effective installation when Dealership experience is lacking, resulting in a proper and timely set-up for the customer. Dealership responsibilities for the set-up must include provision of the following personnel and equipment:

- Salesperson presence is required during the first hour of the installation and also upon completion of the installation.
- Two qualified Service Technicians are required for the entire duration of the installation. If only one Technician is available, Hyster Company must be notified prior to the installation, as additional charges for Installation Assistance may be necessary.
- A certified Crane Operator and Crane with a minimum capacity of 20 tons when the crane boom is raised above the mast at a distance of the Mast OALH + 5 ft + slings length + hook and cables length = total crane boom height.
- A minimum of one mechanical hoisting winch of 1.5 tons capacity, with a quantity of two preferred.
- Cables or slings of sufficient capacity to lift the mast, carriage, attachment, and tilt cylinders. Chain is not recommended.
- Two solid ropes at least 30 ft in length and capable of 500 lb capacity each. Stranded 1/2" nylon rope is typically sufficient.
- An OSHA approved work platform capable of lifting personnel to a height equal to the Mast OALH.
- A complete set of Standard and Metric open-end wrenches and sockets up to 2" and a 2 5/8" socket and wrench.
- A torque wrench with a capacity of up to 600 lb-ft.
- A hydraulic jack with minimum capacity of 15 tons.
- A tire cage to inflate air pressure in the tires.

Subject to Change Without Notice	PRICES F.O.B. AMERICAS Port of Entry	Replaces 12/01/02	PAGE C-8.4 Effective 03/05/03
---	---	------------------------------------	--