



H135FT HIGHLIFT SHEETS



	Price list pneumatic tires			CAPACITY at MFH Pin Carriage + 48 forks			CAPACITY at MFH Pin Carriage + 96 forks		
	Mast tilt degree	TOF MFH inch	OALH inch	24 inch LC lbs	30 inch LC lbs	36 inch LC lbs	24 inch LC lbs	36 inch LC lbs	48 inch LC lbs
H135FT 2 stage LFL masts	5F x 10B	118	100	13500	12250	11050	13150	10500	8650
	5F x 10B	126	104	13500	12250	11000	13100	10500	8650
	5F x 10B	134	108	13500	12250	11000	13100	10450	8650
	5F x 10B	141	112	13500	12250	11000	13100	10450	8650
	5F x 10B	149	116	13500	12200	11000	13100	10450	8650
	5F x 10B	157	120	13500	12150	10950	13050	10400	8650
	5F x 10B	165	124	13500	12150	10950	13000	10400	8650
	5F x 10B	173	128	13500	12150	10900	13000	10400	8650
	5F x 10B	181	132	13500	12150	10900	13000	10350	8650
	5F x 10B	189	136	13500	12100	10900	13000	10350	8600
	5F x 10B	196	140	13500	12100	10900	12950	10350	8600
	5F x 10B	204	144	13500	12100	10850	12950	10350	8600
	5F x 10B	212	148	13500	12100	10850	12950	10300	8600
	5F x 6B	220	157	13350	11950	10750	12800	10200	8500
	5F x 6B	228	160	13200	11800	10650	12650	10100	8400
	5F x 6B	236	164	13050	11700	10500	12500	10000	8300
	5F x 6B	244	168	12900	11550	10350	12350	9850	8200
H135FT 3 stage FFL masts	5F x 6B	185	102	13500	12100	10900	12900	10350	8650
	5F x 6B	196	106	13400	12000	10800	12800	10300	8600
	5F x 6B	208	110	13200	11800	10650	12600	10150	8450
	5F x 6B	220	113	13000	11650	10500	12400	9950	8300
	5F x 6B	232	119	12800	11400	10300	12200	9800	8150
	5F x 6B	244	123	12600	11200	10100	11950	9600	8000

All options in high lift chart are price list selections.

Contact Application Engineering regarding capacity ratings for other truck configurations.

May 2007



Price list pneumatic tires				CAPACITY at MFH Hook Carriage + 48 forks			CAPACITY at MFH Hook Carriage + 96 forks		
Mast tilt degree	TOF MFH inch	OALH inch		24 inch LC lbs	30 inch LC lbs	36 inch LC lbs	24 inch LC lbs	36 inch LC lbs	48 inch LC lbs
H135FT 2 stage LFL masts	5F x 10B	118	100	13500	12250	11000	13150	10500	8650
	5F x 10B	126	104	13500	12250	11000	13100	10450	8650
	5F x 10B	134	108	13500	12250	11000	13100	10450	8650
	5F x 10B	141	112	13500	12200	11000	13100	10450	8650
	5F x 10B	149	116	13500	12200	11000	13050	10450	8650
	5F x 10B	157	120	13500	12150	10950	13000	10400	8650
	5F x 10B	165	124	13500	12150	10900	13000	10400	8650
	5F x 10B	173	128	13500	12150	10900	13000	10350	8650
	5F x 10B	181	132	13500	12100	10900	13000	10350	8600
	5F x 10B	189	136	13500	12100	10900	12950	10350	8600
	5F x 10B	196	140	13500	12100	10900	12950	10350	8600
	5F x 10B	204	144	13500	12100	10850	12950	10300	8600
	5F x 10B	212	148	13500	12050	10850	12900	10300	8600
	5F x 6B	220	157	13350	11950	10750	12800	10200	8500
	5F x 6B	228	160	13200	11800	10600	12650	10100	8400
	5F x 6B	236	164	13050	11650	10500	12500	9950	8300
	5F x 6B	244	168	12900	11500	10350	12350	9850	8200
H135FT 3 stage FFL masts	5F x 6B	185	102	13500	12100	10900	12900	10350	8650
	5F x 6B	196	106	13400	12000	10800	12800	10300	8600
	5F x 6B	208	110	13200	11800	10650	12600	10150	8450
	5F x 6B	220	113	13000	11650	10500	12400	9950	8300
	5F x 6B	232	119	12800	11400	10300	12200	9800	8150
	5F x 6B	244	123	12600	11200	10100	11950	9600	8000

All options in high lift chart are price list selections.

Contact Application Engineering regarding capacity ratings for other truck configurations.

May 2007



H135FT HIGHLIFT SHEETS



	Price list pneumatic tires			CAPACITY at MFH Carriage + Sideshift + 48 forks			CAPACITY at MFH Carriage + Sideshift + 96 forks		
	Mast tilt degree	TOF MFH inch	OALH inch	24 inch LC lbs	30 inch LC lbs	36 inch LC lbs	24 inch LC lbs	36 inch LC lbs	48 inch LC lbs
H135FT 2 stage LFL masts	5F x 10B	118	100	12500	11150	10000	11850	9550	7500
	5F x 10B	126	104	12450	11150	10000	11800	9550	7500
	5F x 10B	134	108	12450	11150	10000	11800	9550	7500
	5F x 10B	141	112	12450	11150	10000	11800	9550	7500
	5F x 10B	149	116	12450	11110	10000	11750	9550	7500
	5F x 10B	157	120	12400	11050	10000	11700	9500	7500
	5F x 10B	165	124	12350	11050	10000	11700	9450	7500
	5F x 10B	173	128	12350	11050	10000	11700	9450	7500
	5F x 10B	181	132	12350	11050	10000	11700	9450	7500
	5F x 10B	189	136	12300	11000	9950	11650	9450	7500
	5F x 10B	196	140	12300	11000	9950	11650	9450	7500
	5F x 10B	204	144	12300	11000	9950	11650	9400	7500
	5F x 10B	212	148	12300	11000	9950	11650	9400	7500
	5F x 6B	220	157	12150	10850	9850	11500	9300	7500
	5F x 6B	228	160	12000	10750	9700	11350	9200	7500
	5F x 6B	236	164	11850	10600	9600	11250	9100	7500
	5F x 6B	244	168	11700	10500	9500	11100	9000	7500
H135FT 3 stage FFL masts	5F x 6B	185	102	12300	11000	10000	11650	9450	7500
	5F x 6B	196	106	12200	10950	9900	11550	9400	7500
	5F x 6B	208	110	12000	10750	9750	11350	9250	7500
	5F x 6B	220	113	11800	10600	9600	11200	9100	7500
	5F x 6B	232	119	11600	10400	9450	11000	8950	7500
	5F x 6B	244	123	11400	10200	9250	10750	8750	7400

All options in high lift chart are price list selections.

Contact Application Engineering regarding capacity ratings for other truck configurations.

May 2007



H135FT HIGHLIFT SHEETS



Price list pneumatic tires				CAPACITY at MFH CRG+Sideshift Fork Positioner+48 fork			CAPACITY at MFH CRG+Sideshift Fork Positioner+96 fork		
Mast tilt degree	TOF MFH inch	OALH inch		24 inch LC lbs	30 inch LC lbs	36 inch LC lbs	24 inch LC lbs	36 inch LC lbs	48 inch LC lbs
H135FT 2 stage LFL masts	5F x 10B	118	100	12450	11150	10000	11800	9550	7500
	5F x 10B	126	104	12400	11100	10000	11750	9500	7500
	5F x 10B	134	108	12400	11100	10000	11750	9500	7500
	5F x 10B	141	112	12400	11100	10000	11750	9500	7500
	5F x 10B	149	116	12400	11100	10000	11750	9500	7500
	5F x 10B	157	120	12350	11050	10000	11700	9450	7500
	5F x 10B	165	124	12300	11000	9950	11650	9450	7500
	5F x 10B	173	128	12300	11000	9950	11650	9450	7500
	5F x 10B	181	132	12300	11000	9950	11650	9400	7500
	5F x 10B	189	136	12300	11000	9950	11600	9400	7500
	5F x 10B	196	140	12250	10950	9900	11600	9400	7500
	5F x 10B	204	144	12250	10950	9900	11600	9400	7500
	5F x 10B	212	148	12250	10950	9900	11600	9350	7500
	5F x 6B	220	157	12100	10850	9800	11450	9250	7500
	5F x 6B	228	160	11950	10700	9700	11350	9150	7500
	5F x 6B	236	164	11850	10600	9550	11200	9050	7500
	5F x 6B	244	168	11700	10450	9450	11050	8950	7500
H135FT 3 stage FFL masts	5F x 6B	185	102	12250	11000	9950	11600	9450	7500
	5F x 6B	196	106	12150	10900	9900	11500	9350	7500
	5F x 6B	208	110	11950	10750	9700	11300	9200	7500
	5F x 6B	220	113	11750	10550	9550	11150	9050	7500
	5F x 6B	232	119	11550	10350	9400	10950	8900	7500
	5F x 6B	244	123	11350	10150	9200	10750	8700	7350

All options in high lift chart are price list selections.

Contact Application Engineering regarding capacity ratings for other truck configurations.

May 2007