

Models	Series	SOC	Description	Percent Usage	Action
E25-40XM2S	D114	Q10403	FREEZER/CORROSION CONSTRUCTION	0.26%	REM
E45,50,55,60,65XM2	F108	Q00102	ACCUMULATOR: PARKER 1 QT. PISTON TYPE	0.00%	REM
E70-120XL3	C098	Q00103	ACCUMULATOR: PARKER 2 QT. PISTON TYPE	0.00%	REM
J30-40XMT2	H160	Q46502	CARRIAGE-HOOK: 42" V2 FULL FL	0.00%	REM
J30-40XMT2	H160	Q29621	CARRIAGE-HOOK: 42" V2 LTD FL	0.00%	REM
J30-40XMT2	H160	Q46702	CARRIAGE-HOOK: 42" V3 FULL FL	0.00%	REM
J30-40XMT2	H160	Q46503	CARRIAGE-HOOK: 48" V2 FULL FL	0.00%	REM
J30-40XMT2	H160	Q29622	CARRIAGE-HOOK: 48" V2 LTD FL	0.00%	REM
J30-40XMT2	H160	Q46703	CARRIAGE-HOOK: 48" V3 FULL FL	0.12%	REM
J30-40XMT2	H160	Q07405	ELECTRIC ATTACHMENT GROUP	0.92%	REM
J30-40XMT2	H160	Q08639	FORK-HOOK PALLET: 50-52 X 1.5 X 4	0.00%	REM
J30-40XMT2	H160	Q34801	HYDRAULIC VALVE: LOAD PROTECTOR	0.00%	REM
J30-40XMT2	H160	Q16615	LOAD BACKREST EXTENSION: 42 W X 36 H	0.00%	REM
J30-40XMT2	H160	Q16616	LOAD BACKREST EXTENSION: 42 W X 42 H	0.00%	REM
J30-40XMT2	H160	Q16617	LOAD BACKREST EXTENSION: 42 W X 48 H	0.00%	REM
J30-40XMT2	H160	Q16618	LOAD BACKREST EXTENSION: 42 W X 60 H	0.00%	REM
J30-40XMT2	H160	Q16619	LOAD BACKREST EXTENSION: 48 W X 36 H	0.00%	REM
J30-40XMT2	H160	Q16620	LOAD BACKREST EXTENSION: 48 W X 42 H	0.00%	REM
J30-40XMT2	H160	Q16621	LOAD BACKREST EXTENSION: 48 W X 48 H	0.00%	REM
J30-40XMT2	H160	Q16622	LOAD BACKREST EXTENSION: 48 W X 60 H	0.00%	REM
J40-60XM2	A216	Q46502	CARRIAGE-HOOK: 42" V2 FULL FL	0.00%	REM
J40-60XM2	A216	Q46506	CARRIAGE-HOOK: 42" V2 FULL FL	0.00%	REM
J40-60XM2	A216	Q29621	CARRIAGE-HOOK: 42" V2 LTD FL	0.00%	REM
J40-60XM2	A216	Q29630	CARRIAGE-HOOK: 42" V2 LTD FL	0.00%	REM
J40-60XM2	A216	Q46702	CARRIAGE-HOOK: 42" V3 FULL FL	0.00%	REM
J40-60XM2	A216	Q16615	LOAD BACKREST EXTENSION: 42 W X 36 H	0.00%	REM
J40-60XM2	A216	Q16616	LOAD BACKREST EXTENSION: 42 W X 42 H	0.00%	REM
J40-60XM2	A216	Q16617	LOAD BACKREST EXTENSION: 42 W X 48 H	0.00%	REM
J40-60XM2	A216	Q16618	LOAD BACKREST EXTENSION: 42 W X 60 H	0.00%	REM
J40-60XM2	A216	Q16619	LOAD BACKREST EXTENSION: 48 W X 36 H	0.00%	REM
J40-60XM2	A216	Q16620	LOAD BACKREST EXTENSION: 48 W X 42 H	0.00%	REM
J40-60XM2	A216	Q16621	LOAD BACKREST EXTENSION: 48 W X 48 H	0.00%	REM
J40-60XM2	A216	Q16622	LOAD BACKREST EXTENSION: 48 W X 60 H	0.00%	REM
N25XMDR3, N30-40XMR3	C470	Q31714	WHEEL-LOAD:4X3 TANDEM STD COMP BOLT-ON	0.33%	REM
N25XMDR3, N30-40XMR3	C470	Q31701	WHEEL-LOAD:4X3 TANDEM STD COMP WELD-ON	0.00%	REM
N25XMDR3, N30-40XMR3	C470	Q31715	WHEEL-LOAD:4X4 TANDEM STD COMP BOLT-ON	0.00%	REM
N25XMDR3, N30-40XMR3	C470	Q31702	WHEEL-LOAD:4X4 TANDEM STD COMP WELD-ON	0.00%	REM
N25XMDR3, N30-40XMR3	C470	Q31716	WHEEL-LOAD:5X3 TANDEM STD COMP BOLT-ON	0.00%	REM
N25XMDR3, N30-40XMR3	C470	Q31717	WHEEL-LOAD:5X4 TANDEM STD COMP BOLT-ON	0.00%	REM
N45XMR3, N30XMDR3	G138	Q16001	MAST LIFT LIMIT WITH OVERRIDE	0.00%	REM
N45XMR3, N30XMDR3	G138	Q31716	WHEEL-LOAD:5X3 TANDEM STD COMP BOLT-ON	0.00%	REM
N45XMR3, N30XMDR3	G138	Q31700	WHEEL-LOAD:5X3 TANDEM STD COMP WELD-ON	2.94%	REM
N45XMR3, N30XMDR3	G138	Q31717	WHEEL-LOAD:5X4 TANDEM STD COMP BOLT-ON	0.74%	REM
R30XM2,R30XMA2, R30XMF2	G118	Q02906	CARRIAGE-PLATFORM: 48" W X 102" L, STEEL	0.00%	REM
R30XM2,R30XMA2, R30XMF2	G118	Q02905	CARRIAGE-PLATFORM: 48" W X 96" L, ALUM.	0.00%	REM
R30XM2,R30XMA2, R30XMF2	G118	Q02901	CARRIAGE-PLATFORM: 48" W X 96" L, STEEL	0.31%	REM
R30XM2,R30XMA2, R30XMF2	G118	Q02904	CARRIAGE-PLATFORM: 54" W X 96" L, STEEL	1.54%	REM
B60Z	A230	Q02301	LOAD WHEEL STRING CUTTER	0.00%	REM
B60Z	A230	Q39340	LT-STROBE AMBER LBR MTD CONTINUOUS	0.00%	REM
B60Z	A230	Q39342	LT-STROBE AMBER LBR MTD REVERSE	0.00%	REM
B60Z	A230	Q11307	PASSWORD ENTRY DEVICE	0.00%	REM
B80Z	A233	Q31701	LOAD WHEEL STRING CUTTER	0.00%	REM
B80Z	A233	Q39340	LT-STROBE AMBER LBR MTD CONTINUOUS	0.00%	REM
B80Z	A233	Q39342	LT-STROBE AMBER LBR MTD REVERSE	0.00%	REM
B80Z	A233	Q11307	PASSWORD ENTRY DEVICE	0.00%	REM
C60-80XT2	A499	Q14123	22WX36L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14124	22WX42L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14126	22WX54L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14127	22WX60L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14128	22WX66L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14129	22WX72L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14130	22WX84L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14131	22WX96L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14305	23WX72L DBLE PLT WALKIE FK 10"W	0.00%	REM
C60-80XT2	A499	Q14306	23WX84L DBLE PLT WALKIE FK 10"W	0.00%	REM
C60-80XT2	A499	Q14307	23WX96L DBLE PLT WALKIE FK 10"W	0.00%	REM
C60-80XT2	A499	Q14132	27WX54L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14133	27WX60L SINGLE PLT WALKIE FK 9"W	0.00%	REM
C60-80XT2	A499	Q14311	28WX120L DBLE PLT WALKIE FK 10"W	0.00%	REM
C60-80XT2	A499	Q14308	28WX72L DBLE PLT WALKIE FK 10"W	0.00%	REM
C60-80XT2	A499	Q02201	BATTERY COMPARTMENT/SIZE: 8.3" WIDTH	0.00%	REM

Models	Series	SOC	Description	Percent Usage	Action	
C60-80XT2	A499	Q11305	IGNITION-TOGGLE IGNITION-IN ADDITION TO KEY SWIT	0.00%	REM	See note ¹
C60-80XT2	A499	Q27214	SKID ADAPTER-27WX60"L(SPEC HEIGHT)	0.00%	REM	
C60-80XT2	A499	Q27211	SKID ADAPTER-27WX36"L(SPEC HEIGHT)	0.00%	REM	
C60-80XT2	A499	Q27212	SKID ADAPTER-27WX42"L(SPEC HEIGHT)	0.00%	REM	
C60-80XT2	A499	Q27213	SKID ADAPTER-27WX48"L(SPEC HEIGHT)	0.00%	REM	
T5XT	E142	Q11305	IGNITION-TOGGLE IGNITION-IN ADDITION TO KEY SWIT	2.62%	REM	See note ¹
W20-30XTR	A455	Q11305	IGNITION-TOGGLE IGNITION-IN ADDITION TO KEY SWIT	0.92%	REM	See note ¹
W20-40XTA	A453	Q11305	IGNITION-TOGGLE IGNITION-IN ADDITION TO KEY SWIT	29.06%	REM	See note ¹
W20-40XTC	A454	Q11305	IGNITION-TOGGLE IGNITION-IN ADDITION TO KEY SWIT	0.83%	REM	See note ¹
W60Z	A231	Q02201	BATTERY COMPARTMENT-9" BOX	0.00%	REM	
W60Z	A231	Q02301	LOAD WHEEL STRING CUTTER	0.00%	REM	
W60Z	A231	Q39340	LT-STROBE AMBER LBR MTD CONTINUOUS	0.00%	REM	
W60Z	A231	Q39342	LT-STROBE AMBER LBR MTD REVERSE	0.00%	REM	
W60Z	A231	Q11307	PASSWORD ENTRY DEVICE	0.00%	REM	
W65Z	A229	Q31701	LOAD WHEEL STRING CUTTER	0.00%	REM	
W65Z	A229	Q39340	LT-STROBE AMBER LBR MTD CONTINUOUS	0.00%	REM	
W65Z	A229	Q39342	LT-STROBE AMBER LBR MTD REVERSE	0.00%	REM	
W65Z	A229	Q11307	PASSWORD ENTRY DEVICE	0.00%	REM	
W65Z	A229	Q06201	R.F. POWER SUPPLY (AT BATTERY VOLTAGE)	0.00%	REM	
W80Z	A234	Q31701	LOAD WHEEL STRING CUTTER	0.00%	REM	
W80Z	A234	Q39340	LT-STROBE AMBER LBR MTD CONTINUOUS	0.00%	REM	
W80Z	A234	Q39342	LT-STROBE AMBER LBR MTD REVERSE	0.00%	REM	
W80Z	A234	Q11307	PASSWORD ENTRY DEVICE	0.00%	REM	
W80Z	A234	Q10801	STATIC STRAP (INCLUDED W/ POLY DR TIRE)	0.00%	REM	
S135-155XL2	B024	Q00616	ALTERNATOR: 30-37 AMP	0.00%	REM	
S135-155XL2	B024	Q00618	ALTERNATOR: 30-37 AMP	0.00%	REM	
S135-155XL2	B024	Q00307	BRAKES: MICRO ACCUMLOCK	0.00%	REM	
S135-155XL2	B024	Q29641	CARRIAGE-HOOK: 54" V2 LTD FL	0.18%	REM	
S135-155XL2	B024	Q04801	COLD START AID: ENGINE BLOCK HEATER	0.00%	REM	
S135-155XL2	B024	Q04802	COLD START AID: ETHER START	0.00%	REM	
S135-155XL2	B024	Q07403	ELECTRIC ATTACHMENT GROUP	0.00%	REM	
S135-155XL2	B024	Q07406	ELECTRIC ATTACHMENT GROUP	0.00%	REM	
S135-155XL2	B024	Q07407	ELECTRIC ATTACHMENT GROUP	0.00%	REM	
S135-155XL2	B024	Q04101	ELECTRIC CIRCUIT BREAKER	0.00%	REM	
S135-155XL2	B024	Q18001	ENGINE WARNING SYSTEM: LIGHT & BUZZER	0.00%	REM	
S135-155XL2	B024	Q08004	FIRE EXTINGUISHER: 10 LB. CO2	0.00%	REM	
S135-155XL2	B024	Q08003	FIRE EXTINGUISHER: 10 LB. DRY CHEMICAL	0.00%	REM	
S135-155XL2	B024	Q35230	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 10	0.53%	REM	
S135-155XL2	B024	Q35228	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 10	0.00%	REM	
S135-155XL2	B024	Q35229	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 10	0.00%	REM	
S135-155XL2	B024	Q35227	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.35%	REM	
S135-155XL2	B024	Q35225	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.00%	REM	
S135-155XL2	B024	Q35226	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.00%	REM	
S135-155XL2	B024	Q38035	FORK-HOOK P + T: 44-48 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q38036	FORK-HOOK P + T: 50-54 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q38037	FORK-HOOK P + T: 56-60 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q38038	FORK-HOOK P + T: 62-72 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q08632	FORK-HOOK PALLET: 44-46 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q08633	FORK-HOOK PALLET: 50-52 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q08634	FORK-HOOK PALLET: 56-58 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q08635	FORK-HOOK PALLET: 62-70 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q08648	FORK-HOOK PALLET: 72 X 2.5 X 6 NON-ITA	0.00%	REM	
S135-155XL2	B024	Q08651	FORK-HOOK PALLET: 84 X 2.5 X 6	0.00%	REM	
S135-155XL2	B024	Q08649	FORK-HOOK PALLET: 84 X 2.5 X 6 NON-ITA	0.00%	REM	
S135-155XL2	B024	Q08652	FORK-HOOK PALLET: 96 X 2.5 X 6	1.06%	REM	
S135-155XL2	B024	Q08650	FORK-HOOK PALLET: 96 X 2.5 X 6 NON-ITA	0.00%	REM	
S135-155XL2	B024	Q38205	FORK-PIN FORK POSITIONER: 96 X 3 X 8	0.00%	REM	
S135-155XL2	B024	Q33092	FORK-PIN PALLET: 96 X 2.75 X 8	0.00%	REM	
S135-155XL2	B024	Q09503	FUEL SYSTEM: LPG WIRE BRAIDED HOSE	0.00%	REM	
S135-155XL2	B024	Q06001	FUEL TANK: GAS TANK W/ ANTI-FREEZE MIX	0.00%	REM	
S135-155XL2	B024	Q37501	HOSE GROUP: 5 FUNCTION	0.00%	REM	
S135-155XL2	B024	Q33891	HYDRAULIC CONTROL LEVER	0.00%	REM	
S135-155XL2	B024	Q33892	HYDRAULIC CONTROL LEVER	0.00%	REM	
S135-155XL2	B024	Q33898	HYDRAULIC CONTROL LEVER	0.00%	REM	
S135-155XL2	B024	Q18716	HYDRAULIC FITTING: QD	0.00%	REM	
S135-155XL2	B024	Q18717	HYDRAULIC FITTING: QD	0.00%	REM	
S135-155XL2	B024	Q18722	HYDRAULIC FITTING: QD	0.00%	REM	
S135-155XL2	B024	Q18723	HYDRAULIC FITTING: QD	0.00%	REM	
S135-155XL2	B024	Q12602	INDICATOR	0.00%	REM	
S135-155XL2	B024	Q16305	LIFTING EYES	2.47%	REM	
S135-155XL2	B024	Q40101	LIGHT: HEAD	0.00%	REM	
S135-155XL2	B024	Q40201	LIGHT: REAR DRIVING	0.00%	REM	
S135-155XL2	B024	Q40301	LIGHT: STOP & TAIL	0.00%	REM	
S135-155XL2	B024	Q39315	LIGHT-STROBE: LOW MTG RED CONTINUOUS	0.00%	REM	
S135-155XL2	B024	Q39313	LIGHT-STROBE: TOP MTG RED CONTINUOUS	0.00%	REM	

Models	Series	SOC	Description	Percent Usage	Action
S135-155XL2	B024	Q16622	LOAD BACKREST EXTENSION: 48 W X 60 H	0.00%	REM
S135-155XL2	B024	Q16641	LOAD BACKREST EXTENSION: 48"W X 72"H	1.06%	REM
S135-155XL2	B024	Q16643	LOAD BACKREST EXTENSION: 48"W X 72"H	0.53%	REM
S135-155XL2	B024	Q16626	LOAD BACKREST EXTENSION: 54 W X 60 H	0.18%	REM
S135-155XL2	B024	Q16642	LOAD BACKREST EXTENSION: 54"W X 72"H	0.00%	REM
S135-155XL2	B024	Q16630	LOAD BACKREST EXTENSION: 60 W X 60 H	0.18%	REM
S135-155XL2	B024	Q16640	LOAD BACKREST EXTENSION: 78 W X 60 H	0.00%	REM
S135-155XL2	B024	Q16644	LOAD BACKREST EXTENSION: 78"W X 72"H	0.00%	REM
S135-155XL2	B024	Q14501	LUBRICANT/COATING	0.00%	REM
S135-155XL2	B024	Q14502	LUBRICANT/COATING	0.00%	REM
S135-155XL2	B024	Q14503	LUBRICANT/COATING	0.00%	REM
S135-155XL2	B024	Q15301	OHG-WIRE MESH ADDED TO OVERHEAD	0.00%	REM
S135-155XL2	B024	Q13201	OPERATOR SHIELD	0.00%	REM
S135-155XL2	B024	Q19107	PAINT: CAB	0.00%	REM
S135-155XL2	B024	Q19111	PAINT: CHASSIS/CTWT/HOOD-RP BLK ONLY	0.00%	REM
S135-155XL2	B024	Q07404	PLACARD	0.00%	REM
S135-155XL2	B024	Q23801	RAIN TOP	0.00%	REM
S135-155XL2	B024	Q25201	SEAT: FABRIC COVERED	0.00%	REM
S135-155XL2	B024	Q22212	WARNING SYSTEM: ALARM-SEAT ACTUATED	0.00%	REM
S135-155XL2	B024	Q22208	WARNING SYSTEM: BELL-WHEEL MOUNTED	0.00%	REM
S40-65XM	D187	Q00103	ACCUMULATOR: PARKER 2 QT. PISTON TYPE	0.00%	REM
S40-65XM	D187	Q08002	FIRE EXTINGUISHER: 5 LB. CO2	0.00%	REM
S40-65XM	D187	Q34918	FOUNDRY CONSTRUCTION	0.00%	REM
S40-65XM	D187	Q34920	FOUNDRY CONSTRUCTION	0.00%	REM
H135-155XL2	F006	Q42706	ATTACHMENT-BLOCK: DOUBLE V2 LFL 62" S/S	0.00%	REM
H135-155XL2	F006	Q42705	ATTACHMENT-BLOCK: DOUBLE V2 LFL, 48" S/S	0.62%	REM
H135-155XL2	F006	Q42710	ATTACHMENT-BLOCK: DOUBLE V3 FFL 62" S/S	0.00%	REM
H135-155XL2	F006	Q42709	ATTACHMENT-BLOCK: DOUBLE V3 FFL, 48" S/S	0.00%	REM
H135-155XL2	F006	Q04802	COLD START AID: ETHER START	0.00%	REM
H135-155XL2	F006	Q23601	COOLING SYSTEM: RADIATOR CAP INSTALLED	0.00%	REM
H135-155XL2	F006	Q07403	ELECTRIC ATTACHMENT GROUP	0.16%	REM
H135-155XL2	F006	Q07406	ELECTRIC ATTACHMENT GROUP	0.00%	REM
H135-155XL2	F006	Q07407	ELECTRIC ATTACHMENT GROUP	0.00%	REM
H135-155XL2	F006	Q04101	ELECTRIC CIRCUIT BREAKER	0.00%	REM
H135-155XL2	F006	Q18001	ENGINE WARNING SYSTEM: LIGHT & BUZZER	0.00%	REM
H135-155XL2	F006	Q06810	EXHAUST SYSTEM: CATALYTIC	0.00%	REM
H135-155XL2	F006	Q08004	FIRE EXTINGUISHER: 10 LB. CO2	0.00%	REM
H135-155XL2	F006	Q08002	FIRE EXTINGUISHER: 5 LB. CO2	0.00%	REM
H135-155XL2	F006	Q04501	FORK SPACER GROUP-(6) BLOCK FORKS	0.00%	REM
H135-155XL2	F006	Q04502	FORK SPACER GROUP-(8) BLOCK FORKS	0.00%	REM
H135-155XL2	F006	Q38035	FORK-HOOK P + T: 44-48 X 2.5 X 6	0.62%	REM
H135-155XL2	F006	Q38036	FORK-HOOK P + T: 50-54 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q38037	FORK-HOOK P + T: 56-60 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q38038	FORK-HOOK P + T: 62-72 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q38338	FORK-PIN BLOCK: 38 X 1.5 X 2	0.00%	REM
H135-155XL2	F006	Q38345	FORK-PIN BLOCK: 45.5 X 1.5 X 2	0.16%	REM
H135-155XL2	F006	Q32924	FORK-PIN P + T: 42 X 2.5 X 6	0.16%	REM
H135-155XL2	F006	Q32927	FORK-PIN P + T: 56-60 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q33026	FORK-PIN PALLET: 42 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q33027	FORK-PIN PALLET: 44-46 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q33028	FORK-PIN PALLET: 50-52 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q33029	FORK-PIN PALLET: 56-58 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q33030	FORK-PIN PALLET: 62-70 X 2.5 X 6	0.16%	REM
H135-155XL2	F006	Q33031	FORK-PIN PALLET: 74-84 X 2.5 X 6	0.47%	REM
H135-155XL2	F006	Q33032	FORK-PIN PALLET: 86-94 X 2.5 X 6	0.00%	REM
H135-155XL2	F006	Q09504	FUEL SYSTEM	0.00%	REM
H135-155XL2	F006	Q09503	FUEL SYSTEM: LPG WIRE BRAIDED HOSE	0.00%	REM
H135-155XL2	F006	Q10709	GAUGE/METER: MULTIPLE	0.00%	REM
H135-155XL2	F006	Q33891	HYDRAULIC CONTROL LEVER	0.00%	REM
H135-155XL2	F006	Q33892	HYDRAULIC CONTROL LEVER	0.00%	REM
H135-155XL2	F006	Q18718	HYDRAULIC FITTING: QD	0.16%	REM
H135-155XL2	F006	Q18716	HYDRAULIC FITTING: QD	0.00%	REM
H135-155XL2	F006	Q18717	HYDRAULIC FITTING: QD	0.00%	REM
H135-155XL2	F006	Q18722	HYDRAULIC FITTING: QD	0.00%	REM
H135-155XL2	F006	Q18723	HYDRAULIC FITTING: QD	0.00%	REM
H135-155XL2	F006	Q18724	HYDRAULIC FITTING: QD	0.00%	REM
H135-155XL2	F006	Q20301	HYDRAULIC PRESSURE REG.	0.00%	REM
H135-155XL2	F006	Q34801	HYDRAULIC VALVE: LOAD PROTECTOR	0.00%	REM
H135-155XL2	F006	Q40201	LIGHT: REAR DRIVING	0.00%	REM
H135-155XL2	F006	Q40301	LIGHT: STOP & TAIL	0.00%	REM
H135-155XL2	F006	Q16403	LIGHT-DOME LIGHT FOR CAB	0.00%	REM
H135-155XL2	F006	Q16641	LOAD BACKREST EXTENSION: 48W X 72H	0.00%	REM
H135-155XL2	F006	Q16642	LOAD BACKREST EXTENSION: 54W X 72H	0.00%	REM
H135-155XL2	F006	Q16643	LOAD BACKREST EXTENSION: 60W X 72H	0.62%	REM
H135-155XL2	F006	Q16644	LOAD BACKREST EXTENSION: 78W X 72H	0.00%	REM
H135-155XL2	F006	Q14501	LUBRICANT/COATING	0.00%	REM
H135-155XL2	F006	Q14502	LUBRICANT/COATING	0.00%	REM
H135-155XL2	F006	Q14503	LUBRICANT/COATING	0.00%	REM
H135-155XL2	F006	Q28601	MAST TILT INDICATOR	0.00%	REM

Models	Series	SOC	Description	Percent Usage	Action
H135-155XL2	F006	Q28701	MAST TILT LIMITER-BACK	0.00%	REM
H135-155XL2	F006	Q28801	MAST TILT LIMITER-FORWARD	0.00%	REM
H135-155XL2	F006	Q09602	MAST TILT SPEED	0.00%	REM
H135-155XL2	F006	Q23801	OHG-RAIN TOP	0.94%	REM
H135-155XL2	F006	Q15301	OHG-WIRE MESH PLATE ADDED TO OHG TOP	0.00%	REM
H135-155XL2	F006	Q13201	OPERATOR SHIELD	0.00%	REM
H135-155XL2	F006	Q19111	PAINT: CHASSIS/CTWT/HOOD-RP BLK ONLY	0.00%	REM
H135-155XL2	F006	Q07404	PLACARD	0.62%	REM
H135-155XL2	F006	Q25201	SEAT: FABRIC COVERED	0.00%	REM
H135-155XL2	F006	Q39703	SEAT-LOW PROFILE: FABRIC COVERING	0.00%	REM
H135-155XL2	F006	Q39702	SEAT-LOW PROFILE: VINYL COVERING	0.00%	REM
H135-155XL2	F006	Q07201	TIRE GROUP: MONARCH MONO-MATIC 8.25x15	0.00%	REM
H135-155XL2	F006	Q26205	TRACTION SPEED LIMIT	0.00%	REM
H135-155XL2	F006	Q26206	TRACTION SPEED LIMIT: 8 MPH FWD/REV MAX	0.00%	REM
H135-155XL2	F006	Q22212	WARNING SYSTEM: ALARM-SEAT ACTUATED	0.00%	REM
H135-155XL2	F006	Q22208	WARNING SYSTEM: BELL-WHEEL MOUNTED	0.00%	REM
H135XL-155XL (M002)	F006	Q23801	OHG-RAIN TOP-PLEXIGLASS MTD TO OHG	33.33%	REM
H45-65XM	H177	Q07405	ELECTRIC ATTACHMENT GROUP	0.00%	REM
H45-65XM	H177	Q18001	ENGINE WARNING SYSTEM: LIGHT & BUZZER	0.05%	REM
H45-65XM	H177	Q08002	FIRE EXTINGUISHER: 5 LB. CO2	0.00%	REM
H45-65XM	H177	Q38008	FORK-HOOK P + T: 30 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q38009	FORK-HOOK P + T: 32-34 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q38047	FORK-HOOK P + T: 42 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q38048	FORK-HOOK P + T: 42 X 2 X 5	0.00%	REM
H45-65XM	H177	Q38011	FORK-HOOK P + T: 44-46 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q38012	FORK-HOOK P + T: 50-54 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q38024	FORK-HOOK P + T: 50-54 X 2 X 5	0.00%	REM
H45-65XM	H177	Q38013	FORK-HOOK P + T: 56-60 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q38014	FORK-HOOK P + T: 62-72 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q38026	FORK-HOOK P + T: 62-72 X 2 X 5	0.00%	REM
H45-65XM	H177	Q08642	FORK-HOOK PALLET: 44-46 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q08620	FORK-HOOK PALLET: 44-46 X 2 X 5	0.00%	REM
H45-65XM	H177	Q08643	FORK-HOOK PALLET: 50-52 X 1.5 X 5	0.00%	REM
H45-65XM	H177	Q08621	FORK-HOOK PALLET: 50-52 X 2 X 5	0.00%	REM
H45-65XM	H177	Q08623	FORK-HOOK PALLET: 62-70 X 2 X 5	0.00%	REM
H45-65XM	H177	Q06401	FORK-HOOK WOOD PRODUCT: 36-40 X 1.75 X 7	0.00%	REM
H45-65XM	H177	Q06402	FORK-HOOK WOOD PRODUCT: 44-46 X 1.75 X 7	0.00%	REM
H45-65XM	H177	Q06403	FORK-HOOK WOOD PRODUCT: 50-52 X 1.75 X 7	0.00%	REM
H45-65XM	H177	Q20301	HYDRAULIC PRESSURE REG.	0.00%	REM
H45-65XM	H177	Q40101	LIGHT: HEAD	0.09%	REM
H45-65XM	H177	Q16618	LOAD BACKREST EXTENSION: 42 W X 60 H	0.00%	REM
H45-65XM	H177	Q16622	LOAD BACKREST EXTENSION: 48 W X 60 H	0.00%	REM
H45-65XM	H177	Q16623	LOAD BACKREST EXTENSION: 54 W X 36 H	0.00%	REM
H45-65XM	H177	Q16624	LOAD BACKREST EXTENSION: 54 W X 42 H	0.00%	REM
H45-65XM	H177	Q16626	LOAD BACKREST EXTENSION: 54 W X 60 H	0.00%	REM
H45-65XM	H177	Q15301	OHG-WIRE MESH ADDED TO OVERHEAD	0.00%	REM
H45-65XM	H177	Q29703	TRANSMISSION	1.35%	REM
H70-120XM	K005	Q00102	ACCUMULATOR: PARKER 1 QT. PISTON TYPE	0.11%	REM
H70-120XM	K005	Q00103	ACCUMULATOR: PARKER 2 QT. PISTON TYPE	0.58%	REM
H70-120XM	K005	Q00105	ACCUMULATOR: PARKER 4 QT. PISTON TYPE	0.00%	REM
H70-120XM	K005	Q00618	ALTERNATOR: 30-37 AMP	0.04%	REM
H70-120XM	K005	Q00616	ALTERNATOR: 30-37 AMP	0.00%	REM
H70-120XM	K005	Q00307	BRAKES: MICRO ACCUMLOCK	0.04%	REM
H70-120XM	K005	Q47512	CARRIAGE-PIN V2-FFL 50"W	0.00%	REM
H70-120XM	K005	Q47514	CARRIAGE-PIN V2-FFL 56"W	0.00%	REM
H70-120XM	K005	Q47513	CARRIAGE-PIN V2-FFL 62"W	0.00%	REM
H70-120XM	K005	Q47515	CARRIAGE-PIN V2-FFL 62"W	0.00%	REM
H70-120XM	K005	Q34010	CARRIAGE-PIN V2-LFL 50"W	0.00%	REM
H70-120XM	K005	Q34012	CARRIAGE-PIN V2-LFL 56"W	0.00%	REM
H70-120XM	K005	Q34013	CARRIAGE-PIN V2-LFL 62"	0.00%	REM
H70-120XM	K005	Q34011	CARRIAGE-PIN V2-LFL 62"W	0.00%	REM
H70-120XM	K005	Q47715	CARRIAGE-PIN V3-FFL 50"W	0.00%	REM
H70-120XM	K005	Q47717	CARRIAGE-PIN V3-FFL 56"W	0.00%	REM
H70-120XM	K005	Q47716	CARRIAGE-PIN V3-FFL 62"W	0.00%	REM
H70-120XM	K005	Q47718	CARRIAGE-PIN V3-FFL 62"W	0.00%	REM
H70-120XM	K005	Q04802	COLD START AID: ETHER START	0.00%	REM
H70-120XM	K005	Q07404	ELEC ATT GROUP-PLACARD	0.11%	REM
H70-120XM	K005	Q04101	ELECTRIC CIRCUIT BREAKER	0.00%	REM
H70-120XM	K005	Q12002	FILTER: 10 MICRON HYD. TANK BREATHER	0.29%	REM
H70-120XM	K005	Q35228	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 10	0.00%	REM
H70-120XM	K005	Q35229	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 10	0.00%	REM
H70-120XM	K005	Q35230	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 10	0.00%	REM
H70-120XM	K005	Q35219	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 6	0.00%	REM
H70-120XM	K005	Q35220	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 6	0.00%	REM
H70-120XM	K005	Q35221	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 6	0.00%	REM
H70-120XM	K005	Q35225	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.04%	REM
H70-120XM	K005	Q35222	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.00%	REM
H70-120XM	K005	Q35223	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.00%	REM
H70-120XM	K005	Q35224	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.00%	REM

Models	Series	SOC	Description	Percent Usage	Action
H70-120XM	K005	Q35226	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.00%	REM
H70-120XM	K005	Q35227	FORK-HOOK GYPSUM (NELSON): 47.5 X 2 X 8	0.00%	REM
H70-120XM	K005	Q38021	FORK-HOOK P + T: 36 X 2 X 5	0.00%	REM
H70-120XM	K005	Q38027	FORK-HOOK P + T: 36 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q38033	FORK-HOOK P + T: 36 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q38022	FORK-HOOK P + T: 38-42 X 2 X 5	0.04%	REM
H70-120XM	K005	Q38028	FORK-HOOK P + T: 38-42 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q38034	FORK-HOOK P + T: 38-42 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q38029	FORK-HOOK P + T: 44-48 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q38030	FORK-HOOK P + T: 50-54 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q38031	FORK-HOOK P + T: 56-60 X 2.5 X 6	0.04%	REM
H70-120XM	K005	Q38032	FORK-HOOK P + T: 62-72 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08624	FORK-HOOK PALLET: 36 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08630	FORK-HOOK PALLET: 36 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08619	FORK-HOOK PALLET: 38-40 X 2 X 5	0.00%	REM
H70-120XM	K005	Q08625	FORK-HOOK PALLET: 38-42 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08631	FORK-HOOK PALLET: 38-42 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08620	FORK-HOOK PALLET: 44-46 X 2 X 5	0.00%	REM
H70-120XM	K005	Q08632	FORK-HOOK PALLET: 44-46 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08626	FORK-HOOK PALLET: 44-48 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08621	FORK-HOOK PALLET: 50-52 X 2 X 5	0.00%	REM
H70-120XM	K005	Q08627	FORK-HOOK PALLET: 50-52 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08633	FORK-HOOK PALLET: 50-52 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08622	FORK-HOOK PALLET: 56-58 X 2 X 5	0.00%	REM
H70-120XM	K005	Q08628	FORK-HOOK PALLET: 56-58 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08634	FORK-HOOK PALLET: 56-58 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08623	FORK-HOOK PALLET: 62-70 X 2 X 5	0.22%	REM
H70-120XM	K005	Q08629	FORK-HOOK PALLET: 62-70 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q08635	FORK-HOOK PALLET: 62-70 X 2.5 X 6	0.00%	REM
H70-120XM	K005	Q32907	FORK-PIN P + T: 36 X 2 X 5	0.00%	REM
end of report					

Note 1.

Use new Toggle Ignition design. Option Q11308, Toggle Ignition replacing standard Key Switch.