

HYSTER COMPANY PRICE LIST

N30, 40XMR₃, N25XMDR₃
NARROW AISLE REACH
Series Code C470

COMPLETE TRUCK

	Price	Weight Lbs.
N30XMR ₃ - 212" 3 Stage FFL Vista Mast, 33.5" Hook-Type Carriage, Load Backrest Extension, 42" Forks.....	\$27,140	4,859
N40XMR ₃ - 212" 3 Stage FFL Vista Mast, 33.5" Hook-Type Carriage, Load Backrest Extension, 42" Forks.....	\$29,325	5,141
N25XMDR ₃ - 212" 3 Stage FFL Vista Mast, 33.5" Hook-Type Carriage, Load Backrest Extension, 42" Forks.....	\$32,895	5,156

Mast, Carriage, Load Backrest Extension, and Forks Included Above Are Underlined in the Price List.

STANDARD FEATURES

-24 Volt (N30-40XMR ₃)	-Battery Rollers
-36 Volt (N25XMDR ₃)	-Tilting Carriage (3° Fwd, 4° Back)
-Curtis SEPEX™ (Separately Excited Motor) Transistor Controller with Regenerative Braking, Automatic Field Control and Adjustable Neutral Braking	-Padded Operator Compartment
-Programmable Traction and Auxiliary Speeds and Acceleration	-Padded Backrest with Lumbar Support
-Hydrostatic Power Steering	-Rear Post Operator Protection
-Articulating Steer Axle	-Operator's Overhead Guard
-Rubber Drive Tire	-Anti-Fatigue Floormat
-Tandem Articulating Polyurethane Load Wheels	-Vision Level Operator's Display with Alpha Numeric Messaging
-Dual Articulating Polyurethane Caster Wheels	-Multi-Mode Hour Meter
-Power Circuit Fuses	-Ultima™ Multi-Function Control Handle with Integral Palm Rest
-Emergency Power Disconnect	-Electronic Horn
-Battery Discharge Indicator with Lift Interrupt	-Static Discharge Strap
-Battery Connector - 350 Amp, Red (24V) / Gray (36V)	-Operator's Manual
	-UL Classification E


BASIC MODEL

	Option No.	Price	Weight Lbs.
N30XMR ₃	051-01	\$ 16,800.	2,131
N40XMR ₃	051-02	18,940.	2,391
N25XMDR ₃	051-04	20,340.	2,246

OPTIONS FOR BASIC MODEL (Add-On)

		Option No.	Price			Weight Lbs.
			N30	N40	N25	
Voltage -	24 Volt (Includes Red Battery Connector).....	052-01	Std	Std	(2,100.)	-
	36 Volt (Includes Gray Battery Connector).....	052-02	N/A	\$ 2,100.	Std	-
Battery Compartment-	12.5" (N/A w/ 153-05 or 026-01).....	027-01	Std	N/A	N/A	-
	14.6".....	027-02	N/C	Std	Std	-
	16.6".....	027-03	N/A	N/C	N/C	-

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.1 Effective 12/01/02
----------------------------------	--	----------------------	-------------------------------------




HYSTER COMPANY PRICE LIST	N30, 40XMR₃, N25XMDR₃ NARROW AISLE REACH Series Code C470
---	---

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd)

		Option No.		Price		Weight Lbs.
Construction -	Standard.....	020-01		Std		-
	Cooler/Corrosion (Intermittent or continuous use in freezers down to 30° F. Intermittent use down to -15° F for less than 5 minutes in the freezer per half hour.).....	020-03		\$ 485.		-
	Sub-Zero (Intermittent or continuous use in freezers down to -15° F. Intermittent use down to -40° F for less than 5 minutes in the freezer per half hour.).....	020-04		675.		-
	Arctic (Intermittent or continuous use in freezers down to -40°F.).....	See SPED Price List				
Load Wheels ¹ -	5" Dia. X 3" Wide Std Compound.....	023-01	Std	Std	Std	-
	5" Dia. X 4" Wide Std Compound.....	023-03	40.	40.	40.	-
	High Load Compounds (Recommended for long runs.).....	See SPED Price List				
	10" Dia. X 4" Wide.....	See SPED Price List				
	Bolt-On Load Wheel Boxes.....	See SPED Price List				
	¹ Base width based on load wheel size: 5" x 3" is O.E.C. + 9.25" = B.W 5" x 4" is O.E.C. + 11.25= B.W					
Steering -	Reverse.....	025-01		N/C		-
Dome Light and Fan-	Overhead Guard Mounted (N/A w/ 027-01).....	026-01		320.		-
Fan -	Motor Compartment Fan.....	See SPED Price List (Recommended for applications which have high lifts and short duty cycles, or fast paced shuttle operations.)				
Approval -	UL Classification E.....	056-01		Std		-
	UL Classification EE *.....	056-02		1,070.		-
	*Contact SPED for Capacity Ratings. Reduces travel speed by 15%.					
Drive Tires -	12" x 5.5" Rubber.....	061-01	N30 Std	N40 Std	N25 Std	-
	12" x 5.5" Polyurethane.....	061-03	125.	125.	N/A	-
Lights -	2 Headlights (Mast mounted).....	086-01		375.		-
	1 Rear Drive Light.....	086-02		125.		-
Amber Strobe Light -	Continuous, Key Switch Actuated (Mtd above OHG).....	087-01		475.		-
	Forward & Reverse Operated (Mtd above OHG).....	See SPED Price List				
Backup Alarm -	Reverse Operated, Audible Alarm.....	119-01		295.		-
Battery Stand -		122-01		330.		-
Battery Puller -	(Battery Stand Option 122-01 Required).....	123-01		310.		-

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.2 Effective 12/01/02
----------------------------------	---	---	---



HYSTER COMPANY

PRICE LIST

N30, 40XMR₃, N25XMDR₃
NARROW AISLE REACH
Series Code C470

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd)

		Option No.	Price	Weight Lbs.
Open End Clearance- (OEC)	34".....	180-34	N/C	-
	35".....	180-35	N/C	-
	36".....	180-36	N/C	-
	38".....	180-38	N/C	-
	41".....	180-41	N/C	-
	42".....	180-42	Std	-
	43".....	180-43	N/C	-
	44".....	180-44	N/C	-
48".....	180-48	N/C	-	
Base Arms -	Pointed Toe Base Arms (N30-40XMR3).....Contact SPED (Blunt Toe Base Arms standard on N30-40XMR3. Pointed Toe Base Arms standard on N25XMDR3.)			
	RF Data Terminal Connection - Contact SPED			
Rear Door -	Operator's Compartment Door..... See SPED Price List			
Truck Publications-	Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House.....			
	301-20	90. Net	-	
	Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House.....			
	301-30	90. Net	-	
NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in Bold Type those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.				
Export Processing-		005-01	100. Net	-

MAST - Includes full height wire guard on mast.


			Option No.	Price	Weight Lbs.
2 Stage Limited Free-Lift Vista Mast					
MFH- 135"	Lowered - 89"	Free-Lift - 6.5"	Contact SPED		
147"	95"	6.5"	150-02	\$ 3,825.	1,235
169"	107"	6.5"	150-04	4,040.	-
3 Stage Full-Free Lift Vista Mast					
MFH - 197"	Lowered - 89"	Free-Lift - 41"	Contact SPED		
212"	95"	47"	153-02	4,520.	1,663
242"	107"	59"	153-03	4,955.	1,885
251"	110"	62"	153-04	4,955.	1,940
272"	119"	71" (N/A with 027-01).....	153-05	5,275.	2,107

Operator Clearance is 74" with 89" lowered height masts and 80" with 95" mast and above.

NOTICE: Before final mast selection, consult High Lift Sheets, any tire restrictions will be shown there. Contact Applications Engineering if special lift heights are critical. Units shipped from Greenville or Berea into the North American market having a lowered mast height in excess of 109 or 125 inches, respectively, will be shipped with the mast removed from the truck. Units shipping into the Latin American / Caribbean market will have the mast removed for lowered mast heights in excess of 89 inches. Should mast removal be desired for masts with lowered heights less than those outlined, please use the option code as noted for the appropriate series.

Mast Removal and Preparation for Shipment (if required).....	140-99	285.	-
--	--------	------	---

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.3 Effective 12/01/02
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	N30, 40XMR₃, N25XMDR₃ NARROW AISLE REACH Series Code C470
---	---

CARRIAGE -

N30-40XMR₃
Single Reach Carriage (24" Extend) Without Sideshift - 33.5" Wide - Hook Type with 48" Load Backrest Extension.

	Option No.	Price	Weight Lbs.
2 Stage.....	156-01	\$ 5,420.	740
3 Stage.....	156-02	<u>5,420.</u>	740

Single Reach Carriage (24" Extend) With Integral Sideshift - 33.5" Wide - Hook Type with 48" Load Backrest Extension. Full Apron movement of Forks and Load Backrest.

	Option No.	Price	Weight Lbs.
2 Stage.....	158-01	7,225.	784
3 Stage.....	158-02	7,225.	784

NOTE: Total Sideshift reduced from 7" to 4" if OEC is less than 39".

N25XMDR₃
Double Reach Carriage (42" Extend) Without Sideshift - 33.5" Wide - Hook Type with 48" Load Backrest Extension.

	Option No.	Price	Weight Lbs.
3 Stage.....	156-04	<u>7,635.</u>	918

Double Reach (42" Extend) Carriage With Integral Sideshift - 33.5" Wide - Hook Type with 48" Load Backrest Extension. Full Apron movement of Forks and Load Backrest.

	Option No.	Price	Weight Lbs.
3 Stage.....	158-04	9,440.	962

NOTE: Total Sideshift reduced from 7" to 4" if OEC is less than 39".

FORKS - HOOK TYPE

	Length	Section	Option No.	Price	Weight Lbs.
N40XMR ₃	36"	45mm X 100mm (1.75" X 4.0").....	163-01	\$ 415. Pair	200
	42"	".....	163-02	<u>445.</u> "	220
	48"	".....	163-03	465. "	245
N30XMR ₃ , N25XMDR ₃	36"	40mm X 100mm (1.5" X 4.0").....	163-04	375.	181
	42"	".....	163-05	<u>400.</u>	202
	48"	".....	163-06	455.	223

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/12/01	PAGE E-6.4 Effective 12/01/02
----------------------------------	---	---	---