

HYSTER COMPANY

PRICE LIST

N30XMH2

Series Code C210

COMPLETE TRUCK

	Price	Weight Lbs.
N30XMH2 - 170.5" 3-Stage Mast, 56" Non-Side Shifting Carriage, and 42" Forks	\$55,940	9,985

Mast, Carriage, and Fork prices included in the complete truck price (above) are underlined in this price list.

STANDARD FEATURES

-36 Volt	-Tilt Steering Column
-GE GEN II SEM Transistor Traction Control	-Manual Park Brake
-Transistor Hydraulic Hoist Control	-Standard Construction
-Standard Instrumentation	-Vinyl Non-Suspension Seat
-Battery Discharge Indicator with Lift Interrupt	-Operator Restraint System
-Hour Meter	-90.5" Grid Style Overhead Guard
-Regenerative Braking	-4-Function Hydraulic Control Valve
-Electronic Field Control	-4-Function Hose Group
-MONOTROL Directional Control Pedal	-Operator's Manual
-Power Steering	-Battery Connector - 350 Amp, Gray
-SEM Traction Motor (9" dia. Std.)	-UL Classification E
-Battery Compartment 40"	

BASIC MODEL

	Option No.	Price	Weight Lbs.
N30XMH2.....	051-02	\$ 43,890.	6,175
S30XMH2 (GM LPG 3.0L Engine).....	Contact WPG	47,745.	8,220

REQUIRED INFORMATION

Site Survey -	A Hyster Company Turret Truck Site Survey Form must be completed, reviewed, and approved by the Hyster Company, WPG prior to Factory Acceptance of your order. A blank form is included in this price list for you to photocopy. (We recommend that you quote your customers only AFTER contacting WPG.)
	The Hyster Company, Warehouse Products Group can be reached by telephone: (252) 931-5671

N30XMH2 PRODUCT NOTES:


Capacity -	The N30XMH2 has a MAXIMUM capacity of 3,000 lb. regardless of load center. Capacity is largely dependent upon Tread Width, Tire Type, Side-Shift vs. Non Side Shift, and lift height. Capacity is often significantly less than 3,000 lb. at higher lift heights. Contact WPG for accurate capacity estimates.			
Clear-Aisle Width -	Clear Aisle Width is dependent upon load size/s, capacity, and lift height requirements. Please fill-out a site survey form and contact WPG for an accurate Clear-Aisle Width estimate.			
Tractor Trailers -	The N30XMH2 is NOT recommended for use in tractor trailers, whether loading or unloading.			
Forks-Front Handling -	The N30XMH2 should NOT be used to handle loads with the carriage in the "forks front" position. (Forks should only point forward for a short time during load rotation from one side of the aisle to the other.)			
Voltage -	36 Volt.....	052-01	Std.	-
	48 Volt (Includes 350 Amp Blue Battery Connector).....	052-02	N/C	-

Subject to Change Without Notice

Prices F.O.B. FACTORY
BEREA, KENTUCKY, U.S.A.

Replaces
02/15/01

PAGE E-7.9
Effective
12/01/02




HYSTER COMPANY	N30XMH2
PRICE LIST	Series Code C210

OPTIONS FOR BASIC MODEL (Add-On)

		Option No.	Price	Weight Lbs.
Construction-	Standard.....	020-01	Std.	-
	Corrosion ¹ (N/A w/ 035-03).....	020-02	\$ 475.	-
	Freezer ¹ (N/A w/ 035-03).....	020-03	695.	-
	¹ Reduces traction performance.			
Park Brake-	Manual.....	021-01	Std.	-
	Seat Actuated & Manual (N/A w/ Full Susp. Seats).....	021-02	525.	-
Instrumentation-	STANDARD: Includes BDI with Lift Interrupt, Hour Meter, Indicator Lights, and Status Codes.....	028-05	Std.	-
	PREMIUM: BDI with Lift Interrupt, Hour Meter, Alphanumeric Read-out, Brush Wear Indicators, Numeric Keypad, Over-Temperature Indicators, Performance Mode Selector, Programmable Service Maintenance Monitor, Status Codes and Indicator Lights.....	028-06	375.	-
Battery Compartment Rollers-	Without Rollers.....	031-01	Std.	-
	With Rollers..... (Reduces maximum battery height by 1.25". For battery over 22.75" tall, order Raised Hood 136-02.)	031-02	1,565.	-
Directional Control-	MONOTROL Pedal.....	032-01	Std.	-
	Lever.....	032-02	N/C	-
Traction Motors-	GE 9.00" Dia Traction Motor.....	035-03	Std.	-
	GE 11.00" Dia Traction Motor.....	035-04	1,680.	-
Guide Rollers-	(Adds 2" to Overall Width) For Rail Guidance.....	042-01	1,100.	-
Approval-	UL Classification E.....	056-01	Std.	-
	UL Classification EE ¹ (Req. EE Battery. N/A w/ 035-03).....	056-02	855.	-
	UL Classification ES ¹ (N/A w/ 035-03).....	056-03	425.	-
	UL Classification Voided (w/ 103-01).....	056-04	N/C	-
	¹ Reduces traction performance.			
Tread-	Standard (OAW 56").....	058-01	Std.	-
	Wide (OAW 62").....	058-02	N/C	-
Tires-	Drive (Price Per Pair)			
	Smooth: 21x8x15 Rubber.....	061-01	Std.	-
	21x8x15 Polyurethane.....	061-02	520.	-
	21x8x15 Non-Marking.....	061-03	120.	-
	NOTICE: Non-Marking Tires reduce maximum travel speeds.			
	Steer (Price Per Pair)			
	Smooth: 16x6x10.5 Rubber.....	062-01	Std.	-
	16x5x10.5 Polyurethane.....	062-02	245.	-
	16x6x10.5 Non-Marking.....	062-03	90.	-
	NOTICE: Non-Marking Tires reduce maximum travel speeds.			

Subject to Change Without Notice	Prices F.O.B. FACTORY BEREA, KENTUCKY, U.S.A.	Replaces 02/15/01	PAGE E-7.10 Effective 12/01/02
---	--	------------------------------	---



HYSTER COMPANY	N30XMH2
PRICE LIST	Series Code C210


OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

		Option No.	Price	Weight Lbs.
Seat-	Non-Suspension - Vinyl.....	065-03	Std.	-
	Semi-Suspension - Vinyl.....	065-01	550.	-
	Semi-Suspension - Cloth.....	065-02	675.	-
	Full Suspension - Vinyl (N/A with Seat Brake 021-02).....	065-04	495.	-
	Full Suspension - Cloth (N/A with Seat Brake 021-02).....	065-05	620.	-
Lights-	2 Brake/Back-up and Tail Lights.....	086-03	320.	-
	2 Drive, 1 Rear Drive, 2 Brake/Tail w/Back-up Lights.....	086-02	495.	-
Hyster Wire Guidance-	6.25 kHz @ 78mA (Voids UL Approval. Requires 056-04. N/A w/ Seat Actuated Park Brake. Limited to 5 mph travel speed while using guided steering.).....	103-01	10,445.	-
Battery Side Covers-	None.....	110-02	Std.	-
	Installed (N/A with 031-02 or 136-02).....	110-01	120.	-
Battery Compartment Hood-	Standard.....	136-01	Std.	-
	Raised Hood, Seat, Levers.....	136-02	335.	-
	Raises compartment height by 1.25." Req. 110-02, 071-04 Max. battery height w/ 031-01 is 25.54", w/ 031-02 is 24.29." Refer to Technical Guide.			
Fork Tilt-	See Also: Traverse Frame	Contact WPG		-
Export Processing-		005-01	100.	Net -
Truck Publications-	Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House).....	301-20	90.	Net -
	Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House).....	301-30	90.	Net -

NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in **Bold Type** those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.

	Additional Parts Manual.....	1475781	Parts Depot
	Recommended Service Parts List (N30XMH2).....	872594	Parts Depot
	Recommended Service Parts List (E65XM2).....	872632	Parts Depot
	Service Manual.....	1464844	Parts Depot
Service Accessories-	Service Handset.....	1361414	Parts Depot
Sales Information-	Product Manual.....	871818	Parts Depot
	Product Video.....	871810	Parts Depot
Wire Guidance Manuals-	Guide Wire Installation Manual.....	599596	Parts Depot
	Wire Driver Manual.....	599565	Parts Depot

Subject to Change Without Notice	Prices F.O.B. FACTORY BEREA, KENTUCKY, U.S.A.	Replaces 02/15/01	PAGE E-7.11 Effective 12/01/02
----------------------------------	--	----------------------	--------------------------------------



HYSTER COMPANY	N30XMH2
PRICE LIST	Series Code C210

MASTS

				Option No.	Price	Weight Lbs.
3-Stage Full Free-Lift VISTA (Requires Restricted Back Tilt)						
MFH	Lowered	Free Lift	Extended			
170.5"	90.5"	58.5"	202"	153-01	<u>\$ 7,430.</u>	2,245
188.5"	96.5"	64.5"	220"	153-02	<u>7,655.</u>	2,380
224.5"	108.5"	76.5"	256"	153-03	<u>8,100.</u>	2,690
256.5"	120.5"	88.5"	288"	153-04	<u>8,380.</u>	2,950
292.5"	132.5"	100.5"	324"	153-05	<u>8,820.</u>	3,265
322.5"	144.5"	110.5"	356"	Contact WPG		

NOTICE: For Hyster Turret Trucks, minimum top-shelf liftoff clearance is 10.0". Contact the Hyster Company Warehouse Products Group for further application information or for non-GMA pallet sizes. Do not attempt to measure mast height dimensions on existing equipment – always measure top shelf (top beam) height.

NOTICE:

Consult WPG if special lift heights are critical. Units shipped from Greenville or Berea into the North American market having a lowered mast height in excess of 109" or 125", respectively, will be shipped with the mast removed from the truck. Units shipping into the Latin American / Caribbean market will have the mast removed for lowered mast heights in excess of 89 inches. Should mast removal be desired for masts with lowered heights less than those outlined, please use the option code as noted for the appropriate series.

Mast Removal and Preparation for Shipment (if required).....	140-99	285.	-
---	--------	------	---


TRAVERSE FRAME - Installed Only

	Option No.	Price	Weight Lbs.
Non Side-Shifting - 180° Turret - Class II Hook Type Carriage (Requires 4-Function Hose Group and Hook Type Forks)			
56" Wide - (for 42" Deep x 48" Wide Loads).....	142-01	<u>\$ 4,220.</u>	1,230
62" Wide - (for 48" Deep x 48" Wide Loads).....	142-02	<u>4,615.</u>	1,260
10" Total Side-Shifting - 180° Turret - Pin Type Carriage (**Requires 5-Function Hose Group and Pin Type Forks)			
56" Wide - (for 46" Deep x 48" Wide Loads).....	142-03	<u>6,435.</u>	1,420
62" Wide - (for 52" Deep x 48" Wide Loads).....	142-04	<u>6,825.</u>	1,470
Fork Tilt - Non Side-Shifting - 180° Turret - Pin Type Carriage (**Requires 5-Function Hose Group and Pin Type Forks. Fork Tilt N/A with Sideshift.)			
56" Wide - (for 42" Deep x 48" Wide Loads).....	Contact WPG		
62" Wide - (for 48" Deep x 48" Wide Loads).....	Contact WPG		
18" Total Side-Shifting - 180° Turret - Pin Type Carriage (**Requires 5-Function Hose Group and Pin Type Forks)			
56" Wide - (for Wide Guided Aisles / Odd Load Sizes).....	Contact WPG		
15.8" Total Side-Shifting - 180° Turret - Pin Type Carriage (**Requires 5-Function Hose Group and Pin Type Forks)			
62" Wide - (for Wide Guided Aisles / Odd Load Sizes).....	Contact WPG		

FORKS - Hook Type (For Non Side-Shifting Traverse Frames ONLY. Sold Alone from Parts Depot.)

	Length	Section	Part No.	Option No.	Price	Weight Lbs.
Pallet	30"	40mm X 100mm (1.5" X 4")	384210	163-01	<u>\$ 375.</u>	Pair 155
	36"	"	384211	163-02	<u>385.</u>	" 180
	42"	"	384213	163-03	<u>400.</u>	" 200
	48"	"	384214	163-04	<u>470.</u>	" 220

Subject to Change Without Notice	Prices F.O.B. FACTORY BEREA, KENTUCKY, U.S.A.	Replaces 02/15/01	PAGE E-7.11.1 Effective 12/01/02
---	--	------------------------------	---



HYSTER COMPANY	N30XMH2
PRICE LIST	Series Code C210

FORKS - Pin Type (For Side-Shifting Traverse Frames ONLY. Sold Alone from Parts Depot.)

	Length	Section	Part No.	Option No.	Price	Weight Lbs.
Pallet	36"	40mm X 100mm (1.5" X 4")	385284	163-05	\$ 565.	Pair 160
	42"	"	385285	163-06	585.	" 175
	48"	"	385286	163-07	595.	" 185

HYDRAULIC CONTROL VALVE - Installed Only (Sold Alone from Parts Depot.)

		Option No.	Price	Weight Lbs.
4-Function	Installed	066-01	Std.	-

HOSE GROUP - Installed Only (Sold Alone from Parts Depot.)

		Option No.	Price	Weight Lbs.
4-Function	3-Stage Full FL VISTA Masts - One Internal and One External Hose Reel	070-01	Std.	-
5-Function	3-Stage Full FL VISTA Masts - One Internal and Two External Hose Reels	070-02	\$ 1,050.	-

SOLD ALONE - From the Parts Depot

		Part No.
Directional Control Kits-	MONOTROL Pedal to Lever.....	1358459
	Lever to MONOTROL Pedal.....	1358458
Backup Alarm Kit-	Adjustable (85-95 Decibels).....	1358323
Fire Extinguisher-		146540
Flashing Light Products-	Medium Intensity Strobe-Amber.....	1379590
	Replacement Lens-Amber.....	1309776
	Replacement Lens-Red.....	1326357
	Replacement Lens-Blue.....	3013632
Light Kits-		See Sold Alone Catalog

NOTE: Refer to Sold Alone Catalog for complete listing.

Subject to Change Without Notice	Prices F.O.B. FACTORY BEREA, KENTUCKY, U.S.A.	Replaces 02/15/01	PAGE E-7.11.2 Effective 12/01/02
----------------------------------	--	----------------------	--