

HYSTER COMPANY

PRICE LIST

N45MXR₃, N30MXDR₃
NARROW AISLE GROCERY
REACH
Series Code B264

COMPLETE TRUCK

	Price	Weight Lbs.
N45MXR₃ - 272" 3 Stage FFL Vista Mast, 33.5" Hook-Type Carriage, 48" Load Backrest Ext., 42" Forks.....	\$36,610	6,425
N30MXDR₃ - 272" 3 Stage FFL Vista Mast, 33.5" Hook-Type Carriage, 48" Load Backrest Ext., 42" Forks...	\$38,445	6,585

Mast, Carriage, Load Backrest Extension, and Forks Included Above Are Underlined in the Price List.

STANDARD FEATURES

-36 Volt	-Tilting Carriage (3° Forward, 4° Back)
-Curtis SEPEX (Separately Excited Motor) Transistor Controller with Regenerative Braking, Automatic Field Control and Adjustable Neutral Braking	-48" Load Backrest Extension
-Programmable Traction and Auxiliary Speeds and Acceleration	-Padded Operator Compartment
-Hydrostatic Power Steering	-Padded Backrest with Lumbar Support
-Articulating Steer Axle	-Rear Post Operator Protection
-Polyurethane Drive Tire	-Operator's Overhead Guard
-Tandem Articulating High Load Compound Polyurethane Load Wheels	-Anti Fatigue Floormat
-Tapered Base Arms Toe Protection	-Vision Level Operator's Display with Function Display Icons and Alphanumeric Messaging
-Dual Articulating Polyurethane Caster Wheels	-Multi-Mode Hour Meter
-Power Circuit Fuses	-RF Data Terminal Connector (Truck Voltage)
-Emergency Power Disconnect	-Ultima™ Multi-Function Control Handle with Integral Palm Rest
-Battery Discharge Indicator with Lift Interrupt	-Electronic Horn
-Battery Connector - 350 Amp, Gray	-Static Discharge Strap
-Large Diameter Battery Rollers	-Operator's Manual
	-U.L. Classification E

BASIC MODEL

	Option No.	Price	Weight Lbs.
N45MXR₃	051-03	\$ 22,540.	2,650
N30MXDR₃	051-05	24,420.	2,650

OPTIONS FOR BASIC MODEL (Add-On)


		Option No.	Price	Weight Lbs.
Voltage-	36 Volt.....	052-02	Std.	-
Battery Compartment-	18.8" (N/A w/ MFH > 332").....	027-04	Std.	-
	21.1" (Std. w/ MFH > 332").....	027-05	N/C	-
Construction-	Standard	020-01	Std	-
	Cooler/Corrosion (Intermittent or continuous use in freezers down to 30° F. Intermittent use down to -15° F for less than 5 minutes in the freezer per half hour.).....	020-03	\$ 485.	-
	Sub-Zero (Intermittent or continuous use in freezers down to -15° F. Intermittent use down to -40° F for less than 5 minutes in the freezer per half hour.).....	020-04	675.	-
	Arctic (Intermittent or continuous use in freezers down to -40°F.)...	020-05	780.	-

Subject to Change Without Notice

PRICES F.O.B. FACTORY
GREENVILLE, NC U.S.A.

Replaces
05/10/01

PAGE E-6.8
Effective
12/01/02




HYSTER COMPANY PRICE LIST	N45XMR₃, N30XMXDR₃ NARROW AISLE GROCERY REACH Series Code B264
---	---

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

		Option No.	Price	Weight Lbs.
Load Wheels ^{1,2}	WELD-ON LOAD WHEEL BOX¹			
	¹ 5" Dia. x 3.9" Wide Hi-Load Compound.....	023-01	Std.	-
	¹ 5" Dia. x 2.9" Wide Hi-Load Compound (NA w/ > 332").....	023-02	\$ 140.	-
	6" Dia. x 3.9" Wide Hi-Load Compound.....	023-03	240.	-
	¹ Base width based on load wheel size: 5" or 6" x 3.9" is O.E.C. + 11.25 = B.W. 5" x 2.9" is O.E.C. + 9.25 = B.W.			
	BOLT-ON LOAD WHEEL BOX²			
	² 5" Dia. x 3.9" Wide Hi-Load Compound.....	023-04	510.	-
	² 6" Dia. x 3.9" Wide Hi-Load Compound.....	023-05	750.	-
	5" Dia. x 2.9" Wide Hi-Load Compound.....	Contact SPED		
	² Base width based on load wheel size: 5" or 6" x 3.9" is O.E.C. + 11.75 = B.W.			
Steering-	Automotive.....	025-01	Std.	-
	Reverse.....	025-02	N/C	-
Dome Light and Fan-	Overhead Guard Mounted.....	026-01	320.	-
Fan-	Motor Compartment..... (Recommended for applications which have high lift and short duty cycles or fast paced shuttle operations.)	See SPED Price List		
Drive Tires-	13.5" x 5.5" Rubber (NA with MFH > 332").....	061-02	N/C	-
	(std. with freezer package ≤ 332")			
	13.5" x 5.5" Polyurethane.....	061-04	Std.	-
	13.5" x 5.5" Poly Siped Drive Tire..... (Required with freezer packages > 332")	061-05	75.	-
Lights/Signals-	2 Headlights - mast mounted.....	086-01	375.	-
	1 Rear Drive Light.....	086-04	125.	-
	Amber Strobe - Continuous, Key Switch Actuated (Mounted above OHG).....	086-02	475.	-
	Amber Strobe - Forward & Reverse Operated (Mounted above OHG).....	See SPED Price List		
	Back-up Alarm.....	086-03	295.	-
Battery Stand-		122-01	330.	-
Battery Puller-	(Battery Stand Option 122-01 Required).....	123-01	310.	-
Open End Clearance-	35".....	180-35	N/C	-
	38".....	180-38	N/C	-
	42".....	180-42	Std.	-
	43".....	180-43	N/C	-
	49".....	180-48	N/C	-
	Available in 1" increments from 35" to 49".....	180-49	145.	-
	(41" Minimum OEC Required with MFH greater than 332")			
Counterweight Kit-	Available for trucks equipped with masts up to 341" MFH and 21.1" battery compartment. Standard on trucks with mast above 341".....	Contact Parts Depot for field conversion Contact SPED for factory installation		

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.9 Effective 12/01/02
----------------------------------	--	--	--



HYSTER COMPANY PRICE LIST	N45XMR₃, N30XMXDR₃ NARROW AISLE GROCERY REACH Series Code B264
---	--

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

	Option No.	Price	Weight Lbs.
RF Data Terminal Connection - RF Data Terminal Connector (Truck Voltage).....	255-01	Std.	-
12V DC/DC Converter.....	See SPED Price List		
HySelectTM - Shelf Height Select System (N/A with 020-05).....	255-02	\$ 3,075.	-
Rear Door- Operators Compartment.....	See SPED Price List		
Truck Publications- Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House).....	301-20	90. Net	-
Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House).....	301-30	90. Net	-
NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in Bold Type those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.			
Export Processing-	005-01	100. Net	-

MASTS

	Option No.	Price	Weight Lbs.
3-Stage Full Free-Lift VISTA			
MFH - 272" Lowered - 119" Free-Lift -71"	153-10	\$ 5,710.	2,630
287" 125" 76"	153-11	5,895.	2,763
302" 131" 83"	153-12	5,925.	2,895
320" 138" 90"	153-13	6,020.	3,050
332" 143" 95"	153-14	6,345.	3,160
341" 146" 98"	153-15	6,580.	3,230
368" 157" 109"	153-16	6,705.	3,545
401" 170" 122"	153-17	7,030.	3,830
422" 179" 131"	153-18	7,325.	4,030

NOTE: Factory trucks with masts above 341" will have counterweight kit installed at the factory. Adding tall masts in the field requires counterweight kit. Contact SPED for details.

NOTICE: Before final mast selection, consult High Lift Sheets, any tire restrictions will be shown there. Contact Applications Engineering if special lift heights are critical. Units shipped from Greenville or Berea into the North American market having a lowered mast height in excess of 109 or 125 inches, respectively, will be shipped with the mast removed from the truck. Units shipping into the Latin American / Caribbean market will have the mast removed for lowered mast heights in excess of 89 inches. Should mast removal be desired for masts with lowered heights less than those outlined, please use the option code as noted for the appropriate series.

Mast Removal and Preparation for Shipment (if required)	140-99	285.	-
--	--------	-------------	---

CARRIAGE

N45XMR₃

Single Reach Carriage (24" Extend) Without Sideshift - 33.5" Wide - Hook type with 48" Load Backrest Extension


	Option No.	Price	Weight Lbs.
3 Stage	157-01	\$ 7,915.	740

Single Reach Carriage (24" Extend) With Integral Sideshift - 33.5" Wide - Hook type with 48" Load Backrest Extension. Full Apron movement of Forks and Backrest.

	Option No.	Price	Weight Lbs.
3 Stage	159-01	9,710.	784

NOTE: Total sideshift has been reduced from 7" to 4" if OEC is less than 39".

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.10 Effective 12/01/02
----------------------------------	--	----------------------	--------------------------------------



HYSTER COMPANY

PRICE LIST

N45XMXR₃, N30XMXDR₃
NARROW AISLE GROCERY
REACH
Series Code B264

CARRIAGE (Cont'd)

N30XMXDR₃

Double Reach Carriage (42" Extend) Without Sideshift - 33.5" Wide - Hook type with 48" Load Backrest Extension

	Option No.	Price	Weight Lbs.
3 Stage	157-02	<u>\$ 7,915.</u>	918

Double Reach Carriage (42" Extend) With Integral Sideshift - 33.5" Wide - Hook type with 48" Load Backrest Extension. Full Apron movement of Forks and Backrest.

	Option No.	Price	Weight Lbs.
3 Stage	159-02	<u>9,715.</u>	962

NOTE: Total sideshift has been reduced from 7" to 4" if OEC is less than 39".

FORKS - HOOK TYPE

	Length	Section	Option No.	Price	Weight Lbs.
N45XMXR ₃	36"	45mm x 100mm (1.75" x 4").....	163-04	\$ 415.	200
	42"	".....	163-05	<u>445.</u>	225
	48"	".....	163-06	<u>465.</u>	245
N30XMXDR ₃	36"	40mm x 100mm (1.5" x 4").....	163-07	<u>375.</u>	181
	42"	".....	163-08	<u>400.</u>	202
	48"	".....	163-09	<u>455.</u>	223

Subject to Change Without Notice

PRICES F.O.B. FACTORY
GREENVILLE, NC U.S.A.

Replaces
05/10/01

PAGE E-6.11
Effective
12/01/02