

HYSTER COMPANY PRICE LIST	N50XMA₃ NARROW AISLE STRADDLE Series Code C471
---	--

COMPLETE TRUCK

	Price	Weight Lbs.
N50XMA₃ - 217" 3 Stage FFL Vista Mast, 33.75" Hook-Type Carriage with 35" Wide Load Backrest Extension, 42" Forks...	\$25,400	4,481

Mast, Carriage, Load Backrest Extension, and Forks Included Above Are Underlined in the Price List.

STANDARD FEATURES

-24 Volt	-Battery Rollers
-Curtis SEPEX [™] (Separately Excited Motor) Transistor Controller with Regenerative Braking, Automatic Field Control and Adjustable Neutral Braking	-Padded Operator Compartment
-Programmable Traction and Auxiliary Speeds and Acceleration	-Padded Backrest with Lumbar Support
-Hydrostatic Power Steering	-Rear Post Operator Protection
-Articulating Steer Axle	-Operator's Overhead Guard
-Rubber Drive Tire	-Anti-Fatigue Floormat
-Tandem Articulating Polyurethane Load Wheels	-Vision Level Operator's Display with Alpha Numeric Messaging
-Dual Articulating Polyurethane Caster Wheels	-Multi-mode Hour Meter
-Power Circuit Fuses	-Ultima [™] Multi-Function Control Handle with Integral Palm Rest
-Emergency Power Disconnect	-Electronic Horn
-Battery Discharge Indicator with Lift Interrupt	-Static Discharge Strap
-Battery Connector - 350 Amp, Red	-Operator's Manual
	-UL Classification E


BASIC MODEL

	Option No.	Price	Weight Lbs.
N50XMA₃	051-06	\$ 19,805.	2,210

OPTIONS FOR BASIC MODEL (Add-On)

		Option No.	Price	Weight Lbs.
Voltage-	24 Volt.....	052-01	Std.	-
	36 Volt (Includes Blue Battery Connector. N/A w/ 027-01).....	052-02	\$ 2,060.	-
Battery Compartment-	12.5" (N/A w/ 153-18, 026-01, 052-02).....	027-01	N/C	-
	14.6" (N/A w/ 153-18).....	027-02	Std.	-
	16.6".....	027-03	N/C	-
Steering-	Reverse.....	025-01	N/C	-
Construction-	Standard	020-01	Std	-
	Cooler/Corrosion (Intermittent or continuous use in freezers down to 30° F. Intermittent use down to -15° F for less than 5 minutes in the freezer per half hour.).....	020-03	485.	-
	Sub-Zero (Intermittent or continuous use in freezers down to -15° F. Intermittent use down to -40° F for less than 5 minutes in the freezer per half hour.).....	020-04	675.	-
	Arctic (Intermittent or continuous use in freezers down to -40°F.)...		See SPED Price List	

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.12 Effective 12/01/02
----------------------------------	--	----------------------	--------------------------------------




HYSTER COMPANY PRICE LIST	N50XMA₃ NARROW AISLE STRADDLE Series Code C471
--	--

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd)

		Option No.	Price	Weight Lbs.
Approval-	U.L. Classification E.....	056-01	Std.	-
	U.L. Classification EE.....	056-02	\$ 1,070.	-
	*Contact SPED for Capacity Ratings. Reduces travel speed by 15%.			
Lights -	2 Headlights (Mast mounted).....	086-01	375.	-
	1 Rear Drive Light.....	086-02	125.	-
Amber Strobe Light -	Continuous, Key Switch Actuated (Mtd above OHG).....	087-01	475.	-
	Forward & Reverse Operated (Mtd above OHG).....	See SPED Price List		
Dome Light and Fan-	Overhead Guard Mounted (N/A w/ 027-01).....	026-01	320.	-
Drive Tires-	12" x 5.5" Rubber.....	061-01	Std.	-
	12" x 5.5" Polyurethane.....	061-03	125.	-
Backup Alarm -	Reverse Operated, Audible Alarm.....	119-01	295.	-
Battery Stand-		122-01	330.	-
Battery Puller-	(Battery Stand Option 122-01 Required).....	123-01	310.	-
Fan-	Motor Compartment..... (Recommended for applications which have high lifts and short duty cycles, or fast paced shuttle operations.)	See SPED Price List		
Rear Door-	Operator's Compartment Door.....	See SPED Price List		
Load Wheels ¹ -	4" Dia. X 2.9" Wide High Load Compound.....	023-06	Std.	-
	4" Dia. X 4" Wide High Load Compound.....	023-07	65.	-
	Bolt-On Load Wheel Boxes.....	See SPED Price List		
	¹ Base width based on load wheel size: 4" x 2.9" is O.E.C. + 9.25" = Base Width 4" x 4" is O.E.C. + 11.25" = Base Width			
Open End Clearance-	36".....	180-36	N/C	-
	38".....	180-38	N/C	-
	41".....	180-41	N/C	-
	42".....	180-42	Std.	-
	43".....	180-43	N/C	-
	44".....	180-44	N/C	-
	50".....	180-50	N/C	-
RF Data Terminal Connection -		See SPED Price List		
Truck Publications-	Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House).....	301-20	90. Net	-
	Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House).....	301-30	90. Net	-

NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in **Bold Type** those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.

Export Processing-	005-01	100. Net	-
Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.13 Effective 12/01/02



HYSTER COMPANY PRICE LIST	N50XMA₃ NARROW AISLE STRADDLE Series Code C471
---	--

MASTS - Includes full height wire guard on mast.

					Option No.	Price	Weight Lbs.
2-Stage Limited Free-Lift Vista Mast							
MFH - 138"	Lowered	-89"	Freelift	-6.3"	Contact SPED		
150"		95"		6.3"	150-05	\$ 3,340.	1,235
172"		107"		6.3"	150-06	3,555.	1,390
3-Stage Full Free-Lift Vista Mast							
MFH - 202"	Lowered	- 89"	Freelift	- 41"	Contact SPED		
217"		95"		47"	153-16	<u>4,470.</u>	1,663
249"		107"		59"	153-17	4,790.	1,885
279"		119"		71" (N/A w/opt 027-01, 027-02)	153-18	5,040.	2,107

Operator Clearance is 74" with 89" Lowered Mast, 80" Clearance with 95" or higher mast.

NOTICE: Before final mast selection, consult High Lift Sheets, any tire restrictions will be shown there. Contact Applications Engineering if special lift heights are critical. Units shipped from Greenville or Berea into the North American market having a lowered mast height in excess of 109 or 125 inches, respectively, will be shipped with the mast removed from the truck. Units shipping into the Latin American / Caribbean market will have the mast removed for lowered mast heights in excess of 89 inches. Should mast removal be desired for masts with lowered heights less than those outlined, please use the option code as noted for the appropriate series.

Mast Removal and Preparation for Shipment (if required)	140-99	285.	-
--	--------	-------------	---

CARRIAGE - 33.5" Wide - Hook Type. Requires Load Backrest Unless Rules on Page IV Are Met.

	Option No.	Price	Weight Lbs.
CLASS II MTG.			
2 Stage.....	157-01	\$ 540.	175
3 Stage.....	157-02	<u>540.</u>	175

SIDEShift- 33.5" Wide - Hook Type - Carriage Mounted. Requires Load Backrest Extension Unless Rules On Page IV Are Met. Includes Auxiliary Valve and Hose Group.

	Option No.	Price	Weight Lbs.
CLASS II MTG.			
Carriage Mounted - 4" Total Sideshift*.....	159-01	\$ 1,920.	185
* 41" Minimum open end clearance required.			

LOAD BACKREST EXTENSION - A Load Backrest Extension Will Be Added To All Orders For Carriage And Sideshifts Unless Dealer Orders Option 162-99 And Meets Rules On Page IV.

	Option No.	Price	Weight Lbs.
With.....	162-01	<u>\$ 100.</u>	85
Without.....	162-99	N/C	

FORKS - HOOK TYPE

Length	Section	Option No.	Price	Weight Lbs.
36"	45mm x 100mm (1.75" x 4").....	163-04	\$ 455.	200
42"	".....	163-05	<u>485.</u>	220
48"	".....	163-06	505.	245

Subject to Change Without Notice	PRICES F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 05/10/01	PAGE E-6.14 Effective 12/01/02
---	--	------------------------------	---