

HYSTER COMPANY PRICE LIST	S40, 45, 50, 55XMS S55, 60, 65XM SERIES CODE D187
---	--

COMPLETE TRUCK

	Price	Weight Lbs.
S40XM - 131" 2-Stage Ltd. FL VISTA Mast, 38.5" Carriage, Load Backrest, 42" Forks	\$30,705	7585
S45XM - 131" 2-Stage Ltd. FL VISTA Mast, 38.5" Carriage, Load Backrest, 42" Forks	\$31,165	7995
S50XM - 131" 2-Stage Ltd. FL VISTA Mast, 38.5" Carriage, Load Backrest, 42" Forks	\$31,840	8410
S55XMS - 131" 2-Stage Ltd. FL VISTA Mast, 38.5" Carriage, Load Backrest, 42" Forks	\$37,000	8975
S55XM - 131" 2-Stage Ltd. FL VISTA Mast, 38.5" Carriage, Load Backrest, 42" Forks	\$33,765	8820
S60XM - 126.5" 2-Stage Ltd. FL VISTA Mast, 38.5" Carriage, Load Backrest, 48" Forks	\$36,900	9510
S65XM - 126.5" 2-Stage Ltd. FL VISTA Mast, 38.5" Carriage, Load Backrest, 48" Forks	\$38,365	9870

Mast, Carriage, Load Backrest Extension and Forks included above are underlined in the price list.

STANDARD FEATURES

- Mazda 2.0L LPG Engine	- ComforCab Isolated Operator Compartment
- Instrumentation/Monitor Group	- Powershift Transmission
- MONOTROL Pedal	- Horn
- Tilt Steering Wheel	- Power Steering
- 84.5" Overhead Guard	- Vinyl Seat
- Operator Restraint System	DuraTread Floor Mat
- High Air Intake	- Brake and Back-Up Lights
- Integral Tie Downs	- 3-Function Valve
- Operating Manual	- UL Classification G


BASIC MODEL

	Option No.	Price	Weight Lbs.
S40XM	051-01	\$ 26,365.	6115
S45XM	051-02	26,825.	6525
S50XM	051-03	27,500.	6940
S55XMS	051-04	32,660.	7505
S55XM	051-05	29,425.	7350
S60XM	051-06	32,185.	7860
S65XM	051-07	33,650.	8220

OPTIONS FOR BASIC MODEL (Add-On)

		Option No.	Price	Weight Lbs.
Engine -	Mazda 2.0 LPG EPA Emissions Compliant.....	052-30	Std.	
	Mazda 2.2 LPG EPA Emissions Compliant.....	052-31	\$ 880.	
	GM 3.0L Gas - Fuel Injected EPA Emissions Compliant.....	052-32	2,680.	
	GM 3.0L LPG - EPA Emissions Compliant.....	052-33	2,680.	
Truck Style-	EEC Compliance (Europe Only)	055-01	N/C	-
Instrumentation -	Standard Monitor Group includes -			
	Gauges: Water Temperature, Hour Meter, Low Fuel Level-Gas			
	Lights: Charge Circuit, Xmsn Oil Temperature, Engine Oil			
	Pressure, Brake Fluid Level, Radiator Coolant Level,			
	Fasten Seatbelt, Low Fuel Level - LPG only,			
	Service Engine Soon - Gas	017-01	Std.	-
Cooling -	Premium Monitor Group includes Standard Instrumentation plus-			
	Gauges: Engine Oil Pressure, Volt Meter, Fuel - Gas			
	Lights: Air Cleaner Restriction	017-02	255.	-
	Standard Radiator (Serpentine)	022-01	Std.	-
	Standard Radiator With Screen	022-03	165.	-
	Open Core Radiator	022-02	140.	-
	Open Core Radiator W/Screen (N/C w/137-01, 137-03)	022-04	295.	-
Directional Control -	MONOTROL Pedal	032-01	Std.	-
	Control Lever	032-02	N/C.	-
Approval -	UL Classification G, LP, or G/LP	056-01	Std.	-
	UL Classification GS or LPS (N/C w/137-03)	056-02	590.	-

Subject to Change Without Notice		Replaces 12/01/02	Page S-2.1 Effective 09/23/03
---	--	--	--




HYSTER COMPANY PRICE LIST	S40, 45, 50, 55XMS S55, 60, 65XM SERIES CODE D187
---	--

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)

		Option No.	Price	Weight Lbs.
Tread -	Standard	058-01	Std.	-
	Wide	058-02	\$ 170.	-
Tires -	Drive (Price Per Pair)		S40-50	S55-65
	Smooth 21 x 7 x 15	061-01	Std.	N/A
	21 x 8 x 15	061-02	90.	Std.
	21 x 7 x 15 Non-Marking	061-03	115.	N/A
	21 x 8 x 15 Non-Marking	061-04	165.	115.
	Lug 21 x 7 x 15	061-05	65.	N/A
	21 x 8 x 15	061-06	90.	65.
	Steer (Price Per Pair)		S40-50	S55-65
	Smooth 16 x 5 x 10.5	062-01	Std.	N/A
	16 x 6 x 10.5	062-02	50.	Std.
	16 x 5 x 10.5 Non-Marking	062-03	80.	N/A
	16 x 6 x 10.5 Non-Marking	062-04	110.	80.
	Lug 16 x 5 x 10.5	062-05	50.	N/A
	16 x 6 x 10.5	062-06	65.	50.
Seat -	Non-Suspension - Vinyl	065-03	Std.	-
	Full Suspension - Vinyl (N/A w/ lowered OHG 071-02)	065-04	495.	-
	Full Suspension - Cloth (N/A w/ lowered OHG 071-02)	065-05	625.	-
	Semi-Suspension - Vinyl	See SPED Price List.		
	Semi-Suspension - Cloth	See SPED Price List.		
Overhead Guard -	84.5" OAH	071-01	Std.	-
	81.6" OAH (N/A w/ Full Suspension Seat 065-04 or 065-05)	071-02	N/C.	-
Lifting Eyes -	Installed	082-01	810.	-
Lights -	2 Brake Lights with Back-up Lights	086-01	Std.	-
	2 Drive, 1 Rear, 2 Brake/Tail with Back-up Lights	086-02	430.	-
Amber Strobe Light	Continuous (OHG Mtd. Does not increase height of truck.)	087-02	430.	-
Backup Alarm -	Reverse Operated, Self-Adjusting (Ctwt Mtd)	119-01	285.	-
	See dealer for additional options.			
Powertrain Protection -	Engine Shutdown System - Low oil pressure, high coolant temperature, high transmission oil temperature	129-01	345.	-
Industry Kits -	Standard Construction	137-02	Std.	-
	Dust/Foundry Kit: Requires Open Core Radiator with Screen Includes Sealed Alternator, Hydraulic Tank Air Filter, Double Element Air Cleaner and Lubed Tilt Cylinder Pins	137-01	515.	-
	Textile Kit: Requires Open core Radiator with Screen, and U.L. Type "GS/LPS" Approval	137-03	885.	-
	(Contact SPED for additional features available for Industry Kits)			
Tilt Mast -	5° Forward, 8° Back - Installed	171-01	Std.	-
	5° Forward, 5° Back - Installed	171-02	60.	-
	5° Forward, 4° Back - Installed (Required with 4-Stage).....	171-03	60.	-
	10° Forward, 5° Back - Installed *	171-04	210.	-
* If clamping attachment is used, contact SPED for rating info.				
Paper Applications Kit - Limits contact of paper / tissue scraps with hot under-hood surfaces. Required for trucks used in paper applications. Contact Application Engineering for details and diesel option availability.....				
		255-01	660.	-
Truck Publications -	Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House)	301-20	90. Net	-
	Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House)	301-30	90. Net	-

Subject to Change Without Notice		Replaces 06/17/03	Page S-2.2 Effective 09/23/03
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	S40, 45, 50, 55XMS S55, 60, 65XM SERIES CODE D187
---	--

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd.)


NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in **Bold Type** those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.

Export Processing - 005-01 **100. Net** -

MASTS

					Option No.	Price	Weight Lbs.
S40-55							
2-Stage Limited Free-Lift VISTA							
MFH-	84.0"	Lowered - 60.5"	Free-Lift -	5.5" (Require Restricted Tilt)	150-01	\$ 3,070.	760
	119.5"	78"		5.5"	150-02	3,070.	915
	131.0"	84"		5.5"	150-03	3,070.	965
	151.0"	94"		5.5"	150-04	3,165.	1050
Special Lift Heights in Aproximately 4" Increments							
From 107.5" to 170.5"					150-90	3,485.	-
2-Stage Full Free-Lift VISTA							
MFH-	118.0"	Lowered - 78"	Free-Lift -	56"	152-04	3,850.	950
	129.5"	84"		62"	152-05	3,850.	1010
Special Lift Heights in Approximately 4" Increments							
From 114.0" to 149.5"					152-92	4,275.	-
3-Stage Full Free-Lift VISTA (Requires Restricted Back Tilt)							
MFH-	171.5"	Lowered - 76"	Free-Lift -	55"	153-01	4,745.	1270
	189.0"	82"		61"	153-02	4,870.	1345
	218.5"	94"		72.5"	153-03	4,995.	1495
Special Lift Height in Approximately 6" increments							
From 177" to 183"					153-90	5,180.	-
195" to 230"					153-91	5,315.	-
S60-65 (S60-65 Masts are optional on S40-55 Units, contact SPED.)							
2-Stage Limited Free-Lift VISTA							
MFH-	126.5"	Lowered - 84"	Free-Lift -	6"	150-05	3,120.	975
	146"	94"		6"	150-06	3,315.	1060
Special Lift Heights in Approximately 4" Increments							
From 110.5" to 162.0"					150-91	3,735.	-
2-Stage Full Free-Lift VISTA							
MFH-	126.5"	Lowered - 84"	Free-Lift -	58.5"	152-03	4,075.	1015
Special Lift Heights in Approximately 4" Increments							
From 103" to 146"					152-91	4,615.	-
3-Stage Full Free-Lift VISTA (Requires Restricted Back Tilt)							
MFH-	164.0"	Lowered - 76"	Free-Lift -	51.5"	153-04	5,125.	1280
	182.0"	82"		57.5"	153-05	5,125.	1350
	193.5"	88"		63.5"	153-06	5,215.	1420
	211.5"	94"		69.0"	153-07	5,600.	1500
Special Lift Heights in Approximately 6" Increments							
From 170.0" to 187.5"					153-92	5,625.	-
199.5" to 217.5"					153-93	5,785.	-
S40-65 (S60-65 Requires Class II Carriage and Forks)							
4-Stage Full Free-Lift VISTA (Requires 4° Restricted Back Tilt and Wide Tread)							
MFH-	240"	Lowered - 84"	Free-Lift -	61"	155-01	7,700.	1890
Special Lift Heights in Approximately 12" Increments							
From 192" to 228"					155-90	7,700.	-
From 252" to 276"					155-91	8,185.	-

Subject to Change Without Notice		Replaces 12/01/02	Page S-2.3 Effective 09/23/03
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	S40, 45, 50, 55XMS S55, 60, 65XM SERIES CODE D187
---	--

MASTS (Cont'd.)

NOTE: Before final mast selection, consult High Lift Sheets, any tire restrictions will be shown there. Contact Applications Engineering if special lift heights are critical. Units shipped from Greenville or Berea into the North American market having a lowered mast height in excess of 109 or 125 inches, respectively, will be shipped with the mast removed from the truck. Units shipping into the Latin American / Caribbean market will have the mast removed for lowered mast heights in excess of 89 inches. Should mast removal be desired for masts with lowered heights less than those outlined, please use the option code as noted for the appropriate series.

Mast Removal and Preparation for Shipment (if required).....	140-99	285.
--	--------	------

CARRIAGES - Hook Type - Requires Load Backrest Extension Unless Rules on Page IV Are Met.

	Width	Part No.	Option No.	Price	Weight Lbs.
S40-55 (Class II Mtg.)					
2-Stage Ltd. FL	38.5"	8500056	157-01	<u>\$735.</u>	215
2-Stage Full FL	38.5"	8500054	157-02	735.	205
3-Stage Full FL	38.5"	8500277	157-03	770.	185
S60-65 (Class III Mtg.)					
2-Stage Ltd. FL	38.5"	8500057	157-04	<u>\$825.</u>	235
2-Stage Full FL	38.5"	8500055	157-05	825.	230
3-Stage Full FL	38.5"	8500053	157-06	825.	210
S40-65 (Class II Mtg.)					
4-stage Full FL	38.5"	8500196	157-07	880.	195


SIDESHIFTS - Hook Type - 38.5" Integral Sideshift, Requires Load Backrest Extension Unless Rules on Page IV Are Met. (Requires 3-Function Hose Group. Does Not Required Carriage.) Attachment Mounting Group Included.

	Part No.	Option No.	Price	Weight Lbs.
S40-55 (Class II Mtg.)				
2-Stage Ltd. FL	8509356	159-04	\$1,585.	285
2-Stage Full FL	8509341	159-05	1,585.	280
3-Stage Full FL	8509342	159-06	1,620.	265
S60-65 (Class III Mtg.)				
2-Stage Ltd. FL	8509359	159-07	1,765.	335
2-Stage Full FL	8509348	159-08	1,765.	330
3-Stage Full FL	8509349	159-09	1,765.	315
S40-65 (Class II Mtg.)				
4-stage Full FL	8509343	159-10	1,730.	270

LOAD BACKREST EXTENSION - A Load Backrest Will be Added To All Orders For Carriages (And Sideshifts) Unless Dealer Orders Option 162-99 and Meets Rules on Page IV.

	Option No.	Price	Weight Lbs.
S40-55			
Carriage or Sideshift	162-01	<u>\$150.</u>	90
S60-65			
Carriage or Sideshift (For Pallet Forks)	162-02	<u>150.</u>	95
Carriage or Sideshift (For P & T Forks Only)	162-03	150.	95
S40-65			
4-Stage Carriage and Sideshift	162-01	150.	90
No Load Backrest Required	162-99	N/C	-

Subject to Change Without Notice		Replaces 12/01/02	Page S-2.4 Effective 09/23/03
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	S40, 45, 50, 55XMS S55, 60, 65XM SERIES CODE D187
---	--

FORKS - Hook Type (Sold Alones from Parts Depot)

	Length	Section	Part No.	Option No.	Price	Weight Lbs.
S40-55 (Class II Mounting)						
Pallet	36"	40mm x 100mm (1.5" x 4")	384211	163-01	Pair \$375.	180
	42"	" " "	384213	163-02	385.	200
	48"	" " "	384214	163-03	455.	220
	54"	" " "	384215	163-04	475.	240
	60"	" " "	384216	163-05	495.	260
Polished & Tapered	36"	40mm x 125mm (1.5" x 5")	1338087	164-01	610.	160
	42"	" " "	1338088	164-02	620.	175
	48"	" " "	1338089	164-03	680.	185
S60-65 (Class III Mounting. 4-Stage Requires Class II Forks)						
Pallet	36"	50mm x 125mm (2" x 5")	367419	163-06	570.	280
	42"	" " "	367420	163-07	580.	310
	48"	" " "	367421	163-08	620.	345
	54"	" " "	367422	163-09	645.	375
	60"	" " "	367423	163-10	680.	410
	72"	" " "	367424	163-11	795.	475
Polished & Tapered Wood Product	42"	45mm x 180mm (1.75" x 7")	1338097	165-01	785.	340
	47.5"	" " "	1338098	165-02	870.	360
	54"	" " "	1332745	165-03	950.	385

HYDRAULIC CONTROL VALVES AND HAND LEVERS (Sold Alones from Parts Depot)


	Option No.	Price	Weight Lbs.
3 Function - Push Away (Detented) Handlever-Installed	066-01	Std.	-
(Required for All Clamping Attachments)			
3 Function - Direct Acting Handlever - Installed	066-03	N/C	-
(Optional for All Non-Clamping Attachments)			
NOTE: BY SELECTING OPTION 066-03, THE DEALER CERTIFIES THAT A "NON-CLAMPING" ATTACHMENT WILL BE INSTALLED.			
4-Function - Push Away (Detented) 4th Handlever - Installed	066-02	\$ 485.	-

HOSE GROUPS - Installed Only (Sold Alones from Parts Depot)

	Option No.	Price	Weight Lbs.
3-Function -	2-Stage Ltd. FL Mast, Internal Mounted	\$ 540.	-
	2-Stage Full FL Mast, Internal Mounted	670.	-
	3-Stage Full FL Mast, Internal Mounted	675.	-
	4-Stage Full FL Mast, Internal Mounted	835.	-
4-Function -	2-Stage Ltd. FL Mast, Internal Mounted	780.	-
	2-Stage Full FL Mast, Internal Mounted *	1,020.	-
	3-Stage Full FL Mast, Internal Mounted	1,020.	-
	4-Stage Full FL Mast, Internal Mounted	1,395.	-

* 2-Stage FFL Mast Requires 5° Back Tilt Limiters

Subject to Change Without Notice		Replaces 01/27/03	Page S-2.5 Effective 09/23/03
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	S40, 45, 50, 55XMS S55, 60, 65XM SERIES CODE D187
---	--

SOLD ALONE - From the Parts Depot

			Part No.
Fuel Tanks	LP Tank I.C.C. 33.5 Lbs.-	Steel W/O Aux. Fill Valve	172654
		Steel W/Aux. Fill Valve	1328890
		Alum. W/O Aux. Fill Valve ...	1328891
		Alum. W/Aux. Fill Valve	1328892
Tilt Kit	5° Forward, 4° Back Not Installed		1380106
	8° Forward, 5° Back Not Installed		1380730
	5° Forward, 5° Back Not Installed		1380732
Directional Control	MONOTROL Pedal to Lever		1378609
	Lever to MONOTROL Pedal		1378608
Mirror Kit	Dual Mirrors		1378492
Flashing Lights	For Trucks With No Drive Lights:		
	- Medium Intensity, Amber Strobe - High Mount		1378598
	- Medium Intensity, Amber Strobe - Low Mount		1378599
	For Trucks With Drive Lights:		
	- Medium Intensity, Amber Strobe - High Mount		1378615
Lighting Kits	- Medium Intensity, Amber Strobe - Low Mount		1378616
	Front and Rear Drive Lights		1378597
Backup Alarm Kits	87 Decibels		1365910
	90 Decibels		1365915
	97 Decibels		1365911
	102 Decibels		1365912
	107 Decibels		1365913
	Variable (82-102 Decibels)		1365914
Fender Kit	Wide Tread		1378491
Fire Extinguisher	2.6 Lbs. Dry Chemical		1378495
Lifting Eye Kit			1375872
Control Valve Kits	3 Function Direct Acting to 3 Way Push-Away Lever		1378603
	3 Function Direct Acting to 4 Function		1378605
	3 Function Push-Away to 3 Function Direct Acting		1378604
	3 Function Push-Away to 4 Function		1378606
Accumulator Kit			1378479
Radiator Screen Kit	GM		1378629
	Mazda		1378631
Powertrain Protection - Engine Shutdown System			1382682
Quick Disconnect	Auxillary Function Quick Disconnect Fitting Kit		1362426
Hose Conversion Kits	(Reference Sold Alone Catalog)		
Control Valve Kits	(See Sold Alone Catalog)		
Governor Cntrlr. Kits	GM LP Gas -2100 RPM		1389366
	-2300 RPM		1389367
	-2500 RPM		1389368

NOTE: Refer to Sold Alone Catalog for complete listing.

Subject to Change Without Notice		Replaces 12/01/02	Page S-2.6 Effective 09/23/03
---	--	--	--