

**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**CLASS – II
NARROW AISLE /
ORDERPICKER**

CLASS II – CONTENTS


SERIES – MODEL	PAGE
D174 – R30XMS₂	2
G118 – R30XM₂/XMA₂/XMF₂	4
C471 - N50XMA₃	6
C470 - N30-40XMR₃, N25XMDR₃	8
G138 – N45XMR₃, N30XMDR₃	11
B264 – N45XMR₃, N30XMXDR₃	13

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

NA/OP - 1

REPLACES: 07/16/01



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT

R30XMS₂
ORDERPICKER
COUNTERBALANCED TYPE

SERIES CODE D174

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

NARROW-AISLE/ORDERPICKER CLASS II

D174 – R30XMS₂

BATTERY CONNECTOR

Battery Connector – SB350 Gray	Q023-02	\$125.	6
--------------------------------------	---------	--------	---

ELECTRIC SYSTEM

Power Supply - 12 Volt, 20 Amp Regulated DC Power Supply for Accessory Equipment.

Recommended for sensitive electronic equipment situations. Terminated wire lead located in operator compartment area.....

Q061-17	\$1,475.	16
---------	----------	----

Note: Voids UL APPROVAL of the Truck if used to Power a Device that is NOT UL APPROVED.

FIRE EXTINGUISHER

Fire Extinguisher – 2.5 lb. ABC.....	Q080-06	\$195	5
--------------------------------------	---------	-------	---

FORKS-PIN TYPE, PALLET STYLE

1.75" x 4" x 54" Long	Q330-82	\$575. pr.	12
-----------------------------	---------	------------	----

1.75" x 4" x 60" Long	Q330-95	\$625. pr.	12
-----------------------------	---------	------------	----

1.75" x 4" x 72" Long	Q330-96	\$725. pr.	12
-----------------------------	---------	------------	----

IGNITION

Keyless Toggle Ignition.....	Q113-06	\$400.	6
------------------------------	---------	--------	---

Toggle switch replaces standard key switch. Key switch relocated below floorboard.

MAST LIFT LIMIT

See Standard Price List for Lift/Lower Limit Options.

OVERHEAD GUARD

4-Post type overhead guard installed	Q153-02	\$630.	8
--	---------	--------	---

Adds 3rd and 4th posts opposite the two standard supports.

OPERATOR GUARD-CARRIAGE/PLATFORM MOUNTED

Lexan shield (transparent) guard replaces standard wire mesh screen.....	Q282-01	\$500.	2
--	---------	--------	---

OPERATOR PLATFORM

40" Wide x 32" Deep	Q199-01	\$800.	12
---------------------------	---------	--------	----

Note: Includes extended pallet clamp, deeper operator platform, and one continuous floor mat.

Capacities will be reduced; Contact Applications Engineering for capacity rating.

48" Wide Platform / Standard Depth (27.5")	Q209-10	\$195.	6
--	---------	--------	---


54" Wide Platform / Standard Depth (27.5")	Q209-11	\$290.	6
--	---------	--------	---

60" Wide Platform / Standard Depth (27.5")	Q209-12	\$390.	6
--	---------	--------	---

TETHER LINE

See Standard Price List for Tether Options.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**R30XMS₂
ORDERPICKER
COUNTERBALANCED TYPE**

SERIES CODE D174

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

WARNING SYSTEM

Audible Alarm - Continuous (Self-adjusting, 97-102dba) Sounds when key switch is in “on” position	Q222-17	\$260.	6
Motion Alarm - Forward/Reverse (Self-adjusting, 97-102dba) Sounds when key is “on” and direction control is in fwd or rev mode.....	Q222-18	\$260.	6
Backup Alarm - Reverse (Self-adjusting, 97-102dba) Sounds when key is “on” and direction control is in reverse only	Q222-16	\$260.	6

WIRE GUIDANCE SYSTEM


See Standard Price List for “RayGuide” compatible Wire Guidance Systems.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/18/02

NA/OP - 3

REPLACES: 04/15/02



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT

**R30XM₂/XMA₂/XMF₂
ORDERPICKER TYPE
COUNTERBALANCED/
STRADDLE/FURNITURE
SERIES CODE G118**

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

G118 – R30XM₂/XMA₂/XMF₂

BATTERY COMPARTMENT/SIZE

Special width front to back with standard length and height.

16.6" width - R30XM ₂ , R30XMA ₂ series (VOIDS UL APPROVAL)	Q022-02	\$410.	2
---	---------	--------	---

ELECTRIC SYSTEM

Power Supply - 12 Volt, 20 Amp Regulated DC Power Supply for Accessory Equipment.

Recommended for sensitive electronic equipment situations. Terminated wire lead located in operator compartment area.....	Q061-17	\$1,475.	16
---	---------	----------	----

Note: Voids UL APPROVAL of the Truck if used to Power a Device that is NOT UL APPROVED.

FIRE EXTINGUISHER

Fire Extinguisher – 2.5 lb. ABC.....	Q080-06	\$195.	5
--------------------------------------	---------	--------	---

FORK-PIN TYPE PALLET

1.75" x 4" x 60" Length.....	Q330-95	\$625. pr.	12
------------------------------	---------	------------	----

1.75" x 4" x 72" Length.....	Q330-96	\$725. pr.	12
------------------------------	---------	------------	----

FRAME MODIFICATION

Stability Casters on Drive End of Truck Frame.....	Q098-05	\$1,100. set.	2
--	---------	---------------	---

Recommended for R30XMA₂ series with Masts above 302" MFH.

IGNITION

Keyless Toggle Ignition.....	Q113-06	\$400.	6
------------------------------	---------	--------	---

Toggle switch replaces standard key switch. Key switch relocated below floorboard.

MAST

See Introduction for Notes.

MAST-VISTA 3 STAGE NO FREE LIFT

See High Lift Sheets for Reduced Ratings.

R30XM ₂ 131" OAH / 300" MFH Requires PL option 180-02 (48" Wide Base Arms)	Q208-55	\$6,000.	Prod. +2
--	---------	----------	----------

R30XMA ₂ 137" OAH / 315" MFH*	Q208-56	\$6,060.	Prod. +2
--	---------	----------	----------

143" OAH / 330" MFH*	Q208-57	\$6,620.	Prod. +2
----------------------------	---------	----------	----------

149" OAH / 345" MFH*

Requires PL option 180-48 (48" OEC) or 180-46 (46"OEC) ...	Q208-58	\$6,760.	Prod. +2
--	---------	----------	----------

155" OAH / 360" MFH*

Requires PL option 180-48 (48" OEC) or 180-46 (46"OEC) ...	Q208-59	\$6,900.	Prod. +2
--	---------	----------	----------

*Stability Casters (See FRAME MODIFICATION [Q098-05](#)) on Drive End of Truck Frame are recommended.

NAMEPLATE/DECAL


UL battery identification number EE583 replacing E0583 on rating nameplate for electric trucks. Required with UL type EE classification supplied on the basic truck and the battery used in the truck includes covers and locks per UL type EE requirements.

Q198-06	N/C	Prod.
---------	-----	-------

OPERATOR GUARD-CARRIAGE/PLATFORM MOUNTED

Lexan shield (transparent) replaces standard wire mesh screen	Q282-01	\$500.	Prod. +2
---	---------	--------	----------

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**R30XM₂/XMA₂/XMF₂
ORDERPICKER TYPE
COUNTERBALANCED/
STRADDLE/FURNITURE
SERIES CODE G118**

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

OVERHEAD GUARD

4-Post type overhead guard installed	Q153-02	\$630.	8
--	---------	--------	---

Adds 3rd and 4th posts opposite the two standard supports.

OPERATOR PLATFORM

40" Wide x 32" Deep	Q199-01	\$800.	12
---------------------------	---------	--------	----

Note: Includes extended pallet clamp, deeper operator platform, and one continuous floor mat.
Capacities will be reduced; Contact Applications Engineering for capacity rating.

TETHER LINE

Tether Boom: 30" Extension	Q159-01	\$230.	6
----------------------------------	---------	--------	---

See Standard Price List for additional Tether Options.

WARNING SYSTEM

Audible Alarm - Continuous (Self-adjusting, 97-102dba) Sounds when key switch is in "on" position	Q222-19	\$260.	6
--	---------	--------	---


Motion Alarm - Forward/Reverse (Self-adjusting, 97-102dba) Sounds when key is "on" and direction control is in fwd or rev mode.....	Q222-17	\$260.	6
--	---------	--------	---

Backup Alarm - Reverse (Self-adjusting, 97-102dba) Sounds when key is "on" and direction control is in reverse only.....	Q222-18	\$260.	6
---	---------	--------	---

WIRE GUIDANCE SYSTEM

See Standard Price List for "RayGuide" compatible Wire Guidance System.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT

N50XMA₃
NARROW AISLE
STRADDLE
SERIES CODE C471

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

C471 - N50XMA₃

BASE ARM WIDTH

Non-Standard Widths from 37" to 49". State Open End Clearance (OEC) in 1" Increments

3" Wide Tandem Load Wheel – OEC from 37" to 49"	Q019-40	\$100.	Prod.
Note: Requires 3" Wide Tandem Load Wheel on order.			
4" Wide Tandem Load Wheel – OEC from 37" to 49"	Q019-50	\$100.	Prod.
Note: Requires 4" Wide Tandem Load Wheel on order.			
10"x4" Single Load Wheel – OEC from 37" to 49"	Q019-60	\$100.	Prod.
Note: Requires SPED option 317-03 on order.			

ELECTRIC SYSTEM

Power Supply - 12 Volt, 20 Amp Regulated DC Power Supply for Accessory Equipment.

Recommended for sensitive electronic equipment situations. Terminated wire lead located

in operator compartment area..... Q061-16 \$1,250 16

Note: Voids UL APPROVAL of the Truck if used to Power a Device that is NOT UL APPROVED.

Power Supply – R.F. Data Terminal at Truck Voltage Q061-17 \$360. 12

FAN

Drive Motor Compartment Fan. Q099-02 \$560. 12

Note: Recommended for applications with high lifts, short duty cycles or fast paced shuttle operations.

FREEZER/CORROSION CONSTRUCTION

Severe Freezer Construction (Artic)

For continuous use in freezer -15F to -40F. Q104-07 \$1,025. 12

IGNITION

Keyless Toggle Ignition..... Q113-06 \$400. 6

Toggle switch replaces standard key switch. Key switch relocated below floorboard.

LIGHT-STROBE

Continuous strobe, key switch actuated. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber..... P.L.

Mounted below overhead guard top.

Amber..... Q393-16 \$520. Prod. +2

Reverse/Forward strobe. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber..... Q393-30 \$520. Prod. +2

Mounted below overhead guard top.

Amber..... Q393-31 \$520. Prod. +2

LOAD BACKREST EXTENSION


Note: The rules governing the use of special load backrest extensions are identical to the policy listed in the Industrial Truck Price List.

Load Backrest Extension replaces standard 48" high for 33.5" wide carriage; installed.

40" high Q166-01 \$100. Prod. +2

36" high Q166-02 \$100. Prod. +2

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT

N50XMA₃
NARROW AISLE
STRADDLE

SERIES CODE C471

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

MAST LIFT LIMIT

LIFT-STOP – Pump motor cuts out at one lift height. Items including the push button override switch feature will allow further lift once the override circuit is actuated. Specify on order the lift height dimension in ½" increments at which the lift is to be terminated. The minimum lift specified must be greater than the free lift capability of the mast ordered. Lift may drift up to 10" above the cut out height specified. DOES NOT VOID UL APPROVAL.

Includes push button override

W/ Vista 2 Stage Mast	Q160-01	\$590.	Prod. +2
W/ Vista 3 Stage Mast	Q160-10	\$590.	Prod. +2
Without Override	Q160-02	\$530.	Prod. +2

OPERATOR COMPARTMENT

Rear Door-Hinged	Q152-01	\$1,560.	12
------------------------	---------	----------	----

OPERATOR GUARD-MAST MOUNTED

Lexan shield (transparent) replaces standard wire mesh screen	Q281-01	\$280.	Prod. +2
---	---------	--------	----------

TIRE-DRIVE

See Introduction for Notes.

NON-MARKING RUBBER SMOOTH TREAD ELECTRIC COMPOUND SOLID SINGLE DRIVE.

12 x 5.5	Q319-24	\$95. Ea.	Prod. +2
----------------	---------	-----------	----------

WARNING SYSTEM

Motion Alarm	Q222-03	\$530.	12
--------------------	---------	--------	----

Alarm sounds when key is on and direction control is in Forward or Reverse mode.

WHEEL-LOAD

WELD-ON LOAD WHEEL BOX

Note: Base width (weld-on) is based on Load Wheel size:

10"x4" is O.E.C. +10.25" = Base Width

5"x3" is O.E.C. +9.25" = Base Width

5"x4" is O.E.C. +11.25" = Base Width

Single Polyurethane Load Wheel – 2" base arm under clearance.

10" Dia x 4" Wide	Q317-03	\$380. Pr.	Prod. +2
Articulating Tandem Polyurethane High Load Compound. Recommended for long runs.			
5" Dia x 3" Wide	Q317-06	\$290. Set	Prod
5" Dia x 4" Wide	Q317-07	\$340. Set	Prod

BOLT-ON LOAD WHEEL BOX

Note: Base width (bolt-on) is based on Load Wheel size:

4"x3" is O.E.C. +9.8" = Base Width

5"x3" is O.E.C. +9.8" = Base Width

4"x4" is O.E.C. +11.8" = Base Width

5"x4" is O.E.C. +11.8" = Base Width

Articulating Tandem Polyurethane High Load Compound. Recommended for long runs


5" Dia x 3" Wide	Q317-10	\$630. Set	12
5" Dia x 4" Wide	Q317-11	\$740. Set	12
4" Dia x 3" Wide	Q317-12	\$540. Set	12
4" Dia x 4" Wide	Q317-13	\$650. Set	12

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/18/02

NA/OP - 7

REPLACES: 04/15/02



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT

N30-40XMR₃, N25XMDR₃
NARROW AISLE
REACH
SERIES CODE C470

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

C470 - N30-40XMR₃, N25XMDR₃

BASE ARM

Pointed Toe Base Arm Wheel Hanger (N30-40XMR ₃)	Q018-01	\$250.	Prod.
---	---------	--------	-------

Not compatible with 10x4 Load Wheel option Q317-03.

BASE ARM WIDTH

Non-Standard Widths from 37" to 50". State Open End Clearance (OEC) in 1" Increments

3" Wide Tandem Load Wheel – OEC from 37" to 50"	Q019-40	\$100.	Prod.
---	---------	--------	-------

Note: Requires 3" Wide Tandem Load Wheel option on order.

4" Wide Load Wheel – OEC from 37" to 50"	Q019-50	\$100.	Prod.
--	---------	--------	-------

Note: Requires 4" Wide Tandem Load Wheel option on order.

10"x4" Single Load Wheel – OEC from 37" to 50"	Q019-60	\$100.	Prod.
--	---------	--------	-------

Note: Requires (10"x4" Single Load Wheel) SPED option 317-03 on order.

Note: Trucks with Sideshifter require 38" minimum OEC (if narrower OEC is required with sideshifter, contact Applications Engineering for assistance.)

ELECTRIC SYSTEM

Power Supply - 12 Volt, 20 Amp Regulated DC Power Supply for Accessory Equipment.

Recommended for sensitive electronic equipment situations. Terminated wire lead located in operator compartment area.....	Q061-16	\$1,520.	16
---	---------	----------	----

Note: Voids UL APPROVAL of the Truck if used to Power a Device that is NOT UL APPROVED.

Power Supply – R.F. Data Terminal at Truck Voltage	Q061-17	\$360.	12
--	---------	--------	----

FAN

Drive Motor Compartment Fan.	Q099-02	\$560.	12
-----------------------------------	---------	--------	----

Note: Recommended for applications, which have high lifts, short duty cycles or fast paced shuttle operations.

FREEZER/CORROSION CONSTRUCTION

Severe Freezer (Artic), Continuous use in freezer -15°F to -40°F.	Q104-07	\$1,025.	12
--	---------	----------	----

IGNITION

Keyless Toggle Ignition.....	Q113-06	\$400.	6
------------------------------	---------	--------	---

Toggle switch replaces standard key switch. Key switch relocated below floorboard.

LIGHT-STROBE

Continuous strobe, key switch actuated. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber.....	P.L.		
------------	------	--	--

Mounted below overhead guard top.

Amber.....	Q393-16	\$520.	Prod. +2
------------	---------	--------	----------

Reverse/Forward strobe. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber.....	Q393-30	\$520.	Prod.+2
------------	---------	--------	---------

Mounted below overhead guard top.


Amber.....	Q393-31	\$520.	Prod. +2
------------	---------	--------	----------

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/18/02

NA/OP - 8

REPLACES: 04/15/02



HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT

N30-40XMR₃, N25XMDR₃
NARROW AISLE
REACH
SERIES CODE C470

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

LOAD BACKREST EXTENSION

See Introduction for Notes.

Load Backrest Extension replaces standard 48" high for 33" wide reach carriage; installed.

40" high	Q166-01	\$100.	Prod. +2
36" high	Q166-02	\$100.	Prod. +2

MAST LIFT LIMIT

LIFT-STOP – Pump motor cuts out at one lift height. Items including the push button override switch feature will allow further lift once the override circuit is actuated. Specify on order the lift height dimension in ½" increments at which the lift is to be terminated. The minimum lift specified must be greater than the free lift capability of the mast ordered. Lift may drift up to 10" above the cut out height specified. DOES NOT VOID UL APPROVAL.

Includes push button override

W/ Vista 2 Stage Mast	Q160-01	\$870.	Prod. +2
W/ Vista 3 Stage Mast	Q160-10	\$870.	Prod. +2
Without Override	Q160-02	\$795.	Prod. +2

OPERATOR COMPARTMENT

Rear Door-Hinged	Q152-01	\$1,560.	12
------------------------	---------	----------	----

OPERATOR GUARD-MAST MOUNTED

Lexan shield (transparent) replaces standard wire mesh screen	Q281-01	\$280.	Prod. +2
---	---------	--------	----------

TIRE-DRIVE

See Introduction for Notes.

NON-MARKING RUBBER SMOOTH TREAD ELECTRIC COMPOUND SOLID SINGLE DRIVE.

12 x 5.5	Q319-24	\$95. Ea.	Prod. +2
----------------	---------	-----------	----------

WARNING SYSTEM

Motion Alarm	Q222-03	\$530.	12
--------------------	---------	--------	----

Alarm sounds when key is on and direction control is in Forward or Reverse mode.

WHEEL-LOAD

WELD-ON LOAD WHEEL BOX

Note: Base width (weld-on box) is based on Load Wheel size:

10"x4" is O.E.C. +10.25" = Base Width

4"x3" and 5"x3" is O.E.C. +9.25" = Base Width

4"x4" and 5"x4" is O.E.C. +11.25" = Base Width

Single Polyurethane Load Wheel – 2" base arm under clearance.

10" Dia x 4" Wide	Q317-03	\$380. Pr.	Prod. +2
-------------------------	---------	------------	----------

Not compatible with Pointed Toe Base Arm option Q018-01.


Note: Trucks with Sideshifter require 38" minimum OEC (if narrower OEC is required with sideshifter, contact Applications Engineering for assistance).

Articulating Tandem Polyurethane Load Wheels.

High Load Compound. Recommended for long runs.

4" Dia x 3" Wide	Q317-04	\$395. Set	Prod
4" Dia x 4" Wide	Q317-05	\$455. Set	Prod
5" Dia x 3" Wide	Q317-06	\$125. Set	Prod
5" Dia x 4" Wide	Q317-07	\$140. Set	Prod

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT

N30-40XMR₃, N25XMDR₃
NARROW AISLE
REACH
SERIES CODE C470

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

BOLT-ON LOAD WHEEL BOX

Note: Base width (bolt-on box) is based on Load Wheel size:

4"x3" and 5"x3" is O.E.C. +9.8" = Base Width

4"x4" and 5"x4" is O.E.C. +11.8" = Base Width

Articulating Tandem Polyurethane Load Wheels.

High Load Compound. Recommended for long runs.


4" Dia x 3" Wide	Q317-10	\$700. Set	Prod
4" Dia x 4" Wide	Q317-11	\$810. Set	Prod
5" Dia x 3" Wide	Q317-12	\$785. Set	Prod
5" Dia x 4" Wide	Q317-13	\$900. Set	Prod

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/18/02

NA/OP - 10

REPLACES: 04/15/02



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT

**N45XMR₃, N30XMDR₃
NARROW AISLE
REACH
SERIES CODE G138**

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

G138 – N45XMR₃, N30XMDR₃

BASE ARM

Pointed Toe Base Arm Wheel Hanger (N45XMR₃) Q018-01 \$250. Prod.

Not compatible with 10x4 Load Wheel option Q317-03.

(Note: Blunt Toe Base Arms standard on N45XMR₃. Pointed Toe Base Arms standard on N30XMDR₃)

BASE ARM WIDTH

Non-Standard Widths from 37" to 50". State Open End Clearance (OEC) in 1" Increments

3" Wide Tandem Load Wheel – OEC from 37" to 50" Q019-40 \$100. Prod.

Note: Requires 3" Wide Tandem Load Wheel option on order.

4" Wide Load Wheel – OEC from 37" to 50" Q019-50 \$100. Prod.

Note: Requires 4" Wide Tandem Load Wheel option on order.

10"x4" Single Load Wheel – OEC from 37" to 50" Q019-60 \$100. Prod.

Note: Requires SPED option 317-03 (10x4 Single Load Wheel) on order.

Note: Trucks with Sideshifter require 38" minimum OEC (if narrower OEC is required with sideshifter, contact Applications Engineering for assistance.)

ELECTRIC SYSTEM

Power Supply - 12 Volt, 20 Amp Regulated DC Power Supply for Accessory Equipment.

Recommended for sensitive electronic equipment situations. Terminated wire lead located

in operator compartment area..... Q061-16 \$1,520. 16

Note: Voids UL APPROVAL of the Truck if used to Power a Device that is NOT UL APPROVED.

Power Supply – R.F. Data Terminal at Truck Voltage P.L.

FAN

Drive Motor Compartment Fan. Q099-02 \$560. 12

Note: Recommended for applications, which have high lifts, short duty cycles or fast paced shuttle operations.

FREEZER/CORROSION CONSTRUCTION

Severe Freezer Construction (Artic)

For continuous use in freezer -15°F to -40°F. Q104-07 \$1,025. 12

IGNITION

Keyless Toggle Ignition..... Q113-06 \$400. 6

Toggle switch replaces standard key switch. Key switch relocated below floorboard.

LIGHT-STROBE

Continuous strobe, key switch actuated. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber..... P.L.

Mounted below overhead guard top.

Amber..... Q393-16 \$520. Prod. +2

Reverse/Forward strobe. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber..... Q393-30. \$520. Prod. +2

Mounted below overhead guard top.


Amber..... Q393-31 \$520. Prod. +2

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/18/02

NA/OP - 11

REPLACES: 04/15/02



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**N45XMR₃, N30XMDR₃
NARROW AISLE
REACH**

SERIES CODE G138

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

LOAD BACKREST EXTENSION

Note: The rules governing the use of special load backrest extensions are identical to the policy listed in the Industrial Truck Price List.

Load Backrest Extension replaces standard 48" high for 33" wide reach carriage; installed.

40" high	Q166-01	\$100.	Prod. +2
36" high	Q166-02	\$100.	Prod. +2

MAST LIFT LIMIT

LIFT-STOP – Pump motor cuts out at one lift height. Items including the push button override switch feature will allow further lift once the override circuit is actuated. Specify on order the lift height dimension in ½" increments at which the lift is to be terminated. The minimum lift specified must be greater than the free lift capability of the mast ordered. Lift may drift up to 10" above the cut out height specified. DOES NOT VOID UL APPROVAL.

Includes Push Button Override	Q160-10	\$870.	Prod. +2
Without Override	Q160-02	\$795.	Prod. +2

OPERATOR COMPARTMENT

Rear Door-Hinged	Q152-01	\$1,560.	12
------------------------	---------	----------	----

OPERATOR GUARD-MAST MOUNTED

Lexan shield (transparent) replaces standard wire mesh screen	Q281-01	\$280.	Prod. +2
---	---------	--------	----------

WARNING SYSTEM

Motion Alarm	Q222-03	\$530.	12
--------------------	---------	--------	----

Alarm sounds when key is on and direction control is in Forward or Reverse mode.

WHEEL-LOAD

WELD-ON LOAD WHEEL BOX

Note: Base width (weld-on box) is based on Load Wheel size:

10"x4" is O.E.C. +10.25" = Base Width

5"x3" is O.E.C. +9.25" = Base Width

5"x4" is O.E.C. +11.25" = Base Width

Single Polyurethane. 2" Base Arm Under Clearance

10" Dia. x 4" Wide	Q317-03	\$380. Pr.	Prod. +2
--------------------------	---------	------------	----------

Not compatible with Pointed Toe Base Arm option Q018-01.

Note: Trucks with Sideshifter require 38" minimum OEC (if narrower OEC is required with sideshifter, contact Applications Engineering for assistance).

Tandem Articulating Polyurethane.

High-Load Compound. Recommended for long runs.

5" Dia x 3" Wide	Q317-06	\$420. Set	Prod.
5" Dia x 4" Wide	Q317-07	\$140. Set	Prod.

BOLT-ON LOAD WHEEL BOX

Note: Base width (bolt-on box) is based on Load Wheel size:

5"x3" is O.E.C. +9.8" = Base Width


5"x4" is O.E.C. +11.8" = Base Width

Tandem Articulating Polyurethane.

Hi-Load Compound. Articulating Tandem Polyurethane. Recommended for long runs.

5" Dia x 3" Wide	Q317-12	\$785. Set	Prod.
5" Dia x 4" Wide	Q317-13	\$900. Set	Prod.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**N45XMR₃, N30XMXDR₃
NARROW AISLE
GROCERY REACH
SERIES CODE B264**

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

B264 – N45XMR₃, N30XMXDR₃

ELECTRIC SYSTEM

Power Supply - 12 Volt, 20 Amp Regulated DC Power Supply for Accessory Equipment.

Recommended for sensitive electronic equipment situations. Terminated wire lead located

in operator compartment area..... Q061-16 \$1,520. 16

Note: Voids UL APPROVAL of the Truck if used to Power a Device that is NOT UL APPROVED.

Power Supply – R.F. Data Terminal at Truck Voltage Std.

FAN

Drive Motor Compartment Fan. Q099-02 \$560. 12

Note: Recommended for applications, which have high lifts, short duty cycles or fast paced shuttle operations.

Contact Parts Depot for Field Conversion Kit.

FREEZER/CORROSION CONSTRUCTION

Severe Freezer Construction (Artic)

For continuous use in freezer -15F to -40F. P.L.

IGNITION

Keyless Toggle Ignition..... Q113-06 \$400. 6

Toggle switch replaces standard key switch. Key switch relocated below floorboard.

LIGHT-STROBE

Continuous strobe, key switch actuated. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber..... P.L.

Mounted below overhead guard top.

Amber..... Q393-16 \$520. Prod. +2

Reverse/Forward strobe. UL APPROVED.

Overhead guard top mounted – increases truck height approximately 7".

Amber..... Q393-30 \$520. Prod.+2

Mounted below overhead guard top.

Amber..... Q393-31 \$520. Prod. +2

LOAD BACKREST EXTENSION

Note: The rules governing the use of special load backrest extensions are identical to the policy listed in the Industrial Truck Price List. Load Backrest Extension replaces standard 48" high for 33" wide reach carriage; installed.

40" high Q166-01 \$100. Prod. +2

36" high Q166-02 \$100. Prod. +2

OPERATOR COMPARTMENT

Rear Door-Hinged Q152-01 \$1,560. 12

OPERATOR GUARD-MAST MOUNTED


Lexan shield (transparent) replaces standard wire mesh screen Q281-01 \$280. Prod. +2

WARNING SYSTEM

Motion Alarm Q222-03 \$530. 12

Alarm sounds when key is on and direction control is in Forward or Reverse mode.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**N45MXR₃, N30MXDR₃
NARROW AISLE
GROCERY REACH
SERIES CODE B264**

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

WHEEL-LOAD

WELD-ON LOAD WHEEL BOX

Single Polyurethane. 2" Base Arm Under Clearance

10" Dia. x 4" Wide Q317-03 \$380. Pr. Prod. +2

Note: Trucks with Sideshifter require 38" minimum OEC (if narrower OEC is required with a sideshifter, contact Applications Engineering for assistance).

*Base width (weld-on box) based on load wheel size:
10"x4" is O.E.C. + 10.25 = Base Width*

BOLT-ON LOAD WHEEL BOX

High-Load Compound. Articulating Tandem Polyurethane. Recommended for long runs.

5" Dia. X 3" Wide..... Q317-10 \$785. Set 12

*Base width (bolt-on box) based on load wheel size:
5"x3" is O.E.C. + 9.8" = Base Width*

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

NA/OP - 14

REPLACES: 07/16//01