

**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**CLASS – III
MOTORIZED HAND
WALKIE / WALKIE-RIDER
WALKIE STACKER**

CLASS III - CONTENTS


SERIES – MODEL	PAGE
E142 – T5XT	2
A453 – W20-30-40XTA	3
A454 – W20-25-30-40XTC	4
A455 – W20-30XTR	5
B218 - W40Z	6
C215 – W45Z	7
A231 – W60Z	8
A229 – W65Z	10
A234 - W80Z	12
A230 – B60Z	14
A233 – B80Z	16
A499 – C60-80XT2	18

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 1

REPLACES: 11/01/01



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	T5XT TOW TRACTOR SERIES CODE E142
--	--

WALKIE – CLASS III
E142 – T5XT

APPROVAL – UL

UL Classification EE (must use “EE” approved battery) Q051-60 \$670. 12


IGNITION

Toggle Ignition Q113-08 \$75. 12
Keyless Toggle Switch replaces standard key switch.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

REPLACES: 11/01/01




HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W20-30-40XTA WALKIE STRADDLE STACKER SERIES CODE A453
--	---

A453 – W20-30-40XTA

IGNITION

Toggle Ignition.....	Q113-08	\$75.	12
Keyless Toggle Switch replaces standard key switch.			

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.




HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W20-25-30-40XTC WALKIE-STACKER COUNTERBALANCED SERIES CODE A454
--	---

A454 – W20-25-30-40XTC

IGNITION

Toggle Ignition.....	Q113-08	\$75.	12
Keyless Toggle Switch replaces standard key switch.			

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W20-30XTR WALKIE REACH STACKER SERIES CODE A455
---	--

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

A455 – W20-30XTR

IGNITION


Toggle Ignition	Q113-08	\$75.	12
Keyless Toggle Switch replaces standard key switch.			

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 5

REPLACES: 11/01/01



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W40Z WALKIE TYPE LOW LIFT PALLET TRUCK SERIES CODE B218
---	--

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description

Item No.

Price

Availability
(In Weeks *)

B218 - W40Z


Contact Applications Engineering for special option availability.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 6

REPLACES: 12/01/01



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W45Z WALKIE TYPE LOW LIFT PALLET TRUCK SERIES CODE C215
---	---

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description

Item No.

Price

**Availability
(In Weeks *)**

C215 – W45Z


Contact Applications Engineering for special option availability.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 7

REPLACES: 12/01/01



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W60Z WALKIE TYPE LOW LIFT PALLET TRUCK SERIES CODE A231
---	--

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

A231 – W60Z

The W60Z (A231) series is available in UL Classification E only.

See series W65Z (A229) or W80Z (A234) if UL Classification 'EE' is required.

BATTERY CONNECTOR

SB175 – Red	Std.		
SB175 – Gray	Q023-09	\$75.	8

BATTERY DISCHARGE INDICATOR

Hidden BDI/Hour Meter Gauge (Requires PL BDI/HM option)	Q080-01	\$175.	12
---	---------	--------	----

ELECTRIC SYSTEM

R.F. Power Supply (at battery voltage)	Q052-01	\$250.	14
--	---------	--------	----

IGNITION

Toggle Ignition	Q113-08	\$75.	12
-----------------------	---------	-------	----

Keyless Toggle Switch replaces standard key switch.

Password Entry Device Contact Applications Engineering

Waterproof keypad design. Requires password entry before truck will operate.

Programmable with up to 250 different 4-digit user codes.

LIGHT-STROBE

Continuous Strobe, key switch actuated. UL APPROVED.

Amber- Pole Mounted	Q393-41	\$495.	14
---------------------------	---------	--------	----

Reverse operated Strobe, key switch actuated. UL APPROVED.

Amber- Pole Mounted	Q393-43	\$495.	14
---------------------------	---------	--------	----

WALKIE FORK-SINGLE PALLET

Walkie Fork-Single Pallet (Long Wheelbase Forks)

Notes: 1. All single pallet walkie forks are equipped with the standard tip of 8.0" from tip of fork to center of load wheel in lowered position. With this tip length, the fork is designed to handle a pallet of the same length as the fork length. With this tip length, the truck wheelbase and outside turning radius are changed relative to the fork length.


Width	Width	Length					
Across	Each						
27"	9.0"	60"	Q141-33		\$145. Pr.		Prod.+2

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 8

REPLACES: 11/01/01



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**W60Z
WALKIE TYPE
LOW LIFT PALLET TRUCK
SERIES CODE A231**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

WALKIE SUPERFRAME (SKID ADAPTER)

Note: Skid adapter mounted to forks to increase height in lowered and raised position. Adapter pivots up to act as load backrest and still provides the same useable fork length. Skid adapter is sized the same as the forks. Wheelbase increased by 2.00". NOT available with load backrest extension.

Specify height in "mm" to top of Skid Adapter with forks lowered.

Available heights are 152mm (6.00"), 228mm (9.00") and 279mm (11.00").

27"W x 36"L (Specify Height)	Q272-11	\$820.	12
27"W x 42"L (Specify Height)	Q272-12	\$820.	12
27"W x 48"L (Specify Height)	Q272-13	\$920.	12
27"W x 60"L (Specify Height)	Q272-14	\$1,150.	12

WHEELS-LOAD


Load wheel string cutter Contact Applications Engineering

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 9

REPLACES: 11/01/01



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W65Z WALKIE TYPE (12 VOLT) LOW LIFT PALLET TRUCK SERIES CODE A229
--	---

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
--------------------	-----------------	--------------	--------------------------------------

A229 – W65Z

Note: The W65Z is available in 12Volt ONLY.

APPROVAL-UL

EE Classification – Lockable Hood for uncovered (Type E) battery. Does not require UL type EE Approved covered battery. Requires UL Type EE option 056-02 on order.....Q051-44 \$1,445. 12

BATTERY CONNECTOR

SB175-Yellow	Std.		
SB175-Gray.....	Q023-09	\$75.	4

BATTERY DISCHARGE INDICATOR

Hidden BDI/Hour Meter Gauge (Requires PL option 080-04).....	Q054-01	\$175.	12
--	---------	--------	----

ELECTRIC SYSTEM

R.F. Power Supply (at battery voltage)	Q062-01	\$250.	14
--	---------	--------	----

GROUND STRAP

Ground strap prevents build up of static electricity on frame	Q108-01	\$70	2
---	---------	------	---

(included with Poly Drive Tire)

IGNITION

Toggle Ignition.....	Q113-08	\$75.	12
----------------------	---------	-------	----

Keyless Toggle Switch replaces standard key switch.

Password Entry DeviceContact Applications Engineering.
 Waterproof keypad design. Requires password entry before truck will operate.
 Programmable with up to 250 different 4-digit user codes.

LIGHT STROBE

Continuous Strobe, key switch operated. UL Approved.			
Amber-Pole Mounted	Q393-41	\$495.	14
Reverse operated Strobe, key switch actuated. UL Approved.			
Amber-Pole Mounted	Q393-43	\$495.	14


WALKIE FORK-SINGLE PALLET

Walkie Fork-Single Pallet (Long Wheelbase Forks)

Note: All single pallet walkie forks are equipped with the standard tip of 8.0" from tip of fork to center of load wheel in lowered position. With this tip length, the fork is designed to handle a pallet of the same length as the fork length. With this tip length, the truck wheelbase and outside turning radius change relative to fork length.

Width	Width	Length			
Across	Each				
27"	9.0"	60"	Q141-33	\$145. Pr.	12

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**W65Z
WALKIE TYPE (12 VOLT)
LOW LIFT PALLET TRUCK
SERIES CODE A229**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

WALKIE SUPERFRAME (SKID ADAPTER)

Note: Skid adapter mounted to forks to increase height in lowered and raised position. Adapter pivots up to act as load backrest and still provides the same useable fork length. Skid adapter is sized the same as the forks. Wheelbase increased by 2.00". NOT available with load backrest extension.

Specify height in "mm" to top of Skid Adapter with forks lowered.

Available heights are 152mm (6.00"), 228mm (9.00") and 279mm (11.00").

27"W x 36"L (Specify Height)	Q272-11	\$735.	12
27"W x 42"L (Specify Height)	Q272-12	\$735.	12
27"W x 48"L (Specify Height)	Q272-13	\$825.	12
27"W x 60"L (Specify Height)	Q272-14	\$945.	12

WHEELS-LOAD


Load Wheel String Cutter Contact Applications Engineering

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 11

REPLACES: 11/01/01



HYSTER COMPANY SPED PRICE LIST APPLICATIONS ENGINEERING DEPARTMENT	W80Z WALKIE TYPE LOW LIFT PALLET TRUCK SERIES CODE A234
--	---

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

A234 - W80Z

APPROVAL-UL

EE Classification – Lockable Hood for uncovered (Type E) battery. Does not require UL type EE Approved covered battery. Requires UL Type EE option 056-02 on orderQ051-44 \$1,150. 12

BATTERY CONNECTOR

SB175-Red	Std.		
SB175-Gray.....	Q023-09	\$75.	8

BATTERY DISCHARGE INDICATOR

Hidden BDI/Hour Meter Gauge (Requires PL option 080-04).....	Q054-01	\$175.	12
--	---------	--------	----

ELECTRIC SYSTEM

R.F. Power Supply (at battery voltage)	Q062-01	\$225.	14
--	---------	--------	----

GROUND STRAP

Ground strap prevents build up of static electricity on frame (included with Poly Drive Tire)	Q108-01	\$70.	2
--	---------	-------	---

IGNITION

Toggle Ignition.....	Q113-08	\$75.	12
----------------------	---------	-------	----

Keyless Toggle Switch replaces standard key switch.

Password Entry DeviceContact Applications Engineering.
 Waterproof keypad design. Requires password entry before truck will operate.
 Programmable with up to 250 different 4-digit user codes.

LIGHT-STROBE

Continuous Strobe, key switch operated. UL Approved.			
Amber-Pole Mounted	Q393-41	\$495.	14
Reverse operated Strobe, key switch actuated. UL Approved.			
Amber-Pole Mounted	Q393-43	\$495.	14

WALKIE FORK-SINGLE PALLET

Walkie Fork-Single Pallet (Long Wheelbase Forks)

Note: All single pallet walkie forks are equipped with the standard tip of 8.0" from tip of fork to center of load wheel in lowered position. With this tip length, the fork is designed to handle a pallet of the same length as the fork length. With this tip length, the truck wheelbase and outside turning radius change relative to fork length.


Width	Width	Length	
Across	Each		
27"	9.0"	60".....	Q141-33 \$145. Pr. 12

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 12

REPLACES: 11/01/01



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**W80Z
WALKIE TYPE
LOW LIFT PALLET TRUCK
SERIES CODE A234**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

WALKIE SUPERFRAME (SKID ADAPTER)

Note: Skid adapter mounted to forks to increase height in lowered and raised position. Adapter pivots up to act as load backrest and still provides the same useable fork length. Skid adapter is sized the same as the forks. Wheelbase increased by 2.00". NOT available with load backrest extension.

Specify height in "mm" to top of Skid Adapter with forks lowered.

Available heights are 152mm (6.00"), 228mm (9.00") and 279mm (11.00").

27"W x 36"L (Specify Height)	Q272-11	\$740.	12
27"W x 42"L (Specify Height)	Q272-12	\$780.	12
27"W x 48"L (Specify Height)	Q272-13	\$825.	12
27"W x 60"L (Specify Height)	Q272-14	\$945.	12

WHEELS-LOAD


Load Wheel String Cutter Contact Applications Engineering.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 13

REPLACES: 11/01/01



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**B60Z
WALKIE/RIDER TYPE
LOW LIFT PALLET
SERIES CODE A230**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

A230 – B60Z

APPROVAL

The B60Z (A231) series is available in UL Classification E only.
See series B80Z (A233) if UL Classification EE is required.

BATTERY CONNECTOR

SB175 – Red	Std.		
SB175 – Gray	Q023-09	\$75.	8

BATTERY DISCHARGE INDICATOR

Hidden BDI/Hour Meter Gauge (Requires PL BDI/HM option)	Q080-01	\$175.	12
---	---------	--------	----

ELECTRIC SYSTEM

R.F. Power Supply (at battery voltage)	Q052-01	\$250.	14
--	---------	--------	----

IGNITION

Toggle Ignition	Q113-08	\$75.	12
-----------------------	---------	-------	----

Keyless Toggle Switch replaces standard key switch.

Password Entry Device Contact Applications Engineering.
Waterproof keypad design. Requires password entry before truck will operate.
Programmable with up to 250 different 4-digit user codes.

LIGHT-STROBE

Continuous Strobe, key switch actuated. UL APPROVED. Amber- Pole Mounted	Q393-41	\$495.	14
---	---------	--------	----

Reverse operated Strobe, key switch actuated. UL APPROVED. Amber- Pole Mounted	Q393-43	\$495.	14
---	---------	--------	----

TRACTION CUT OUT

High Speed Cutout	Q016-01	\$60.	12
-------------------------	---------	-------	----

WALKIE FORK-SINGLE PALLET

Walkie Fork-Single Pallet (Long Wheelbase Forks)

Notes: 1. All single pallet walkie forks are equipped with the standard tip of 8.0" from tip of fork to center of load wheel in lowered position. With this tip length, the fork is designed to handle a pallet of the same length as the fork length. With this tip length, the truck wheelbase and outside turning radius are changed relative to the fork length.


Width Across	Width Each	Length			
27"	9.0"	60"	Q141-33	\$145. Pr.	12

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 14

REPLACES: 07/16/01



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**B60Z
WALKIE/RIDER TYPE
LOW LIFT PALLET
SERIES CODE A230**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

WALKIE SUPERFRAME (SKID ADAPTER)

Note: Skid adapter mounted to forks to increase height in lowered and raised position. Adapter pivots up to act as load backrest and still provides the same useable fork length. Skid adapter is sized the same as the forks. Wheelbase increased by 2.00". NOT available with load backrest extension.

Specify height in "mm" to top of Skid Adapter with forks lowered.

Available heights are 152mm (6.00"), 228mm (9.00") and 279mm (11.00").

27"W x 36"L (Specify Height)	Q272-11	\$820.	12
27"W x 42"L (Specify Height)	Q272-12	\$820.	12
27"W x 48"L (Specify Height)	Q272-13	\$920.	12
27"W x 60"L (Specify Height)	Q272-14	\$1,150.	12

WHEELS-LOAD


Load wheel string cutter Contact Applications Engineering.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 15

REPLACES: 07/16/01



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**B80Z
WALKIE/RIDER TYPE
LOW LIFT PALLET
SERIES CODE A233**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

A233 – B80Z

APPROVAL-UL

EE Classification – Lockable Hood for uncovered (Type E) battery. Does not require UL type EE Approved covered battery. Requires UL Type EE option 056-02 on order Q051-44 \$1,820. 12

BATTERY CONNECTOR

SB175 – Red	Std.		
SB175 – Gray	Q023-09	\$75.	8

BATTERY DISCHARGE INDICATOR

Hidden BDI/Hour Meter Gauge (Requires PL option 080-04).....	Q054-01	\$175.	12
--	---------	--------	----

ELECTRIC SYSTEM

R.F. Power Supply (at battery voltage)	Q062-01	\$250.	14
--	---------	--------	----

IGNITION

Toggle Ignition.....	Q113-08	\$75.	12
----------------------	---------	-------	----

Keyless Toggle Switch replaces standard key switch.

Password Entry Device Contact Applications Engineering.
Waterproof keypad design. Requires password entry before truck will operate.
Programmable with up to 250 different 4-digit user codes.

LIGHT-STROBE

Continuous Strobe, key switch actuated. UL APPROVED. Amber- Pole Mounted	Q393-41	\$550.	14
---	---------	--------	----

Reverse operated Strobe, key switch actuated. UL APPROVED. Amber- Pole Mounted	Q393-43	\$550.	14
---	---------	--------	----

TRACTION CUT OUT

High Speed Cutout.....	Q370-01	\$60.	12
------------------------	---------	-------	----

(Remove High-Speed Circuit; Limits Truck Speed to Approximately 3.5 mph)

WALKIE FORK-SINGLE PALLET

Walkie Fork-Single Pallet (Long Wheelbase Forks)

Notes: 1. All single pallet walkie forks are equipped with the standard tip of 8.0" from tip of fork to center of load wheel in lowered position. With this tip length, the fork is designed to handle a pallet of the same length as the fork length. With this tip length, the truck wheelbase and outside turning radius change relative to the fork length.


Width Across	Width Each	Length			
27"	9.0"	60"	Q141-33	\$145. Pr.	12

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 16

REPLACES: 11/01/01



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**B80Z
WALKIE/RIDER TYPE
LOW LIFT PALLET
SERIES CODE A233**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

WALKIE SUPERFRAME (SKID ADAPTER)

Note: Skid adapter mounted to forks to increase height in lowered and raised position. Adapter pivots up to act as load backrest and still provides the same useable fork length. Skid adapter is sized the same as the forks. Wheelbase increased by 2.00". NOT available with load backrest extension.

Specify height in "mm" to top of Skid Adapter with forks lowered.

Available heights are 152mm (6.00"), 228mm (9.00") and 279mm (11.00").

27"W x 36"L (Specify Height)	Q272-11	\$850.	12
27"W x 42"L (Specify Height)	Q272-12	\$850.	12
27"W x 48"L (Specify Height)	Q272-13	\$950.	12
27"W x 60"L (Specify Height)	Q272-14	\$1,085.	12

WHEELS-LOAD


Load wheel string cutter Contact Applications Engineering.

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 17

REPLACES: 11/01/01



**HYSTER COMPANY
SPED PRICE LIST
APPLICATIONS ENGINEERING DEPARTMENT**

**C60-80XTC
CENTER RIDER TYPE
LOW LIFT PALLET TRUCK
SERIES CODE A499**

*NOT ENGINEERED special items will INCREASE AVAILABILITY – See INTRODUCTION for complete details.

Description	Item No.	Price	Availability (In Weeks *)
-------------	----------	-------	------------------------------

A499 – C60-80XT2

BATTERY COMPARTMENT/SIZE

8.3" width front to back with standard length and height Contact Applications Engineering.

IGNITION

Toggle Ignition.....	Q113-08	\$75.	10
----------------------	---------	-------	----

Keyless Toggle Switch replaces standard key switch.

TIRE-DRIVE

Non-Marking Smooth Tread Electric Compound Solid Single Drive 10 x 5.....	Q319-21	\$75. Ea	10
--	---------	----------	----

WALKIE FORK-DOUBLE PALLET

Walkie Fork-Double Pallet (Short Wheelbase Forks)

Note: all double pallet walkie forks are designed with extended or "alligator" tips to handle two pallets, each pallet to a length equaling one half of the overall fork length. Example: A 96" long double pallet walkie fork is designed to handle two 48" long pallets. This is done to ensure correct location of the load wheels through the first opening of the second pallet. With this tip design, any increase in truck wheelbase and outside turning radius is minimized.

Contact Applications Engineering for available lengths.

WALKIE FORK-SINGLE PALLET

Walkie Fork-Single Pallet (Long Wheelbase Forks)

- Notes:
1. Price list poly drive tire required for forks 66" or greater.
 2. All single pallet walkie forks are equipped with the standard tip of 8.0" from tip of fork to center of load wheel in lowered position. With this tip length, the fork is designed to handle a pallet of the same length as the fork length. With this tip length, the truck wheelbase and outside turning radius are changed relative to the fork length.

Width Across	Width Each	Length			
22"	9.0"	48"	Q141-25	\$175. Pr.	12

Contact Applications Engineering for additional lengths.

WALKIE SUPERFRAME (SKID ADAPTER)

Contact Applications Engineering.

WARNING SYSTEM

Backup Alarm	Q222-11	\$250.	12
--------------------	---------	--------	----

Alarm sounds when key is on and direction control is in reverse mode only.

WHEELS-LOAD

Single Load Wheels – Premium Material and 4 Bearings per Wheel	Q317-01	\$175.	8
--	---------	--------	---

Prices, availability, and lead times are subject to change without notice. The pricing, availability, and lead time information contained in NOMS and HERO is the correct and current information. Be sure to download your HERO price book at least once a week. It is also recommended that you verify quotes against the HERO information before giving them to a prospective customer.

EFFECTIVE: 04/15/02

WALKIE - 18

REPLACES: 11/01/01