

HYSTER COMPANY PRICE LIST	V40XMU VERY NARROW AISLE MAN-UP TURRET TRUCK Series Code A465
--	--

STANDARD FEATURES

-72 Volt	-Battery Discharge Indicator with Lift Interrupt
-Quadform Mast	-Integral Hour Meter with LED Display
-180° Rack and Pinion Turret Attachment	-Power On Indicator Light
-Transistor Traction Controls with Regenerative Braking	-Full Suspension Flip-up Cloth Seat with Height Adjustment
-Dual Drive Motors	-Tilt and Telescopic Operator Console
-Transistor Variable Hoist Control	-Butterfly Traction and Hoist Controls with Fingertip Operated Attachment Controls
-Programmable Logic Controller	-Ribbed Rubber Floor Mat
-Override for Forks Traverse (in maintenance compartment)	-Park Brake with Foot Pedal Release
-Manual Lowering Valve (in maintenance compartment)	-Overhead Guard
-Return to Center Electric Power Steering	-Battery Connector - 350 Amp, Green
-Sidegates with Gas Springs and Electrical Interlocks	-ZAPI Handset (Traction/Hoist/Steer Tool)
-72/24 Volt DC/DC Power Supply	-Operator, Parts, and Service Manuals
-UL Classification Type E	-Load Tires 13.75" x 5.50" Solid Polyurethane
-Power Supply Disconnect Button	-Drive Tires 15.00" x 5.00" Solid Polyurethane
-Key-switch	
-Flashing Amber Strobe	
-Horn	

REQUIRED OPTIONS


Turret Truck Site Survey-	A Hyster Company Turret Truck Site Survey Form must be completed, reviewed and approved by the Hyster Company, WPG prior to Factory Acceptance of your order. A blank form is Included in this price list for you to photocopy. (We recommend that you quote your customers only AFTER contacting WPG.)	REQUIRED FOR ORDER ACCEPTANCE (Recommended prior to firm quoting)
----------------------------------	---	--

The Hyster Company, Warehouse Products Group can be reached by telephone: (252) 931-5671

Basic Model	OPTION NO.	PRICE	WEIGHT LBS.
V40XMU.....	051-01	\$ 122,560.	1,030
NOTE: Option Weights Must Be Added to Basic			
Axle Loading w/Rated Load (front/rear).....			16,900 / 6,910
Maximum Single Load Wheel Loading.....			13,575

Base Width	OPTION NO.	PRICE	WEIGHT LBS.
50".....	180-01	N/C	5,145
53".....	180-02	N/C	5,260
57".....	180-03	N/C	5,275
60".....	180-04	N/C	5,285
62".....	180-05	N/C	5,290
66".....	180-06	N/C	5,305
69".....	Contact WPG		

Subject to Change Without Notice	FOR FREIGHT CHARGES SEE FREIGHT SECTION	Replaces 05/10/01	PAGE E-7.25 Effective 12/01/02
----------------------------------	---	----------------------	--------------------------------------



HYSTER COMPANY PRICE LIST	V40XMU VERY NARROW AISLE MAN-UP TURRET TRUCK Series Code A465
--	--

REQUIRED OPTIONS - Continued

MAST SPECIFICATION NOTE: For Hyster Turret Trucks, minimum top-shelf liftoff clearance is 10.0". Contact the Hyster Company Warehouse Products Group for further application information or for non-GMA pallet sizes. Do not attempt to measure mast height dimensions on existing equipment -- always measure top shelf (top beam) height.

MAST			OPTION NO.	PRICE	WEIGHT LBS.
2-Stage	MFH - 207.5"	Lowered - 120.5".....	150-01	N/C	2,530
	227.0"	130.5".....	150-02	\$ 670.	2,750
	247.0"	140.5".....	150-03	1,100.	2,965
	266.5"	150.0".....	150-04	1,515.	3,180
	286.5"	160.0".....	150-05	1,920.	3,400
	306.0"	170.0".....	150-06	2,490.	3,615
	326.0"	179.5".....	150-07	3,245.	3,830
	345.5"	189.5".....	150-08	4,140.	4,050
	365.5"	199.5".....	150-09	4,830.	4,265
	404.5"	219.0".....	150-10	5,935.	4,700
	424.0"	229.0".....	150-11	6,765.	4,915
	444.0"	239.0".....	150-12	7,315.	5,130
	483.5"	258.5".....	150-13	8,695.	5,565
	503.5"	268.5".....	150-14	9,515.	5,780
	522.5"	278.5".....	150-15	10,485.	6,000
3-Stage	MFH - 334.5"	Lowered - 142.0".....	153-01	10,090.	4,700
	370.5"	154.0".....	153-02	11,055.	5,185
	404.5"	165.5".....	153-03	12,435.	5,635
	444.0"	178.5".....	153-04	13,950.	6,155
	483.5"	191.5".....	153-05	15,540.	6,675
	503.5"	198.0".....	153-06	16,990.	6,935
	522.5"	204.5".....	153-07	18,235.	7,190

Operator's Platform Width	OPTION NO.	PRICE	WEIGHT LBS.
48.8".....	098-01	N/C	1,870
52.7".....	098-02	N/C	1,880
56.7".....	098-03	N/C	1,895
60.6".....	098-04	N/C	1,910
64.5".....	098-05	N/C	1,920
68.5".....	098-06	N/C	1,935


Traverse Frame Width-	OPTION NO.	PRICE	WEIGHT LBS.
49.5".....	142-01	N/C	330
53".....	142-02	N/C	350
55".....	142-03	N/C	360
57".....	142-04	N/C	375
59".....	142-05	N/C	385
61".....	142-06	N/C	395
63".....	142-07	N/C	405
65".....	142-08	N/C	420
67".....	142-09	N/C	430
69".....	142-10	N/C	440

One Inch Additional Width-

For an Even Numbered Inch Traverse Frame Width. (Example: to get a 62" Traverse Frame order 61" Frame and One Inch Additional

Width Option).....	302-01	N/C
--------------------	--------	-----

Subject to Change Without Notice	FOR FREIGHT CHARGES SEE FREIGHT SECTION	Replaces 05/10/01	PAGE E-7.26 Effective 12/01/02
----------------------------------	---	----------------------	--------------------------------------



HYSTER COMPANY PRICE LIST	V40XMU VERY NARROW AISLE MAN-UP TURRET TRUCK Series Code A465
--	--

REQUIRED OPTIONS - Continued

FORKS - HOOK TYPE - Class II

	Length	Section	OPTION NO.	PRICE	WEIGHT LBS.
Pallet-Non Extending	30"	1.75" x 4".....	163-07	N/C	100
	36"	".....	163-01	N/C	110
	42"	".....	163-02	N/C	120
	48"	".....	163-03	N/C	132
	Thin	1.4"x5.12"x30, 36, 42,48".....	Contact WPG	\$ 215.	
(For use with rail guidance and low profile rails.)					
Pallet-Forks Extending (Adds 6" of Reach to Each Side)	36"	2.36" x 4.72".....	163-04	4,680.	265
	42"	".....	163-05	4,680.	295
	48"	".....	163-06	4,680.	325
Fork Spacers- (For Non-Extending Forks Only) Fork spacers allow the truck to reach wider aisles. Required for lift heights greater than 360".	0.5".....		303-01	210.	
	1.0".....		303-02	210.	
	1.5".....		303-03	210.	
	2.0".....		303-04	210.	
	2.5".....		303-05	210.	

Guidance Systems-	OPTION NO.	PRICE	WEIGHT LBS.
Guide Rollers - Low Profile..... (Adds 2" to Base Width of Truck) When ordering multi-Turn Steering and Guide Rollers Auto-Centering Option 057-03 is Required	042-01	\$ 805.	
Wire Guidance - 6.25 kHz Line Frequency @ 78 mA RMS.....	103-01	7,110.	
Wire Guidance - 5.2 kHz Line Frequency @ 35 mA RMS (for System Using Ray Guide).....	103-02	7,110.	
Wire Line Driver..... (Works with either Frequency)	PN: 360634	Parts Depot	


Installation Charge-	OPTION NO.	PRICE	WEIGHT LBS.
REQUIRED on First Order at Each Dealership Service Branch (contact WPG) (\$2,050 pays for up to 3 trucks)	304-01	\$ 2,050. NET	

The installation option provides the dealership with a Hyster Company Field Installation Engineer to assist with set-up of the ordered truck(s). The Engineer will direct the unloading and assembly of the truck(s) and will provide both operator and service orientation for the truck and its optional / SPED features.

Installation Information-

Hyster Company V40XMU Lift Trucks are delivered directly to the customer's site and need to be set up. They are shipped via boat in intermodal containers from our Masate Italy Manufacturing Facility. The Hyster dealership must provide the following at the customer site for the installation: (1) B60XT (or higher capacity pallet truck), (1) 10,000 lb. capacity counterbalanced truck, (1) 15,000 lb. Capacity counterbalanced truck, and (2) electric truck service personnel, preferably with wire guidance experience. NOTE: 15,000 counterbalanced truck must have MFH that is at least 1.3 times as high as the V30XMU OALH, and the 10,000 lb. Counterbalanced truck must have MFH that is at least 0.75 times as high as the V30XMU OALH. Your dealership should plan on a minimum of (3) days for an installation. Each additional truck adds approximately (1) day to the (3) day minimum. Equipment and support personnel must be on site during the entire installation period. Salesperson presence is required for the first day of the installation process.

Subject to Change Without Notice	FOR FREIGHT CHARGES SEE FREIGHT SECTION	Replaces 05/10/01	PAGE E-7.27 Effective 12/01/02
----------------------------------	---	----------------------	--------------------------------------



HYSTER COMPANY

PRICE LIST

V40XMU VERY NARROW AISLE MAN-UP TURRET TRUCK Series Code A465

ADDITIONAL OPTIONS

BASIC TRUCK


		OPTION NO.	PRICE	WEIGHT LBS.
Back-Up Alarm-		Contact WPG	\$ 485.	
Battery Compartment-	<i>Contact Hyster Company, WPG for Battery Specifications.</i>			
	Standard (does not include rollers).....	N/A	N/C	
	Side Battery Removal with Rollers Configured for (1) 72 Volt Battery (adds to lead-time).....	Contact WPG	5,785.	
	Side Battery Removal with Rollers Configured for (2) 36 Volt Batteries (adds to lead-time).....	Contact WPG	5,925.	
Construction-	Standard Construction.....	020-01	Std.	
	32°F to -40°F (0°C to -40°C) Freezer Conditioning (adds to lead-time, contact Hyster Company, WPG).....	020-02	7,210.	
Controls-	End of Aisle Stop or Slowdown.....	Contact WPG		
	End of Aisle Magnets (for use with above).....	Parts Depot		
	Magnets are dealer installed at customer site			
	Motor Brush Wear Indicator/s - one lamp on dash, separate lamps in service compartment for Traction, Hoist and Pump.....	182-01	575.	
Steering-	Return to Center (must be specified).....	057-01	Std.	
	Multi-Turn - Includes Direction Ind.....	057-02	N/C	
	Multi-Turn Plus Auto Centering (REQUIRED for Rail Guidance).....	057-03	210.	
Accessory Pre-Wire and Mounting Bracket (RF Terminal).....		280-01	395.	
Includes Universal Mounting Bracket Located on Right Corner of Overhead Guard. Also Fused 15 Amp 72 VDC (Battery Positive) Power Wiring with Battery Negative. Not Included: Data terminal, DC/DC converter, or Accessory For Terminal Strip and Power Conditioning, Contact WPG.				
U.L. Approval-	U.L. Classification Type E.....	056-01	Std.	
	Voids U.L. Classification.....	056-99	N/C	
Publications-	Operator Manual (1), Parts Manual (1), and Service Manual (1) (English for USA).....	301-02	Std.	
	Manuals in Non-English USA Languages.....	Contact WPG		
	Note: Not all Languages are Available			
	Additional Parts Manual/s.....	PN: 1459026	Literature Distribution Center	
	Additional Service Manual/s.....	PN: 2794304	Literature Distribution Center	
	V30/35XMU Product Manual.....	PN: 871888	Literature Distribution Center	
	V30/35/40XMU Technical Orientation Video.....	PN: 871895	Literature Distribution Center	
	Wire Driver Manual.....	PN: 599565	Literature Distribution Center	
	Guide Wire Installation.....	PN: 599596	Literature Distribution Center	
ZAPI Handset				
(REQUIRED for service)-	ZAPI Handset DELETE (where applicable).....	Contact WPG	(255.) Credit Net	
	Additional ZAPI Handset.....	PN: 2780842	Parts Depot	

Subject to Change Without Notice

FOR FREIGHT CHARGES SEE FREIGHT SECTION

Replaces
05/10/01

PAGE E-7.28
Effective
12/01/02



HYSTER COMPANY

PRICE LIST

V40XMU VERY NARROW AISLE MAN-UP TURRET TRUCK Series Code A465

ADDITIONAL OPTIONS - CONTINUED

<u>MAST / CAB</u>		Option No.	Price	Weight Lbs.
Fan-	With Switch on Console.....	026-01	\$ 165.	
Fire Extinguisher-		Parts Depot		
Mast Lift Limit Switch Position-	Specify Height - (Lower Than MFH).....	Contact WPG	N/C	
Mast Lift Limit Override Button-	(Specify Cab Height for Cut Out in .5" increments only).....	111-01	280.	
Lights-	2 Spot Lights and Dome Light with Switch on Console.....	086-01	185.	
	Strobe Light Under Cab.....	086-02	400.	
Mirrors-	Right and Left Side.....	118-01	160.	
Tether and Harness-		Parts Depot		

<u>ATTACHMENT</u>		Option No.	Price	Weight Lbs.
Fork Positioner-	(N/A with Extending Forks or Fork Tilt).....	Contact WPG		
Fork Tilt-	(N/A with Extending Forks or Fork Pos.).....	Contact WPG		
Load Guide Shuttle Table-		Contact WPG		
Roll Loader Attachment-		Contact WPG		

FREIGHT - Incremental Freight Charges (where applicable)

The Hyster Company, V40XMU Freight Charges are listed below. The dealership must order an ocean freight option and must pay for trucking the intermodal containers from the selected port to the customer location.

Following is a listing of ports and additional charges (if any) that apply to those locations. To obtain a cost quote for shipping to an unlisted port, please contact the Hyster Company, Warehouse Products Group.

	Typical Transit Time	Option No.	Price
Charleston, SC-	15 Days.....	009-06	N/C
Houston, TX-	24 Days.....	009-07	\$ 460. NET
Los Angeles, CA-	23 Days.....	009-08	1,570. NET
Miami, FL-	12 Days.....	009-09	810. NET
Montreal, PQ, Canada-	16 Days.....	009-10	325. NET
New Orleans, LA-	21 Days.....	009-11	840. NET
New York, NY-	11 Days.....	009-12	N/C
Norfolk, VA-	13 Days.....	009-13	N/C
Seattle, WA-	28 Days.....	009-14	1,975. NET
OTHER PORTS-	Contact WPG / Hyster Traffic.....	Contact WPG	

Subject to Change Without Notice

FOR FREIGHT CHARGES SEE FREIGHT SECTION

Replaces
05/10/01

PAGE E-7.29
Effective
12/01/02